



2018 Missouri Student Survey County Reports

2018

Adair County	Grundy County	Pemiscot County
Andrew County	Harrison County	Perry County
Atchison County	Henry County	Pettis County
Audrain County	Hickory County	Phelps County
Barry County	Holt County	Pike County
Barton County	Howard County	Platte County
Bates County	Howell County	Polk County
Benton County	Iron County	Pulaski County
Bollinger County	Jackson County	Putnam County
Boone County	Jasper County	Ralls County
Buchanan County	Jefferson County	Randolph County
Butler County	Johnson County	Ray County
Caldwell County	Knox County	Reynolds County
Callaway County	Laclede County	Ripley County
Camden County	Lafayette County	Saline County
Cape Girardeau County	Lawrence County	Schuyler County
Carroll County	Lewis County	Scotland County
Carter County	Lincoln County	Scott County
Cass County	Linn County	Shannon County
Cedar County	Livingston County	Shelby County
Chariton County	Macon County	St. Charles County
Christian County	Madison County	St. Clair County
Clark County	Maries County	St. Francois County
Clay County	Marion County	St. Louis (City) County
Clinton County	McDonald County	St. Louis County
Cole County	Mercer County	Ste. Genevieve County
Cooper County	Miller County	Stoddard County
Crawford County	Mississippi County	Stone County
Dade County	Moniteau County	Sullivan County
Dallas County	Monroe County	Taney County

Daviess County
DeKalb County
Dent County
Douglas County
Dunklin County
Franklin County
Gasconade County
Gentry County
Greene County

Montgomery County
Morgan County
New Madrid County
Newton County
Nodaway County
Oregon County
Osage County
Ozark County

Texas County
Vernon County
Warren County
Washington County
Wayne County
Webster County
Worth County
Wright County

2018 Missouri Student Survey Adair County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	83	*	77
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.9%	15.3%	9.3%
Grade level. 7th Grade	11.5%	13.7%	7.3%
Grade level. 8th Grade	2.9%	14.0%	17.1%
Grade level. 9th Grade	10.5%	13.4%	12.4%
Grade level. 10th Grade	21.3%	13.7%	18.6%
Grade level. 11th Grade	16.4%	14.6%	17.7%
Grade level. 12th Grade	25.5%	15.2%	17.6%
Male	44.3%	49.7%	43.5%
Hispanic or Latino	1.0%	5.8%	1.7%
Race: Black or African American	0.0%	12.7%	2.1%
Race: White	94.5%	76.9%	92.7%
Race: Multiracial	5.1%	8.5%	1.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	18.6%	8.7%	14.9%
Used electronic cigarettes	11.6%	15.3%	5.8%
Used hookahs or water pipes	3.4%	2.6%	1.3%
Used alcohol	13.4%	14.5%	19.1%
Used marijuana	9.5%	6.5%	1.7%
Used inhalants	0.3%	1.1%	2.7%
Used Rx not prescribed for you by a doctor	9.4%	7.6%	4.3%
Used `OTC` to get high	0.7%	1.6%	1.2%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	0.0%
Used heroin or `smack`	0.0%	0.2%	1.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.7%	29.7%	20.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.7%	7.6%	4.5%
Rode with someone who was drinking alcohol	17.2%	15.1%	21.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	36.6%	20.7%	22.1%
Posted something online or sent a text that might embarrass or hurt another student	19.3%	15.5%	8.6%
Made fun of other people	72.4%	51.1%	56.6%
Hit, shoved or pushed another student and was not just fooling around	14.9%	14.1%	13.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.8%	29.4%	16.2%
Was in a physical fight	21.6%	17.9%	21.2%
Been threatened or injured with a weapon on school property	0.0%	6.6%	0.5%
Seriously considered suicide	12.1%	14.1%	6.1%
Planned suicide	8.1%	10.9%	10.1%
Attempted suicide	7.5%	6.2%	1.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	20.6%	24.4%	15.6%
Was grouchy or irritable, or in a bad mood	36.6%	35.0%	36.3%
Felt hopeless about the future	16.5%	13.2%	11.8%
Felt like not eating or eating more than usual	12.7%	21.8%	13.4%
Felt like sleeping a lot more or a lot less than usual	24.3%	33.4%	19.5%
Had difficulty concentrating on school work	17.5%	29.6%	14.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.9%	93.9%	83.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.9%	93.8%	90.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.5%	93.0%	94.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.6%	95.6%	92.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	62.0%	79.4%	70.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.9%	75.2%	84.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.3%	71.1%	84.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.1%	87.8%	91.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	51.8%	44.4%	59.6%
'Very' or 'sort of easy' to get alcohol	53.5%	48.9%	68.3%
'Very' or 'sort of easy' to get marijuana	33.7%	36.9%	27.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.8%	25.4%	36.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.4%	10.7%	3.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	10.8%	25.9%	5.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.1%	26.8%	15.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	7.7%	25.9%	9.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	41.3%	41.8%	31.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	23.5%	17.1%	13.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.7%	39.7%	31.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.5%	31.4%	39.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.4%	22.9%	27.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.1%	37.0%	26.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.0%	9.0%	3.0%
'No' or 'slight risk' if they use synthetic drugs	7.6%	12.7%	8.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	15.1%	21.6%	10.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	8.1%	13.1%	10.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2020 survey!

2018 Missouri Student Survey Atchison County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	255	*	108
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.4%	15.3%	21.8%
Grade level. 7th Grade	15.6%	13.7%	14.1%
Grade level. 8th Grade	14.4%	14.0%	12.8%
Grade level. 9th Grade	17.8%	13.4%	14.1%
Grade level. 10th Grade	13.3%	13.7%	12.8%
Grade level. 11th Grade	16.7%	14.6%	10.3%
Grade level. 12th Grade	7.8%	15.2%	14.1%
Male	48.9%	49.7%	48.1%
Hispanic or Latino	1.1%	5.8%	1.3%
Race: Black or African American	1.1%	12.7%	0.0%
Race: White	97.8%	76.9%	97.4%
Race: Multiracial	1.1%	8.5%	1.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	2.2%	8.7%	5.2%
Used electronic cigarettes	6.6%	15.3%	5.2%
Used hookahs or water pipes	2.2%	2.6%	1.3%
Used alcohol	7.8%	14.5%	3.9%
Used marijuana	3.3%	6.5%	2.6%
Used inhalants	1.1%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	5.6%	7.6%	3.9%
Used `OTC` to get high	1.1%	1.6%	1.3%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	2.6%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.1%	1.3%	2.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	1.3%
Used `club drugs` such as ecstasy	1.1%	0.9%	2.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	16.5%	29.7%	14.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.5%	7.6%	2.6%
Rode with someone who was drinking alcohol	13.3%	15.1%	10.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.2%	20.7%	23.4%
Posted something online or sent a text that might embarrass or hurt another student	15.4%	15.5%	15.6%
Made fun of other people	54.9%	51.1%	49.4%
Hit, shoved or pushed another student and was not just fooling around	11.2%	14.1%	9.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.2%	29.4%	28.6%
Was in a physical fight	12.1%	17.9%	11.8%
Been threatened or injured with a weapon on school property	4.4%	6.6%	3.8%
Seriously considered suicide	12.4%	14.1%	6.5%
Planned suicide	10.0%	10.9%	5.3%
Attempted suicide	2.2%	6.2%	2.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.1%	24.4%	16.9%
Was grouchy or irritable, or in a bad mood	30.0%	35.0%	25.0%
Felt hopeless about the future	13.2%	13.2%	10.5%
Felt like not eating or eating more than usual	18.9%	21.8%	21.1%
Felt like sleeping a lot more or a lot less than usual	26.7%	33.4%	9.3%
Had difficulty concentrating on school work	24.4%	29.6%	16.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.6%	93.9%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.6%	93.8%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.6%	93.0%	97.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.7%	95.6%	97.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.0%	79.4%	88.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	83.3%	75.2%	89.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	85.7%	71.1%	89.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.2%	87.8%	93.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	36.3%	44.4%	29.9%
'Very' or 'sort of easy' to get alcohol	44.4%	48.9%	32.9%
'Very' or 'sort of easy' to get marijuana	23.3%	36.9%	15.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.5%	25.4%	17.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.6%	10.7%	2.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	12.4%	25.9%	5.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	14.4%	26.8%	17.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	13.3%	25.9%	9.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	36.0%	41.8%	31.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	12.4%	17.1%	16.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.8%	39.7%	23.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.7%	31.4%	30.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.1%	22.9%	20.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.3%	37.0%	23.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.6%	9.0%	9.0%
'No' or 'slight risk' if they use synthetic drugs	9.0%	12.7%	13.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.9%	21.6%	18.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.0%	13.1%	14.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Audrain County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	309	*	258
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	37.4%	15.3%	4.5%
Grade level. 7th Grade	5.3%	13.7%	19.0%
Grade level. 8th Grade	3.1%	14.0%	20.1%
Grade level. 9th Grade	8.7%	13.4%	23.6%
Grade level. 10th Grade	12.2%	13.7%	12.3%
Grade level. 11th Grade	23.4%	14.6%	16.5%
Grade level. 12th Grade	9.8%	15.2%	4.0%
Male	45.4%	49.7%	45.9%
Hispanic or Latino	1.8%	5.8%	2.5%
Race: Black or African American	3.6%	12.7%	5.5%
Race: White	92.8%	76.9%	90.0%
Race: Multiracial	2.0%	8.5%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.2%	8.7%	13.0%
Used electronic cigarettes	12.4%	15.3%	5.5%
Used hookahs or water pipes	1.2%	2.6%	0.5%
Used alcohol	27.1%	14.5%	16.2%
Used marijuana	3.3%	6.5%	6.0%
Used inhalants	0.0%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	6.4%	7.6%	10.5%
Used `OTC` to get high	1.2%	1.6%	1.5%
Used synthetic drugs	0.0%	0.3%	0.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.6%	1.0%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.5%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.8%	1.3%	2.5%
Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.3%	0.8%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.4%	29.7%	23.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.1%	7.6%	7.0%
Rode with someone who was drinking alcohol	19.9%	15.1%	10.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	24.0%	20.7%	38.2%
Posted something online or sent a text that might embarrass or hurt another student	21.2%	15.5%	18.9%
Made fun of other people	55.8%	51.1%	71.4%
Hit, shoved or pushed another student and was not just fooling around	19.0%	14.1%	15.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.6%	29.4%	40.5%
Was in a physical fight	18.1%	17.9%	20.2%
Been threatened or injured with a weapon on school property	5.5%	6.6%	7.2%
Seriously considered suicide	9.8%	14.1%	14.0%
Planned suicide	8.1%	10.9%	7.8%
Attempted suicide	4.8%	6.2%	4.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	17.9%	24.4%	19.5%
Was grouchy or irritable, or in a bad mood	28.5%	35.0%	31.2%
Felt hopeless about the future	10.9%	13.2%	14.0%
Felt like not eating or eating more than usual	19.6%	21.8%	19.3%
Felt like sleeping a lot more or a lot less than usual	29.1%	33.4%	20.8%
Had difficulty concentrating on school work	27.7%	29.6%	26.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.8%	93.9%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	87.7%	93.8%	93.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.9%	93.0%	95.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.7%	95.6%	96.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	69.7%	79.4%	76.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	68.6%	75.2%	79.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.0%	71.1%	79.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.5%	87.8%	86.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.8%	44.4%	44.4%
'Very' or 'sort of easy' to get alcohol	50.6%	48.9%	51.8%
'Very' or 'sort of easy' to get marijuana	29.9%	36.9%	30.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.2%	25.4%	22.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	20.4%	10.7%	12.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	12.9%	25.9%	11.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	35.2%	26.8%	27.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.2%	25.9%	16.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	47.9%	41.8%	44.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	20.4%	17.1%	20.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	50.0%	39.7%	43.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	40.6%	31.4%	44.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.3%	22.9%	36.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.5%	37.0%	27.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.6%	9.0%	9.2%
'No' or 'slight risk' if they use synthetic drugs	14.7%	12.7%	12.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.4%	21.6%	21.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.8%	13.1%	12.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Barry County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1634	*	508
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	17.2%	15.3%	6.6%
Grade level. 7th Grade	12.7%	13.7%	19.7%
Grade level. 8th Grade	12.5%	14.0%	24.4%
Grade level. 9th Grade	15.9%	13.4%	11.2%
Grade level. 10th Grade	15.4%	13.7%	15.2%
Grade level. 11th Grade	14.9%	14.6%	11.4%
Grade level. 12th Grade	11.5%	15.2%	11.4%
Male	49.9%	49.7%	48.0%
Hispanic or Latino	4.8%	5.8%	4.3%
Race: Black or African American	0.1%	12.7%	0.0%
Race: White	95.5%	76.9%	93.1%
Race: Multiracial	2.1%	8.5%	3.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	6.8%	8.7%	11.8%
Used electronic cigarettes	10.3%	15.3%	6.9%
Used hookahs or water pipes	1.6%	2.6%	1.9%
Used alcohol	10.4%	14.5%	11.4%
Used marijuana	4.7%	6.5%	4.0%
Used inhalants	1.1%	1.1%	1.2%
Used Rx not prescribed for you by a doctor	8.4%	7.6%	6.6%
Used `OTC` to get high	1.8%	1.6%	1.2%
Used synthetic drugs	0.1%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.0%	0.0%
Used heroin or `smack`	0.3%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.7%	1.3%	0.5%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.8%	0.9%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	33.2%	29.7%	31.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.1%	7.6%	3.8%
Rode with someone who was drinking alcohol	16.7%	15.1%	9.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.2%	20.7%	17.3%
Posted something online or sent a text that might embarrass or hurt another student	13.9%	15.5%	15.1%
Made fun of other people	43.9%	51.1%	46.7%
Hit, shoved or pushed another student and was not just fooling around	12.5%	14.1%	17.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	30.2%	29.4%	30.4%
Was in a physical fight	16.7%	17.9%	16.3%
Been threatened or injured with a weapon on school property	7.6%	6.6%	6.9%
Seriously considered suicide	13.2%	14.1%	10.8%
Planned suicide	9.9%	10.9%	9.1%
Attempted suicide	6.1%	6.2%	4.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.1%	24.4%	22.4%
Was grouchy or irritable, or in a bad mood	32.5%	35.0%	29.1%
Felt hopeless about the future	14.9%	13.2%	9.0%
Felt like not eating or eating more than usual	24.5%	21.8%	16.4%
Felt like sleeping a lot more or a lot less than usual	31.3%	33.4%	19.3%
Had difficulty concentrating on school work	28.2%	29.6%	23.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.6%	93.9%	91.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.4%	93.8%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.4%	93.0%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.1%	95.6%	95.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.0%	79.4%	83.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.8%	75.2%	85.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.9%	71.1%	85.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.6%	87.8%	92.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	41.8%	44.4%	48.1%
'Very' or 'sort of easy' to get alcohol	45.1%	48.9%	40.9%
'Very' or 'sort of easy' to get marijuana	34.3%	36.9%	27.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.7%	25.4%	30.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.4%	10.7%	7.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.2%	25.9%	11.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.2%	26.8%	16.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.8%	25.9%	16.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.5%	41.8%	41.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.2%	17.1%	21.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.2%	39.7%	28.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.3%	31.4%	32.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.0%	22.9%	25.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.9%	37.0%	30.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.2%	9.0%	12.5%
'No' or 'slight risk' if they use synthetic drugs	11.7%	12.7%	13.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.4%	21.6%	19.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.2%	13.1%	15.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Barton County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	222	*	303
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	18.6%	15.3%	16.7%
Grade level. 7th Grade	8.6%	13.7%	10.5%
Grade level. 8th Grade	17.1%	14.0%	23.9%
Grade level. 9th Grade	14.5%	13.4%	6.2%
Grade level. 10th Grade	12.3%	13.7%	10.5%
Grade level. 11th Grade	10.8%	14.6%	17.2%
Grade level. 12th Grade	18.2%	15.2%	14.8%
Male	49.6%	49.7%	48.3%
Hispanic or Latino	1.5%	5.8%	1.5%
Race: Black or African American	0.0%	12.7%	0.0%
Race: White	95.1%	76.9%	95.7%
Race: Multiracial	3.4%	8.5%	3.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.7%	8.7%	11.1%
Used electronic cigarettes	5.3%	15.3%	6.7%
Used hookahs or water pipes	0.4%	2.6%	1.9%
Used alcohol	12.5%	14.5%	13.9%
Used marijuana	2.3%	6.5%	5.3%
Used inhalants	1.1%	1.1%	0.5%
Used Rx not prescribed for you by a doctor	9.2%	7.6%	6.7%
Used `OTC` to get high	1.9%	1.6%	2.4%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.0%	0.5%
Used heroin or `smack`	0.4%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.8%	1.3%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	0.5%
Used `club drugs` such as ecstasy	1.1%	0.9%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	20.7%	29.7%	19.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.4%	7.6%	5.8%
Rode with someone who was drinking alcohol	15.2%	15.1%	16.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	25.9%	20.7%	34.0%
Posted something online or sent a text that might embarrass or hurt another student	15.9%	15.5%	14.9%
Made fun of other people	54.2%	51.1%	66.5%
Hit, shoved or pushed another student and was not just fooling around	15.8%	14.1%	16.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.1%	29.4%	34.8%
Was in a physical fight	16.1%	17.9%	19.1%
Been threatened or injured with a weapon on school property	7.9%	6.6%	10.5%
Seriously considered suicide	10.6%	14.1%	11.5%
Planned suicide	6.0%	10.9%	10.5%
Attempted suicide	2.6%	6.2%	5.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	21.1%	24.4%	19.7%
Was grouchy or irritable, or in a bad mood	28.8%	35.0%	30.8%
Felt hopeless about the future	10.0%	13.2%	13.4%
Felt like not eating or eating more than usual	21.3%	21.8%	19.7%
Felt like sleeping a lot more or a lot less than usual	24.9%	33.4%	20.2%
Had difficulty concentrating on school work	20.2%	29.6%	32.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	97.7%	93.9%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.6%	93.8%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.4%	93.0%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.3%	95.6%	98.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.3%	79.4%	81.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.7%	75.2%	84.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	86.9%	71.1%	84.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.6%	87.8%	90.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	40.6%	44.4%	44.7%
'Very' or 'sort of easy' to get alcohol	48.7%	48.9%	54.3%
'Very' or 'sort of easy' to get marijuana	21.5%	36.9%	29.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.5%	25.4%	34.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.6%	10.7%	6.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	13.8%	25.9%	9.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.9%	26.8%	17.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.2%	25.9%	13.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	32.2%	41.8%	37.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.1%	17.1%	14.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	31.3%	39.7%	36.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.6%	31.4%	34.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	19.8%	22.9%	22.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.4%	37.0%	24.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.3%	9.0%	7.7%
'No' or 'slight risk' if they use synthetic drugs	9.6%	12.7%	11.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.2%	21.6%	19.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.7%	13.1%	14.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Bates County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	228	*	250
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.6%	15.3%	19.9%
Grade level. 7th Grade	18.8%	13.7%	12.8%
Grade level. 8th Grade	14.6%	14.0%	19.2%
Grade level. 9th Grade	14.6%	13.4%	9.3%
Grade level. 10th Grade	11.3%	13.7%	12.8%
Grade level. 11th Grade	11.3%	14.6%	11.7%
Grade level. 12th Grade	14.6%	15.2%	14.2%
Male	46.1%	49.7%	47.9%
Hispanic or Latino	1.2%	5.8%	1.8%
Race: Black or African American	1.2%	12.7%	0.7%
Race: White	95.8%	76.9%	96.1%
Race: Multiracial	1.5%	8.5%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.8%	8.7%	14.0%
Used electronic cigarettes	11.3%	15.3%	8.9%
Used hookahs or water pipes	1.2%	2.6%	1.8%
Used alcohol	13.8%	14.5%	12.9%
Used marijuana	3.1%	6.5%	1.4%
Used inhalants	0.3%	1.1%	1.8%
Used Rx not prescribed for you by a doctor	6.6%	7.6%	8.2%
Used `OTC` to get high	0.0%	1.6%	1.4%
Used synthetic drugs	0.0%	0.3%	0.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.0%	0.7%
Used heroin or `smack`	0.0%	0.2%	0.7%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.6%	1.3%	1.4%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	1.5%
Used `club drugs` such as ecstasy	0.0%	0.9%	1.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.8%	29.7%	30.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.8%	7.6%	5.4%
Rode with someone who was drinking alcohol	13.6%	15.1%	14.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.6%	20.7%	25.7%
Posted something online or sent a text that might embarrass or hurt another student	17.5%	15.5%	12.5%
Made fun of other people	45.9%	51.1%	48.2%
Hit, shoved or pushed another student and was not just fooling around	20.4%	14.1%	12.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.9%	29.4%	37.5%
Was in a physical fight	18.6%	17.9%	13.6%
Been threatened or injured with a weapon on school property	7.6%	6.6%	7.1%
Seriously considered suicide	13.9%	14.1%	9.1%
Planned suicide	7.5%	10.9%	6.5%
Attempted suicide	7.8%	6.2%	2.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	22.0%	24.4%	22.6%
Was grouchy or irritable, or in a bad mood	35.3%	35.0%	29.1%
Felt hopeless about the future	10.9%	13.2%	10.8%
Felt like not eating or eating more than usual	22.0%	21.8%	20.4%
Felt like sleeping a lot more or a lot less than usual	26.8%	33.4%	22.6%
Had difficulty concentrating on school work	26.4%	29.6%	19.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.1%	93.9%	90.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.4%	93.8%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.8%	93.0%	96.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.7%	95.6%	96.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	72.3%	79.4%	78.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	68.2%	75.2%	85.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.3%	71.1%	85.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.9%	87.8%	90.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.2%	44.4%	48.8%
'Very' or 'sort of easy' to get alcohol	46.4%	48.9%	45.7%
'Very' or 'sort of easy' to get marijuana	32.3%	36.9%	22.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.4%	25.4%	21.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.4%	10.7%	11.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.6%	25.9%	13.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.7%	26.8%	23.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.6%	25.9%	13.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	37.4%	41.8%	38.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	19.5%	17.1%	16.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.7%	39.7%	38.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	40.9%	31.4%	42.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.4%	22.9%	28.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.5%	37.0%	26.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.1%	9.0%	8.2%
'No' or 'slight risk' if they use synthetic drugs	13.9%	12.7%	11.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.9%	21.6%	18.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.7%	13.1%	12.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Benton County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	238	*	355
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.2%	15.3%	21.2%
Grade level. 7th Grade	18.2%	13.7%	12.2%
Grade level. 8th Grade	14.5%	14.0%	12.2%
Grade level. 9th Grade	14.5%	13.4%	12.2%
Grade level. 10th Grade	13.2%	13.7%	11.4%
Grade level. 11th Grade	10.9%	14.6%	19.2%
Grade level. 12th Grade	14.5%	15.2%	11.4%
Male	48.7%	49.7%	49.6%
Hispanic or Latino	1.0%	5.8%	1.2%
Race: Black or African American	0.3%	12.7%	0.4%
Race: White	97.7%	76.9%	96.4%
Race: Multiracial	1.3%	8.5%	1.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	14.3%	8.7%	13.8%
Used electronic cigarettes	13.9%	15.3%	10.6%
Used hookahs or water pipes	5.1%	2.6%	2.0%
Used alcohol	23.2%	14.5%	18.5%
Used marijuana	7.8%	6.5%	5.2%
Used inhalants	1.7%	1.1%	0.4%
Used Rx not prescribed for you by a doctor	4.1%	7.6%	13.4%
Used `OTC` to get high	1.4%	1.6%	1.2%
Used synthetic drugs	0.7%	0.3%	0.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	3.1%	1.0%	0.4%
Used heroin or `smack`	0.3%	0.2%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	5.1%	1.3%	2.1%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.0%
Used `club drugs` such as ecstasy	3.7%	0.9%	2.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	22.8%	29.7%	20.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.0%	7.6%	3.7%
Rode with someone who was drinking alcohol	19.9%	15.1%	19.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.8%	20.7%	25.5%
Posted something online or sent a text that might embarrass or hurt another student	17.5%	15.5%	14.6%
Made fun of other people	54.3%	51.1%	56.3%
Hit, shoved or pushed another student and was not just fooling around	14.3%	14.1%	19.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.6%	29.4%	34.1%
Was in a physical fight	19.5%	17.9%	22.0%
Been threatened or injured with a weapon on school property	7.7%	6.6%	8.1%
Seriously considered suicide	14.1%	14.1%	9.5%
Planned suicide	12.3%	10.9%	6.6%
Attempted suicide	7.1%	6.2%	3.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.7%	24.4%	24.6%
Was grouchy or irritable, or in a bad mood	31.0%	35.0%	28.7%
Felt hopeless about the future	15.3%	13.2%	10.9%
Felt like not eating or eating more than usual	23.7%	21.8%	16.7%
Felt like sleeping a lot more or a lot less than usual	28.1%	33.4%	26.0%
Had difficulty concentrating on school work	28.7%	29.6%	24.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.4%	93.9%	91.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.4%	93.8%	93.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.2%	93.0%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.1%	95.6%	94.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.5%	79.4%	72.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.7%	75.2%	78.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.8%	71.1%	78.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.7%	87.8%	91.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.3%	44.4%	45.7%
'Very' or 'sort of easy' to get alcohol	59.0%	48.9%	49.6%
'Very' or 'sort of easy' to get marijuana	34.2%	36.9%	32.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.4%	25.4%	22.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.0%	10.7%	6.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	10.7%	25.9%	12.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.8%	26.8%	24.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.6%	25.9%	16.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	44.5%	41.8%	45.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.3%	17.1%	15.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.4%	39.7%	32.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.5%	31.4%	40.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	29.8%	22.9%	23.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.2%	37.0%	30.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.4%	9.0%	6.9%
'No' or 'slight risk' if they use synthetic drugs	9.5%	12.7%	12.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.3%	21.6%	22.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.3%	13.1%	11.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Bollinger County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	563	*	698
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.8%	15.3%	12.4%
Grade level. 7th Grade	15.3%	13.7%	15.5%
Grade level. 8th Grade	14.8%	14.0%	18.6%
Grade level. 9th Grade	15.7%	13.4%	12.4%
Grade level. 10th Grade	14.0%	13.7%	16.0%
Grade level. 11th Grade	11.8%	14.6%	14.9%
Grade level. 12th Grade	13.5%	15.2%	10.3%
Male	49.1%	49.7%	49.7%
Hispanic or Latino	0.9%	5.8%	0.5%
Race: Black or African American	0.4%	12.7%	0.5%
Race: White	97.8%	76.9%	97.9%
Race: Multiracial	1.3%	8.5%	1.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	14.6%	8.7%	13.0%
Used electronic cigarettes	16.1%	15.3%	11.3%
Used hookahs or water pipes	1.4%	2.6%	0.5%
Used alcohol	18.9%	14.5%	15.0%
Used marijuana	4.1%	6.5%	1.6%
Used inhalants	1.8%	1.1%	0.5%
Used Rx not prescribed for you by a doctor	6.9%	7.6%	8.3%
Used `OTC` to get high	2.8%	1.6%	2.1%
Used synthetic drugs	0.5%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.0%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.0%	1.3%	0.5%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.3%	0.5%
Used `club drugs` such as ecstasy	0.5%	0.9%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	35.5%	29.7%	31.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.2%	7.6%	6.8%
Rode with someone who was drinking alcohol	18.6%	15.1%	14.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	26.1%	20.7%	22.8%
Posted something online or sent a text that might embarrass or hurt another student	15.9%	15.5%	16.0%
Made fun of other people	54.7%	51.1%	55.2%
Hit, shoved or pushed another student and was not just fooling around	19.1%	14.1%	15.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	38.1%	29.4%	32.6%
Was in a physical fight	20.5%	17.9%	14.0%
Been threatened or injured with a weapon on school property	5.8%	6.6%	5.7%
Seriously considered suicide	15.2%	14.1%	11.0%
Planned suicide	10.9%	10.9%	6.8%
Attempted suicide	5.4%	6.2%	4.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.6%	24.4%	21.8%
Was grouchy or irritable, or in a bad mood	37.7%	35.0%	28.6%
Felt hopeless about the future	16.6%	13.2%	10.9%
Felt like not eating or eating more than usual	26.9%	21.8%	19.7%
Felt like sleeping a lot more or a lot less than usual	31.7%	33.4%	20.3%
Had difficulty concentrating on school work	31.2%	29.6%	25.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.4%	93.9%	91.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	87.4%	93.8%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.1%	93.0%	97.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	95.6%	96.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	68.9%	79.4%	74.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	63.7%	75.2%	85.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.7%	71.1%	85.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.4%	87.8%	91.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.2%	44.4%	44.8%
'Very' or 'sort of easy' to get alcohol	52.6%	48.9%	46.6%
'Very' or 'sort of easy' to get marijuana	30.2%	36.9%	18.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.9%	25.4%	21.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.1%	10.7%	6.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.3%	25.9%	13.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.1%	26.8%	22.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.6%	25.9%	8.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	43.5%	41.8%	36.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	22.5%	17.1%	15.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.4%	39.7%	30.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	45.0%	31.4%	36.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	37.3%	22.9%	28.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.4%	37.0%	21.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.0%	9.0%	7.3%
'No' or 'slight risk' if they use synthetic drugs	14.3%	12.7%	7.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.7%	21.6%	16.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.9%	13.1%	11.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Boone County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	2773	*	2144
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	12.3%	15.3%	1.4%
Grade level. 7th Grade	12.4%	13.7%	17.5%
Grade level. 8th Grade	13.1%	14.0%	19.9%
Grade level. 9th Grade	13.3%	13.4%	38.0%
Grade level. 10th Grade	15.3%	13.7%	12.9%
Grade level. 11th Grade	18.2%	14.6%	7.5%
Grade level. 12th Grade	15.5%	15.2%	2.8%
Male	49.1%	49.7%	46.4%
Hispanic or Latino	2.2%	5.8%	1.9%
Race: Black or African American	7.1%	12.7%	8.4%
Race: White	84.2%	76.9%	84.0%
Race: Multiracial	4.8%	8.5%	4.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	4.9%	8.7%	7.5%
Used electronic cigarettes	9.6%	15.3%	10.1%
Used hookahs or water pipes	1.6%	2.6%	1.7%
Used alcohol	14.2%	14.5%	12.0%
Used marijuana	5.8%	6.5%	6.7%
Used inhalants	0.6%	1.1%	0.4%
Used Rx not prescribed for you by a doctor	6.2%	7.6%	7.8%
Used `OTC` to get high	1.4%	1.6%	2.0%
Used synthetic drugs	0.3%	0.3%	0.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.0%	1.0%	0.3%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	1.3%	1.1%
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.3%	0.0%
Used `club drugs` such as ecstasy	1.0%	0.9%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	22.6%	29.7%	26.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.6%	7.6%	4.4%
Rode with someone who was drinking alcohol	11.7%	15.1%	13.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.4%	20.7%	25.3%
Posted something online or sent a text that might embarrass or hurt another student	11.3%	15.5%	17.9%
Made fun of other people	38.4%	51.1%	57.7%
Hit, shoved or pushed another student and was not just fooling around	7.7%	14.1%	14.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	19.8%	29.4%	32.6%
Was in a physical fight	11.6%	17.9%	14.7%
Been threatened or injured with a weapon on school property	4.9%	6.6%	6.7%
Seriously considered suicide	9.9%	14.1%	11.6%
Planned suicide	7.3%	10.9%	9.0%
Attempted suicide	4.0%	6.2%	5.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	16.7%	24.4%	21.2%
Was grouchy or irritable, or in a bad mood	21.2%	35.0%	30.1%
Felt hopeless about the future	10.6%	13.2%	12.5%
Felt like not eating or eating more than usual	17.7%	21.8%	18.6%
Felt like sleeping a lot more or a lot less than usual	24.1%	33.4%	19.5%
Had difficulty concentrating on school work	23.0%	29.6%	26.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.7%	93.9%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.8%	93.8%	96.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.0%	93.0%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	95.6%	97.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.5%	79.4%	84.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.0%	75.2%	76.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.0%	71.1%	76.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.7%	87.8%	88.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	41.0%	44.4%	41.8%
'Very' or 'sort of easy' to get alcohol	50.6%	48.9%	53.7%
'Very' or 'sort of easy' to get marijuana	39.2%	36.9%	37.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.9%	25.4%	29.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.2%	10.7%	7.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.6%	25.9%	13.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.1%	26.8%	19.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	27.2%	25.9%	20.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.1%	41.8%	39.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	13.7%	17.1%	15.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.1%	39.7%	34.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.2%	31.4%	27.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.7%	22.9%	19.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	40.6%	37.0%	31.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.0%	9.0%	8.9%
'No' or 'slight risk' if they use synthetic drugs	11.3%	12.7%	11.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.4%	21.6%	21.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.5%	13.1%	12.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Buchanan County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1954	*	1334
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	23.8%	15.3%	20.7%
Grade level. 7th Grade	8.6%	13.7%	13.1%
Grade level. 8th Grade	11.9%	14.0%	10.2%
Grade level. 9th Grade	14.0%	13.4%	7.6%
Grade level. 10th Grade	17.4%	13.7%	14.4%
Grade level. 11th Grade	14.7%	14.6%	17.3%
Grade level. 12th Grade	9.6%	15.2%	16.7%
Male	50.1%	49.7%	51.1%
Hispanic or Latino	3.6%	5.8%	2.6%
Race: Black or African American	4.3%	12.7%	5.4%
Race: White	91.1%	76.9%	89.5%
Race: Multiracial	2.7%	8.5%	2.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.1%	8.7%	12.8%
Used electronic cigarettes	12.1%	15.3%	12.2%
Used hookahs or water pipes	1.9%	2.6%	1.5%
Used alcohol	13.3%	14.5%	18.3%
Used marijuana	7.7%	6.5%	11.5%
Used inhalants	0.6%	1.1%	1.2%
Used Rx not prescribed for you by a doctor	8.3%	7.6%	8.6%
Used `OTC` to get high	1.4%	1.6%	1.8%
Used synthetic drugs	0.3%	0.3%	0.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.4%	1.0%	0.8%
Used heroin or `smack`	0.0%	0.2%	0.1%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.7%	1.3%	1.9%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.3%	0.7%
Used `club drugs` such as ecstasy	0.3%	0.9%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.2%	29.7%	28.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.3%	7.6%	4.6%
Rode with someone who was drinking alcohol	13.2%	15.1%	13.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.0%	20.7%	20.6%
Posted something online or sent a text that might embarrass or hurt another student	16.9%	15.5%	20.2%
Made fun of other people	44.0%	51.1%	49.8%
Hit, shoved or pushed another student and was not just fooling around	12.0%	14.1%	14.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.5%	29.4%	33.8%
Was in a physical fight	16.7%	17.9%	16.4%
Been threatened or injured with a weapon on school property	6.3%	6.6%	6.7%
Seriously considered suicide	13.8%	14.1%	16.5%
Planned suicide	10.4%	10.9%	11.1%
Attempted suicide	6.1%	6.2%	6.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.7%	24.4%	22.1%
Was grouchy or irritable, or in a bad mood	35.3%	35.0%	33.9%
Felt hopeless about the future	16.0%	13.2%	12.3%
Felt like not eating or eating more than usual	21.8%	21.8%	19.5%
Felt like sleeping a lot more or a lot less than usual	30.4%	33.4%	22.8%
Had difficulty concentrating on school work	28.6%	29.6%	27.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.4%	93.9%	91.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.7%	93.8%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.7%	93.0%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.9%	95.6%	93.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.8%	79.4%	76.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.6%	75.2%	71.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.7%	71.1%	71.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.8%	87.8%	89.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.3%	44.4%	47.7%
'Very' or 'sort of easy' to get alcohol	46.8%	48.9%	50.3%
'Very' or 'sort of easy' to get marijuana	36.9%	36.9%	40.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.5%	25.4%	32.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.0%	10.7%	9.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.5%	25.9%	18.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.8%	26.8%	26.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.7%	25.9%	26.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.8%	41.8%	43.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.1%	17.1%	14.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.8%	39.7%	30.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.4%	31.4%	32.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.4%	22.9%	25.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.5%	37.0%	38.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.9%	9.0%	7.1%
'No' or 'slight risk' if they use synthetic drugs	11.5%	12.7%	9.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.7%	21.6%	22.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.0%	13.1%	12.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Butler County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	619	*	1979
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	19.4%	15.3%	16.8%
Grade level. 7th Grade	9.0%	13.7%	14.8%
Grade level. 8th Grade	7.2%	14.0%	17.2%
Grade level. 9th Grade	22.6%	13.4%	14.5%
Grade level. 10th Grade	17.4%	13.7%	16.5%
Grade level. 11th Grade	15.6%	14.6%	13.9%
Grade level. 12th Grade	8.8%	15.2%	6.2%
Male	48.5%	49.7%	48.1%
Hispanic or Latino	1.9%	5.8%	1.2%
Race: Black or African American	5.5%	12.7%	5.2%
Race: White	91.0%	76.9%	90.6%
Race: Multiracial	2.4%	8.5%	2.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.2%	8.7%	11.8%
Used electronic cigarettes	16.6%	15.3%	14.9%
Used hookahs or water pipes	1.4%	2.6%	3.1%
Used alcohol	12.7%	14.5%	14.4%
Used marijuana	7.5%	6.5%	7.6%
Used inhalants	1.3%	1.1%	0.9%
Used Rx not prescribed for you by a doctor	10.0%	7.6%	10.0%
Used `OTC` to get high	2.1%	1.6%	1.9%
Used synthetic drugs	0.5%	0.3%	0.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.3%	1.0%	1.0%
Used heroin or `smack`	0.0%	0.2%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.8%	1.3%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	0.6%
Used `club drugs` such as ecstasy	0.3%	0.9%	1.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.7%	29.7%	28.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.5%	7.6%	6.8%
Rode with someone who was drinking alcohol	14.5%	15.1%	12.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.5%	20.7%	21.7%
Posted something online or sent a text that might embarrass or hurt another student	12.2%	15.5%	15.6%
Made fun of other people	47.5%	51.1%	50.4%
Hit, shoved or pushed another student and was not just fooling around	12.3%	14.1%	18.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	35.8%	29.4%	37.2%
Was in a physical fight	18.3%	17.9%	20.1%
Been threatened or injured with a weapon on school property	8.2%	6.6%	8.6%
Seriously considered suicide	15.6%	14.1%	16.0%
Planned suicide	14.0%	10.9%	13.1%
Attempted suicide	7.5%	6.2%	8.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.6%	24.4%	26.1%
Was grouchy or irritable, or in a bad mood	36.8%	35.0%	34.0%
Felt hopeless about the future	20.6%	13.2%	15.6%
Felt like not eating or eating more than usual	28.3%	21.8%	23.2%
Felt like sleeping a lot more or a lot less than usual	35.2%	33.4%	24.3%
Had difficulty concentrating on school work	35.4%	29.6%	31.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.8%	93.9%	91.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.0%	93.8%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.3%	93.0%	91.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.1%	95.6%	93.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	74.9%	79.4%	77.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.1%	75.2%	74.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	67.2%	71.1%	74.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	85.6%	87.8%	86.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	49.8%	44.4%	45.1%
'Very' or 'sort of easy' to get alcohol	47.8%	48.9%	46.7%
'Very' or 'sort of easy' to get marijuana	36.3%	36.9%	34.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.1%	25.4%	30.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.3%	10.7%	12.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.6%	25.9%	23.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.6%	26.8%	26.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	26.4%	25.9%	24.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	45.1%	41.8%	44.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	18.2%	17.1%	18.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.1%	39.7%	34.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.2%	31.4%	36.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.2%	22.9%	25.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.8%	37.0%	33.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.6%	9.0%	10.1%
'No' or 'slight risk' if they use synthetic drugs	11.3%	12.7%	11.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.3%	21.6%	22.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.6%	13.1%	16.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Caldwell County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	563	*	546
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	15.1%	15.3%	12.4%
Grade level. 7th Grade	13.4%	13.7%	16.1%
Grade level. 8th Grade	13.4%	14.0%	18.2%
Grade level. 9th Grade	14.5%	13.4%	19.0%
Grade level. 10th Grade	16.3%	13.7%	16.1%
Grade level. 11th Grade	15.7%	14.6%	8.0%
Grade level. 12th Grade	11.6%	15.2%	10.2%
Male	51.2%	49.7%	50.0%
Hispanic or Latino	1.2%	5.8%	1.5%
Race: Black or African American	0.6%	12.7%	0.7%
Race: White	97.1%	76.9%	96.4%
Race: Multiracial	1.8%	8.5%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.2%	8.7%	16.9%
Used electronic cigarettes	12.3%	15.3%	10.3%
Used hookahs or water pipes	1.2%	2.6%	5.8%
Used alcohol	18.8%	14.5%	16.9%
Used marijuana	4.1%	6.5%	9.6%
Used inhalants	0.6%	1.1%	2.9%
Used Rx not prescribed for you by a doctor	7.1%	7.6%	8.0%
Used `OTC` to get high	2.3%	1.6%	2.2%
Used synthetic drugs	0.6%	0.3%	1.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.0%	3.0%
Used heroin or `smack`	0.6%	0.2%	0.7%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	1.3%	3.7%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.3%	1.5%
Used `club drugs` such as ecstasy	1.2%	0.9%	1.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	19.9%	29.7%	22.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.5%	7.6%	5.2%
Rode with someone who was drinking alcohol	17.8%	15.1%	16.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.3%	20.7%	27.0%
Posted something online or sent a text that might embarrass or hurt another student	14.5%	15.5%	22.1%
Made fun of other people	51.7%	51.1%	60.6%
Hit, shoved or pushed another student and was not just fooling around	11.0%	14.1%	15.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	21.6%	29.4%	29.6%
Was in a physical fight	14.0%	17.9%	19.0%
Been threatened or injured with a weapon on school property	6.4%	6.6%	7.4%
Seriously considered suicide	13.0%	14.1%	14.0%
Planned suicide	10.0%	10.9%	11.0%
Attempted suicide	7.1%	6.2%	5.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.8%	24.4%	20.6%
Was grouchy or irritable, or in a bad mood	28.7%	35.0%	34.6%
Felt hopeless about the future	12.4%	13.2%	12.5%
Felt like not eating or eating more than usual	18.9%	21.8%	21.2%
Felt like sleeping a lot more or a lot less than usual	28.7%	33.4%	22.2%
Had difficulty concentrating on school work	24.0%	29.6%	27.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.1%	93.9%	90.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.1%	93.8%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.3%	93.0%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.2%	95.6%	95.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.5%	79.4%	74.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.3%	75.2%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.2%	71.1%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.1%	87.8%	84.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	47.3%	44.4%	46.7%
'Very' or 'sort of easy' to get alcohol	51.5%	48.9%	50.7%
'Very' or 'sort of easy' to get marijuana	31.4%	36.9%	33.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.7%	25.4%	28.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.9%	10.7%	9.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.4%	25.9%	14.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.6%	26.8%	27.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.9%	25.9%	17.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	42.9%	41.8%	44.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.1%	17.1%	19.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.5%	39.7%	38.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.9%	31.4%	40.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.8%	22.9%	28.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.4%	37.0%	31.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.5%	9.0%	10.4%
'No' or 'slight risk' if they use synthetic drugs	13.7%	12.7%	14.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.2%	21.6%	25.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.5%	13.1%	16.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Callaway County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1465	*	433
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	11.3%	15.3%	12.4%
Grade level. 7th Grade	13.9%	13.7%	14.9%
Grade level. 8th Grade	13.3%	14.0%	12.7%
Grade level. 9th Grade	17.0%	13.4%	15.4%
Grade level. 10th Grade	18.7%	13.7%	16.0%
Grade level. 11th Grade	17.3%	14.6%	15.3%
Grade level. 12th Grade	8.5%	15.2%	13.4%
Male	50.1%	49.7%	51.9%
Hispanic or Latino	1.5%	5.8%	1.7%
Race: Black or African American	3.8%	12.7%	4.4%
Race: White	92.4%	76.9%	91.3%
Race: Multiracial	2.3%	8.5%	2.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.4%	8.7%	18.1%
Used electronic cigarettes	11.1%	15.3%	17.3%
Used hookahs or water pipes	2.8%	2.6%	2.5%
Used alcohol	14.0%	14.5%	21.0%
Used marijuana	7.2%	6.5%	4.8%
Used inhalants	1.2%	1.1%	0.5%
Used Rx not prescribed for you by a doctor	7.8%	7.6%	10.4%
Used `OTC` to get high	2.1%	1.6%	1.1%
Used synthetic drugs	0.5%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.0%	1.0%	1.2%
Used heroin or `smack`	0.2%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	1.3%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.3%	0.1%
Used `club drugs` such as ecstasy	1.5%	0.9%	1.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.5%	29.7%	24.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.9%	7.6%	4.1%
Rode with someone who was drinking alcohol	13.0%	15.1%	12.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.2%	20.7%	23.9%
Posted something online or sent a text that might embarrass or hurt another student	16.1%	15.5%	20.2%
Made fun of other people	46.9%	51.1%	57.5%
Hit, shoved or pushed another student and was not just fooling around	11.3%	14.1%	18.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.5%	29.4%	32.1%
Was in a physical fight	16.4%	17.9%	17.9%
Been threatened or injured with a weapon on school property	7.1%	6.6%	5.2%
Seriously considered suicide	14.1%	14.1%	12.0%
Planned suicide	9.0%	10.9%	9.0%
Attempted suicide	7.0%	6.2%	4.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.2%	24.4%	16.9%
Was grouchy or irritable, or in a bad mood	32.3%	35.0%	31.2%
Felt hopeless about the future	13.7%	13.2%	10.4%
Felt like not eating or eating more than usual	20.5%	21.8%	19.2%
Felt like sleeping a lot more or a lot less than usual	29.1%	33.4%	19.1%
Had difficulty concentrating on school work	26.3%	29.6%	24.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.0%	93.9%	91.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.5%	93.8%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.8%	93.0%	93.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	95.6%	94.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.4%	79.4%	72.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.5%	75.2%	75.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.0%	71.1%	75.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.5%	87.8%	88.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.3%	44.4%	47.7%
'Very' or 'sort of easy' to get alcohol	48.3%	48.9%	53.4%
'Very' or 'sort of easy' to get marijuana	34.8%	36.9%	32.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.8%	25.4%	23.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.2%	10.7%	12.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.0%	25.9%	26.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.2%	26.8%	32.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.3%	25.9%	17.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	43.5%	41.8%	49.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	18.8%	17.1%	17.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.1%	39.7%	39.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.8%	31.4%	44.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.4%	22.9%	32.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.5%	37.0%	32.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.0%	9.0%	9.5%
'No' or 'slight risk' if they use synthetic drugs	12.8%	12.7%	12.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.2%	21.6%	25.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.0%	13.1%	15.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Camden County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	207	*	87
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	3.3%	15.3%	0.0%
Grade level. 7th Grade	16.5%	13.7%	24.9%
Grade level. 8th Grade	16.8%	14.0%	21.4%
Grade level. 9th Grade	19.1%	13.4%	18.6%
Grade level. 10th Grade	18.1%	13.7%	11.0%
Grade level. 11th Grade	15.5%	14.6%	11.6%
Grade level. 12th Grade	10.7%	15.2%	12.5%
Male	47.5%	49.7%	46.6%
Hispanic or Latino	2.0%	5.8%	1.3%
Race: Black or African American	0.7%	12.7%	0.0%
Race: White	96.6%	76.9%	97.8%
Race: Multiracial	1.4%	8.5%	1.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	17.9%	8.7%	26.2%
Used electronic cigarettes	21.3%	15.3%	28.2%
Used hookahs or water pipes	2.6%	2.6%	9.9%
Used alcohol	19.3%	14.5%	28.9%
Used marijuana	10.2%	6.5%	7.6%
Used inhalants	0.8%	1.1%	1.3%
Used Rx not prescribed for you by a doctor	9.7%	7.6%	11.4%
Used `OTC` to get high	2.5%	1.6%	3.1%
Used synthetic drugs	0.6%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	3.5%	1.0%	1.7%
Used heroin or `smack`	0.2%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	6.2%	1.3%	7.4%
Used methamphetamine (meth, crank, crystal, ice)	2.4%	0.3%	1.3%
Used `club drugs` such as ecstasy	1.4%	0.9%	5.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.2%	29.7%	30.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.9%	7.6%	3.0%
Rode with someone who was drinking alcohol	18.4%	15.1%	13.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.9%	20.7%	23.4%
Posted something online or sent a text that might embarrass or hurt another student	17.9%	15.5%	15.1%
Made fun of other people	53.5%	51.1%	70.5%
Hit, shoved or pushed another student and was not just fooling around	17.4%	14.1%	20.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	27.6%	29.4%	44.0%
Was in a physical fight	20.1%	17.9%	22.5%
Been threatened or injured with a weapon on school property	7.0%	6.6%	10.3%
Seriously considered suicide	18.2%	14.1%	23.4%
Planned suicide	15.1%	10.9%	13.1%
Attempted suicide	7.7%	6.2%	10.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	32.9%	24.4%	31.3%
Was grouchy or irritable, or in a bad mood	45.1%	35.0%	52.7%
Felt hopeless about the future	18.6%	13.2%	20.7%
Felt like not eating or eating more than usual	29.9%	21.8%	33.1%
Felt like sleeping a lot more or a lot less than usual	39.1%	33.4%	36.3%
Had difficulty concentrating on school work	30.2%	29.6%	32.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.9%	93.9%	87.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.8%	93.8%	88.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	89.0%	93.0%	85.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.9%	95.6%	96.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	64.5%	79.4%	65.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	64.9%	75.2%	59.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	66.7%	71.1%	59.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	84.7%	87.8%	83.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	65.1%	44.4%	58.4%
'Very' or 'sort of easy' to get alcohol	59.7%	48.9%	61.7%
'Very' or 'sort of easy' to get marijuana	44.6%	36.9%	50.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.3%	25.4%	32.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.4%	10.7%	23.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.4%	25.9%	54.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.1%	26.8%	44.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.5%	25.9%	36.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	51.6%	41.8%	53.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	25.5%	17.1%	27.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.3%	39.7%	30.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	46.1%	31.4%	43.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	38.0%	22.9%	32.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	44.7%	37.0%	50.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.7%	9.0%	6.3%
'No' or 'slight risk' if they use synthetic drugs	14.6%	12.7%	4.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.1%	21.6%	18.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.9%	13.1%	10.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Cape Girardeau County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	240	*	142
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.9%	15.3%	4.6%
Grade level. 7th Grade	17.8%	13.7%	18.6%
Grade level. 8th Grade	12.5%	14.0%	14.2%
Grade level. 9th Grade	18.4%	13.4%	30.6%
Grade level. 10th Grade	16.9%	13.7%	9.2%
Grade level. 11th Grade	2.2%	14.6%	4.5%
Grade level. 12th Grade	20.4%	15.2%	18.3%
Male	49.3%	49.7%	44.5%
Hispanic or Latino	1.6%	5.8%	1.6%
Race: Black or African American	6.7%	12.7%	7.9%
Race: White	89.6%	76.9%	88.1%
Race: Multiracial	2.3%	8.5%	2.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	16.9%	8.7%	10.0%
Used electronic cigarettes	18.2%	15.3%	8.4%
Used hookahs or water pipes	2.9%	2.6%	2.3%
Used alcohol	17.3%	14.5%	13.1%
Used marijuana	7.2%	6.5%	6.6%
Used inhalants	2.5%	1.1%	1.5%
Used Rx not prescribed for you by a doctor	12.1%	7.6%	7.7%
Used `OTC` to get high	3.6%	1.6%	2.1%
Used synthetic drugs	0.3%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.6%	1.0%	1.7%
Used heroin or `smack`	0.0%	0.2%	0.9%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	1.3%	4.1%
Used methamphetamine (meth, crank, crystal, ice)	1.5%	0.3%	0.9%
Used `club drugs` such as ecstasy	0.0%	0.9%	2.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.0%	29.7%	30.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.4%	7.6%	2.2%
Rode with someone who was drinking alcohol	18.2%	15.1%	13.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	26.2%	20.7%	41.8%
Posted something online or sent a text that might embarrass or hurt another student	19.7%	15.5%	21.3%
Made fun of other people	55.9%	51.1%	71.4%
Hit, shoved or pushed another student and was not just fooling around	18.2%	14.1%	17.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.7%	29.4%	33.3%
Was in a physical fight	15.1%	17.9%	15.6%
Been threatened or injured with a weapon on school property	9.9%	6.6%	9.8%
Seriously considered suicide	21.7%	14.1%	13.5%
Planned suicide	17.4%	10.9%	10.4%
Attempted suicide	10.6%	6.2%	6.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.6%	24.4%	17.0%
Was grouchy or irritable, or in a bad mood	35.0%	35.0%	31.3%
Felt hopeless about the future	15.2%	13.2%	11.1%
Felt like not eating or eating more than usual	20.8%	21.8%	25.3%
Felt like sleeping a lot more or a lot less than usual	31.0%	33.4%	18.5%
Had difficulty concentrating on school work	27.9%	29.6%	29.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.5%	93.9%	87.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.5%	93.8%	92.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.1%	93.0%	91.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.6%	95.6%	95.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	73.5%	79.4%	73.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	66.2%	75.2%	80.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.2%	71.1%	80.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	85.4%	87.8%	92.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	56.7%	44.4%	50.0%
'Very' or 'sort of easy' to get alcohol	58.2%	48.9%	51.0%
'Very' or 'sort of easy' to get marijuana	35.2%	36.9%	33.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.8%	25.4%	27.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.0%	10.7%	13.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.1%	25.9%	13.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.7%	26.8%	19.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.7%	25.9%	13.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	44.0%	41.8%	44.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.2%	17.1%	21.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.5%	39.7%	38.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	45.8%	31.4%	39.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.3%	22.9%	28.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.6%	37.0%	27.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.2%	9.0%	6.7%
'No' or 'slight risk' if they use synthetic drugs	10.3%	12.7%	9.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.5%	21.6%	17.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.3%	13.1%	12.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Carroll County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	453	*	370
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.7%	15.3%	16.3%
Grade level. 7th Grade	11.3%	13.7%	17.5%
Grade level. 8th Grade	18.6%	14.0%	13.1%
Grade level. 9th Grade	15.8%	13.4%	15.0%
Grade level. 10th Grade	17.5%	13.7%	2.5%
Grade level. 11th Grade	11.3%	14.6%	23.8%
Grade level. 12th Grade	10.7%	15.2%	11.9%
Male	47.8%	49.7%	48.1%
Hispanic or Latino	1.1%	5.8%	0.6%
Race: Black or African American	1.1%	12.7%	1.3%
Race: White	96.1%	76.9%	95.6%
Race: Multiracial	2.2%	8.5%	1.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	10.6%	8.7%	13.8%
Used electronic cigarettes	6.4%	15.3%	6.3%
Used hookahs or water pipes	0.6%	2.6%	1.9%
Used alcohol	18.8%	14.5%	20.9%
Used marijuana	2.4%	6.5%	1.9%
Used inhalants	1.2%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	6.7%	7.6%	7.5%
Used `OTC` to get high	2.4%	1.6%	0.6%
Used synthetic drugs	0.0%	0.3%	0.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.0%	0.6%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.6%	1.3%	0.6%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.3%	0.6%
Used `club drugs` such as ecstasy	0.6%	0.9%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	23.6%	29.7%	25.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.5%	7.6%	5.1%
Rode with someone who was drinking alcohol	17.9%	15.1%	19.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	23.6%	20.7%	29.4%
Posted something online or sent a text that might embarrass or hurt another student	17.5%	15.5%	18.8%
Made fun of other people	51.4%	51.1%	56.6%
Hit, shoved or pushed another student and was not just fooling around	11.4%	14.1%	17.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.8%	29.4%	37.7%
Was in a physical fight	15.7%	17.9%	20.0%
Been threatened or injured with a weapon on school property	6.7%	6.6%	3.8%
Seriously considered suicide	13.1%	14.1%	9.5%
Planned suicide	9.1%	10.9%	6.9%
Attempted suicide	2.8%	6.2%	5.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.3%	24.4%	15.7%
Was grouchy or irritable, or in a bad mood	34.3%	35.0%	25.2%
Felt hopeless about the future	11.9%	13.2%	6.9%
Felt like not eating or eating more than usual	20.5%	21.8%	18.2%
Felt like sleeping a lot more or a lot less than usual	30.7%	33.4%	17.0%
Had difficulty concentrating on school work	30.1%	29.6%	23.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.1%	93.9%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.5%	93.8%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.6%	93.0%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.5%	95.6%	96.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.5%	79.4%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	71.3%	75.2%	81.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	84.3%	71.1%	81.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.7%	87.8%	91.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	47.4%	44.4%	44.7%
'Very' or 'sort of easy' to get alcohol	55.7%	48.9%	51.3%
'Very' or 'sort of easy' to get marijuana	26.1%	36.9%	25.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.1%	25.4%	19.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.5%	10.7%	6.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	13.7%	25.9%	10.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.9%	26.8%	25.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.8%	25.9%	10.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.0%	41.8%	39.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	21.5%	17.1%	20.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.9%	39.7%	41.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.0%	31.4%	41.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.5%	22.9%	32.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.4%	37.0%	25.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.8%	9.0%	8.2%
'No' or 'slight risk' if they use synthetic drugs	7.6%	12.7%	12.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.0%	21.6%	21.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	8.1%	13.1%	15.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Cass County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	3032	*	44
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	15.5%	15.3%	9.3%
Grade level. 7th Grade	13.6%	13.7%	21.3%
Grade level. 8th Grade	14.7%	14.0%	21.7%
Grade level. 9th Grade	17.2%	13.4%	12.0%
Grade level. 10th Grade	16.8%	13.7%	10.3%
Grade level. 11th Grade	13.0%	14.6%	14.6%
Grade level. 12th Grade	9.2%	15.2%	10.9%
Male	48.2%	49.7%	50.9%
Hispanic or Latino	2.5%	5.8%	3.1%
Race: Black or African American	3.4%	12.7%	2.8%
Race: White	93.0%	76.9%	93.3%
Race: Multiracial	2.4%	8.5%	2.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	6.8%	8.7%	7.8%
Used electronic cigarettes	12.2%	15.3%	9.9%
Used hookahs or water pipes	1.4%	2.6%	1.6%
Used alcohol	11.1%	14.5%	12.3%
Used marijuana	6.5%	6.5%	3.5%
Used inhalants	0.9%	1.1%	1.8%
Used Rx not prescribed for you by a doctor	7.8%	7.6%	7.7%
Used `OTC` to get high	1.5%	1.6%	1.5%
Used synthetic drugs	0.4%	0.3%	0.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.0%	0.1%
Used heroin or `smack`	0.2%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.7%	1.3%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	0.1%
Used `club drugs` such as ecstasy	0.6%	0.9%	1.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.4%	29.7%	28.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.6%	7.6%	5.4%
Rode with someone who was drinking alcohol	14.7%	15.1%	15.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.6%	20.7%	23.4%
Posted something online or sent a text that might embarrass or hurt another student	13.1%	15.5%	19.6%
Made fun of other people	41.5%	51.1%	54.0%
Hit, shoved or pushed another student and was not just fooling around	12.1%	14.1%	17.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.1%	29.4%	27.1%
Was in a physical fight	16.0%	17.9%	16.0%
Been threatened or injured with a weapon on school property	7.5%	6.6%	6.7%
Seriously considered suicide	14.1%	14.1%	11.0%
Planned suicide	9.9%	10.9%	10.1%
Attempted suicide	6.1%	6.2%	4.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.5%	24.4%	20.8%
Was grouchy or irritable, or in a bad mood	36.1%	35.0%	29.4%
Felt hopeless about the future	15.9%	13.2%	11.3%
Felt like not eating or eating more than usual	22.2%	21.8%	18.7%
Felt like sleeping a lot more or a lot less than usual	34.3%	33.4%	20.7%
Had difficulty concentrating on school work	32.8%	29.6%	24.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.6%	93.9%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.8%	93.8%	97.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.2%	93.0%	97.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.1%	95.6%	96.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.0%	79.4%	84.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.4%	75.2%	82.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.7%	71.1%	82.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	85.7%	87.8%	90.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.8%	44.4%	40.7%
'Very' or 'sort of easy' to get alcohol	48.4%	48.9%	49.4%
'Very' or 'sort of easy' to get marijuana	35.2%	36.9%	27.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	25.2%	25.4%	31.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.9%	10.7%	10.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	26.0%	25.9%	22.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.8%	26.8%	25.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	27.1%	25.9%	20.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	45.6%	41.8%	41.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	18.2%	17.1%	14.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.7%	39.7%	33.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.6%	31.4%	31.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.6%	22.9%	21.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.6%	37.0%	27.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.6%	9.0%	9.1%
'No' or 'slight risk' if they use synthetic drugs	15.0%	12.7%	15.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.4%	21.6%	26.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.3%	13.1%	14.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Cedar County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	122	*	663
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	12.6%	15.3%	25.6%
Grade level. 7th Grade	21.2%	13.7%	7.7%
Grade level. 8th Grade	15.4%	14.0%	15.5%
Grade level. 9th Grade	12.6%	13.4%	13.5%
Grade level. 10th Grade	9.2%	13.7%	8.7%
Grade level. 11th Grade	15.4%	14.6%	25.6%
Grade level. 12th Grade	13.7%	15.2%	3.4%
Male	46.2%	49.7%	49.3%
Hispanic or Latino	0.7%	5.8%	1.0%
Race: Black or African American	0.0%	12.7%	0.0%
Race: White	97.2%	76.9%	97.6%
Race: Multiracial	1.4%	8.5%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.8%	8.7%	19.5%
Used electronic cigarettes	13.7%	15.3%	16.5%
Used hookahs or water pipes	0.0%	2.6%	6.8%
Used alcohol	15.7%	14.5%	18.0%
Used marijuana	2.1%	6.5%	8.3%
Used inhalants	0.0%	1.1%	1.0%
Used Rx not prescribed for you by a doctor	5.7%	7.6%	9.3%
Used `OTC` to get high	0.0%	1.6%	1.5%
Used synthetic drugs	0.0%	0.3%	2.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	2.8%	1.0%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.3%	0.5%
Used `club drugs` such as ecstasy	0.7%	0.9%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	18.6%	29.7%	26.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.4%	7.6%	5.4%
Rode with someone who was drinking alcohol	9.5%	15.1%	17.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	24.7%	20.7%	25.7%
Posted something online or sent a text that might embarrass or hurt another student	17.7%	15.5%	21.5%
Made fun of other people	46.2%	51.1%	53.4%
Hit, shoved or pushed another student and was not just fooling around	12.7%	14.1%	22.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.7%	29.4%	41.5%
Was in a physical fight	13.8%	17.9%	24.3%
Been threatened or injured with a weapon on school property	5.8%	6.6%	9.3%
Seriously considered suicide	13.6%	14.1%	12.7%
Planned suicide	7.9%	10.9%	11.3%
Attempted suicide	7.4%	6.2%	9.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.9%	24.4%	26.8%
Was grouchy or irritable, or in a bad mood	29.8%	35.0%	42.2%
Felt hopeless about the future	11.0%	13.2%	14.1%
Felt like not eating or eating more than usual	15.2%	21.8%	27.3%
Felt like sleeping a lot more or a lot less than usual	35.3%	33.4%	19.5%
Had difficulty concentrating on school work	22.6%	29.6%	27.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.5%	93.9%	87.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.8%	93.8%	91.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.0%	93.0%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.6%	95.6%	95.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.7%	79.4%	71.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.7%	75.2%	73.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.4%	71.1%	73.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.0%	87.8%	89.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.0%	44.4%	52.5%
'Very' or 'sort of easy' to get alcohol	41.0%	48.9%	53.0%
'Very' or 'sort of easy' to get marijuana	30.8%	36.9%	34.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.4%	25.4%	29.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.8%	10.7%	15.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	33.9%	25.9%	18.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.5%	26.8%	31.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	26.2%	25.9%	21.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	51.6%	41.8%	45.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	18.7%	17.1%	19.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	45.5%	39.7%	33.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.5%	31.4%	38.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.9%	22.9%	29.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.1%	37.0%	34.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.2%	9.0%	7.3%
'No' or 'slight risk' if they use synthetic drugs	12.2%	12.7%	11.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.8%	21.6%	24.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.2%	13.1%	15.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Christian County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1153	*	253
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	8.3%	15.3%	6.8%
Grade level. 7th Grade	22.7%	13.7%	4.0%
Grade level. 8th Grade	18.6%	14.0%	33.7%
Grade level. 9th Grade	11.3%	13.4%	38.1%
Grade level. 10th Grade	11.7%	13.7%	5.8%
Grade level. 11th Grade	16.2%	14.6%	6.3%
Grade level. 12th Grade	11.3%	15.2%	5.4%
Male	47.8%	49.7%	48.7%
Hispanic or Latino	1.7%	5.8%	1.8%
Race: Black or African American	0.5%	12.7%	0.6%
Race: White	96.3%	76.9%	95.9%
Race: Multiracial	2.1%	8.5%	1.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.0%	8.7%	6.0%
Used electronic cigarettes	15.7%	15.3%	8.1%
Used hookahs or water pipes	2.7%	2.6%	2.5%
Used alcohol	12.3%	14.5%	9.4%
Used marijuana	6.3%	6.5%	3.9%
Used inhalants	1.3%	1.1%	1.0%
Used Rx not prescribed for you by a doctor	5.1%	7.6%	10.3%
Used `OTC` to get high	1.9%	1.6%	1.7%
Used synthetic drugs	0.3%	0.3%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.0%	1.2%
Used heroin or `smack`	0.1%	0.2%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.4%	1.3%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.5%
Used `club drugs` such as ecstasy	0.8%	0.9%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	24.8%	29.7%	20.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.5%	7.6%	3.1%
Rode with someone who was drinking alcohol	12.6%	15.1%	11.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.9%	20.7%	23.7%
Posted something online or sent a text that might embarrass or hurt another student	15.4%	15.5%	18.8%
Made fun of other people	47.4%	51.1%	57.6%
Hit, shoved or pushed another student and was not just fooling around	11.4%	14.1%	12.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	30.8%	29.4%	32.8%
Was in a physical fight	14.8%	17.9%	17.1%
Been threatened or injured with a weapon on school property	7.7%	6.6%	8.0%
Seriously considered suicide	12.9%	14.1%	15.6%
Planned suicide	9.5%	10.9%	10.0%
Attempted suicide	5.8%	6.2%	6.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.8%	24.4%	22.9%
Was grouchy or irritable, or in a bad mood	30.4%	35.0%	28.6%
Felt hopeless about the future	15.9%	13.2%	13.1%
Felt like not eating or eating more than usual	22.3%	21.8%	20.2%
Felt like sleeping a lot more or a lot less than usual	31.5%	33.4%	23.9%
Had difficulty concentrating on school work	32.6%	29.6%	25.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.2%	93.9%	96.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.1%	93.8%	96.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.4%	93.0%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.8%	95.6%	95.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.6%	79.4%	85.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.1%	75.2%	82.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.6%	71.1%	82.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.6%	87.8%	91.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	40.8%	44.4%	37.5%
'Very' or 'sort of easy' to get alcohol	47.6%	48.9%	46.8%
'Very' or 'sort of easy' to get marijuana	33.6%	36.9%	25.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.5%	25.4%	31.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.1%	10.7%	8.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	27.5%	25.9%	14.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.3%	26.8%	15.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.4%	25.9%	17.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.4%	41.8%	38.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.5%	17.1%	11.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.4%	39.7%	32.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	28.7%	31.4%	27.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.6%	22.9%	19.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.5%	37.0%	27.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.6%	9.0%	6.7%
'No' or 'slight risk' if they use synthetic drugs	9.9%	12.7%	9.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.4%	21.6%	20.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.5%	13.1%	11.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Clark County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	365	*	1210
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	15.7%	15.3%	21.1%
Grade level. 7th Grade	12.9%	13.7%	13.8%
Grade level. 8th Grade	15.0%	14.0%	19.3%
Grade level. 9th Grade	22.1%	13.4%	13.8%
Grade level. 10th Grade	18.6%	13.7%	13.8%
Grade level. 11th Grade	12.9%	14.6%	12.8%
Grade level. 12th Grade	2.9%	15.2%	5.5%
Male	48.2%	49.7%	51.4%
Hispanic or Latino	0.0%	5.8%	0.0%
Race: Black or African American	0.0%	12.7%	0.0%
Race: White	98.6%	76.9%	99.1%
Race: Multiracial	1.4%	8.5%	0.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.8%	8.7%	12.8%
Used electronic cigarettes	5.8%	15.3%	9.3%
Used hookahs or water pipes	0.7%	2.6%	2.8%
Used alcohol	15.2%	14.5%	11.9%
Used marijuana	2.9%	6.5%	2.8%
Used inhalants	0.7%	1.1%	1.8%
Used Rx not prescribed for you by a doctor	10.2%	7.6%	9.2%
Used `OTC` to get high	1.5%	1.6%	0.0%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.0%	1.9%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.8%	1.3%	2.9%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.9%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	23.9%	29.7%	20.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.5%	7.6%	4.6%
Rode with someone who was drinking alcohol	16.1%	15.1%	14.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	25.7%	20.7%	19.4%
Posted something online or sent a text that might embarrass or hurt another student	13.0%	15.5%	12.8%
Made fun of other people	56.1%	51.1%	61.5%
Hit, shoved or pushed another student and was not just fooling around	15.1%	14.1%	10.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	40.3%	29.4%	37.6%
Was in a physical fight	16.4%	17.9%	14.7%
Been threatened or injured with a weapon on school property	8.6%	6.6%	6.4%
Seriously considered suicide	12.3%	14.1%	9.2%
Planned suicide	11.7%	10.9%	7.5%
Attempted suicide	5.0%	6.2%	3.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.6%	24.4%	20.2%
Was grouchy or irritable, or in a bad mood	31.7%	35.0%	27.8%
Felt hopeless about the future	14.5%	13.2%	8.3%
Felt like not eating or eating more than usual	24.5%	21.8%	16.5%
Felt like sleeping a lot more or a lot less than usual	26.6%	33.4%	17.4%
Had difficulty concentrating on school work	28.1%	29.6%	21.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.3%	93.9%	91.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.8%	93.8%	90.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.6%	93.0%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	95.6%	95.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.5%	79.4%	80.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.7%	75.2%	87.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	85.6%	71.1%	87.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.9%	87.8%	92.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	38.1%	44.4%	40.7%
'Very' or 'sort of easy' to get alcohol	50.4%	48.9%	45.4%
'Very' or 'sort of easy' to get marijuana	23.7%	36.9%	23.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.3%	25.4%	23.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.5%	10.7%	5.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.9%	25.9%	5.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.8%	26.8%	16.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.6%	25.9%	12.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	28.5%	41.8%	28.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	11.7%	17.1%	13.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.3%	39.7%	33.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.8%	31.4%	33.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.8%	22.9%	21.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.0%	37.0%	29.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.1%	9.0%	4.6%
'No' or 'slight risk' if they use synthetic drugs	6.6%	12.7%	7.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.0%	21.6%	19.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.1%	13.1%	7.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Clay County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	12540	*	229
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.2%	15.3%	15.8%
Grade level. 7th Grade	16.5%	13.7%	15.3%
Grade level. 8th Grade	16.2%	14.0%	15.2%
Grade level. 9th Grade	17.4%	13.4%	16.0%
Grade level. 10th Grade	15.3%	13.7%	15.0%
Grade level. 11th Grade	12.6%	14.6%	13.3%
Grade level. 12th Grade	7.8%	15.2%	9.4%
Male	49.1%	49.7%	48.7%
Hispanic or Latino	4.8%	5.8%	4.7%
Race: Black or African American	5.8%	12.7%	5.3%
Race: White	87.1%	76.9%	86.6%
Race: Multiracial	4.2%	8.5%	3.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	4.1%	8.7%	6.2%
Used electronic cigarettes	11.1%	15.3%	7.7%
Used hookahs or water pipes	1.6%	2.6%	3.3%
Used alcohol	9.8%	14.5%	12.3%
Used marijuana	6.1%	6.5%	6.4%
Used inhalants	0.9%	1.1%	0.9%
Used Rx not prescribed for you by a doctor	8.5%	7.6%	7.8%
Used `OTC` to get high	1.6%	1.6%	1.4%
Used synthetic drugs	0.5%	0.3%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.0%	0.7%
Used heroin or `smack`	0.1%	0.2%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.5%	1.3%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.4%
Used `club drugs` such as ecstasy	0.8%	0.9%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.6%	29.7%	22.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.1%	7.6%	5.2%
Rode with someone who was drinking alcohol	13.3%	15.1%	14.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.7%	20.7%	22.5%
Posted something online or sent a text that might embarrass or hurt another student	13.9%	15.5%	17.4%
Made fun of other people	44.7%	51.1%	50.5%
Hit, shoved or pushed another student and was not just fooling around	10.1%	14.1%	10.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	27.1%	29.4%	29.6%
Was in a physical fight	15.1%	17.9%	13.9%
Been threatened or injured with a weapon on school property	6.5%	6.6%	5.5%
Seriously considered suicide	12.6%	14.1%	11.8%
Planned suicide	8.7%	10.9%	9.1%
Attempted suicide	5.1%	6.2%	4.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.7%	24.4%	20.3%
Was grouchy or irritable, or in a bad mood	32.0%	35.0%	30.5%
Felt hopeless about the future	14.5%	13.2%	12.0%
Felt like not eating or eating more than usual	20.3%	21.8%	19.3%
Felt like sleeping a lot more or a lot less than usual	30.7%	33.4%	23.0%
Had difficulty concentrating on school work	30.7%	29.6%	27.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.1%	93.9%	95.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.3%	93.8%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.3%	93.0%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.0%	95.6%	96.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.3%	79.4%	85.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.0%	75.2%	75.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.4%	71.1%	75.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.1%	87.8%	88.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	38.7%	44.4%	39.3%
'Very' or 'sort of easy' to get alcohol	49.2%	48.9%	50.0%
'Very' or 'sort of easy' to get marijuana	34.4%	36.9%	32.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.0%	25.4%	29.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.5%	10.7%	7.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.4%	25.9%	13.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.4%	26.8%	21.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.3%	25.9%	20.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.2%	41.8%	36.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.2%	17.1%	13.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.3%	39.7%	34.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	27.5%	31.4%	27.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	19.0%	22.9%	18.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.7%	37.0%	30.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.3%	9.0%	8.6%
'No' or 'slight risk' if they use synthetic drugs	13.5%	12.7%	11.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.6%	21.6%	22.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.4%	13.1%	13.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Clinton County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	492	*	8261
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	15.8%	15.3%	7.8%
Grade level. 7th Grade	18.9%	13.7%	14.0%
Grade level. 8th Grade	16.5%	14.0%	24.0%
Grade level. 9th Grade	12.5%	13.4%	20.2%
Grade level. 10th Grade	12.0%	13.7%	10.9%
Grade level. 11th Grade	12.7%	14.6%	13.1%
Grade level. 12th Grade	11.6%	15.2%	10.0%
Male	50.8%	49.7%	51.9%
Hispanic or Latino	1.4%	5.8%	0.9%
Race: Black or African American	1.3%	12.7%	1.9%
Race: White	96.2%	76.9%	95.9%
Race: Multiracial	1.8%	8.5%	1.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.5%	8.7%	14.4%
Used electronic cigarettes	20.9%	15.3%	10.0%
Used hookahs or water pipes	2.3%	2.6%	4.7%
Used alcohol	13.7%	14.5%	19.1%
Used marijuana	4.8%	6.5%	6.9%
Used inhalants	0.7%	1.1%	1.2%
Used Rx not prescribed for you by a doctor	6.8%	7.6%	8.4%
Used `OTC` to get high	1.6%	1.6%	0.9%
Used synthetic drugs	0.5%	0.3%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.9%	1.0%	0.9%
Used heroin or `smack`	0.2%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.9%	1.3%	2.5%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.3%	1.3%
Used `club drugs` such as ecstasy	2.1%	0.9%	1.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	36.2%	29.7%	26.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.2%	7.6%	4.8%
Rode with someone who was drinking alcohol	12.5%	15.1%	17.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.9%	20.7%	23.8%
Posted something online or sent a text that might embarrass or hurt another student	15.2%	15.5%	15.7%
Made fun of other people	50.3%	51.1%	55.6%
Hit, shoved or pushed another student and was not just fooling around	15.7%	14.1%	15.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	35.5%	29.4%	35.7%
Was in a physical fight	18.5%	17.9%	18.1%
Been threatened or injured with a weapon on school property	6.0%	6.6%	5.6%
Seriously considered suicide	16.0%	14.1%	12.9%
Planned suicide	14.5%	10.9%	9.4%
Attempted suicide	7.7%	6.2%	6.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.6%	24.4%	24.7%
Was grouchy or irritable, or in a bad mood	34.6%	35.0%	33.8%
Felt hopeless about the future	14.7%	13.2%	13.1%
Felt like not eating or eating more than usual	21.7%	21.8%	20.6%
Felt like sleeping a lot more or a lot less than usual	34.1%	33.4%	24.7%
Had difficulty concentrating on school work	28.6%	29.6%	32.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.6%	93.9%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.0%	93.8%	94.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.6%	93.0%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.4%	95.6%	95.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.7%	79.4%	76.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.9%	75.2%	77.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.1%	71.1%	77.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.6%	87.8%	85.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	51.0%	44.4%	49.8%
'Very' or 'sort of easy' to get alcohol	52.2%	48.9%	56.1%
'Very' or 'sort of easy' to get marijuana	33.5%	36.9%	32.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	32.3%	25.4%	31.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	17.6%	10.7%	11.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	32.7%	25.9%	16.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	31.6%	26.8%	26.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.5%	25.9%	21.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	43.2%	41.8%	41.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.2%	17.1%	16.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.9%	39.7%	35.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.3%	31.4%	35.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.2%	22.9%	22.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.0%	37.0%	32.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.4%	9.0%	9.4%
'No' or 'slight risk' if they use synthetic drugs	10.1%	12.7%	12.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.9%	21.6%	24.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.3%	13.1%	14.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Cole County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	334	*	470
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	16.9%	15.3%	16.6%
Grade level. 7th Grade	14.9%	13.7%	16.6%
Grade level. 8th Grade	16.4%	14.0%	15.8%
Grade level. 9th Grade	17.7%	13.4%	12.3%
Grade level. 10th Grade	12.3%	13.7%	12.3%
Grade level. 11th Grade	10.4%	14.6%	15.4%
Grade level. 12th Grade	11.4%	15.2%	10.9%
Male	53.5%	49.7%	49.3%
Hispanic or Latino	1.8%	5.8%	1.6%
Race: Black or African American	13.1%	12.7%	11.2%
Race: White	82.8%	76.9%	83.1%
Race: Multiracial	2.5%	8.5%	2.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.6%	8.7%	9.2%
Used electronic cigarettes	15.5%	15.3%	11.3%
Used hookahs or water pipes	2.4%	2.6%	3.0%
Used alcohol	18.0%	14.5%	21.1%
Used marijuana	8.7%	6.5%	8.9%
Used inhalants	0.9%	1.1%	0.8%
Used Rx not prescribed for you by a doctor	6.5%	7.6%	10.5%
Used `OTC` to get high	0.3%	1.6%	3.1%
Used synthetic drugs	0.0%	0.3%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.5%	1.0%	0.6%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.3%	1.3%	2.2%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.9%	2.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.8%	29.7%	31.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.7%	7.6%	4.4%
Rode with someone who was drinking alcohol	21.5%	15.1%	21.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.3%	20.7%	27.5%
Posted something online or sent a text that might embarrass or hurt another student	16.9%	15.5%	20.7%
Made fun of other people	52.9%	51.1%	64.6%
Hit, shoved or pushed another student and was not just fooling around	12.3%	14.1%	13.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.9%	29.4%	32.4%
Was in a physical fight	18.4%	17.9%	19.0%
Been threatened or injured with a weapon on school property	4.5%	6.6%	6.8%
Seriously considered suicide	15.2%	14.1%	12.5%
Planned suicide	12.5%	10.9%	7.7%
Attempted suicide	5.5%	6.2%	5.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.0%	24.4%	23.6%
Was grouchy or irritable, or in a bad mood	33.3%	35.0%	30.9%
Felt hopeless about the future	15.5%	13.2%	10.6%
Felt like not eating or eating more than usual	24.5%	21.8%	18.6%
Felt like sleeping a lot more or a lot less than usual	31.8%	33.4%	23.6%
Had difficulty concentrating on school work	31.8%	29.6%	22.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.6%	93.9%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.4%	93.8%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.7%	93.0%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.8%	95.6%	96.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.4%	79.4%	80.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.9%	75.2%	72.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	70.7%	71.1%	72.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.0%	87.8%	84.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.4%	44.4%	50.8%
'Very' or 'sort of easy' to get alcohol	53.7%	48.9%	53.3%
'Very' or 'sort of easy' to get marijuana	33.4%	36.9%	32.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.8%	25.4%	33.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.8%	10.7%	9.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.5%	25.9%	19.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	18.9%	26.8%	32.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	26.4%	25.9%	26.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	39.6%	41.8%	49.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.9%	17.1%	15.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.9%	39.7%	35.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	29.0%	31.4%	30.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.7%	22.9%	21.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.8%	37.0%	37.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.4%	9.0%	9.5%
'No' or 'slight risk' if they use synthetic drugs	10.8%	12.7%	12.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.2%	21.6%	20.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.3%	13.1%	17.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Cooper County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	208	*	299
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	23.1%	15.3%	5.9%
Grade level. 7th Grade	10.8%	13.7%	18.9%
Grade level. 8th Grade	13.9%	14.0%	23.7%
Grade level. 9th Grade	8.6%	13.4%	15.9%
Grade level. 10th Grade	16.4%	13.7%	19.3%
Grade level. 11th Grade	16.7%	14.6%	11.5%
Grade level. 12th Grade	10.5%	15.2%	4.8%
Male	52.0%	49.7%	52.6%
Hispanic or Latino	1.3%	5.8%	1.1%
Race: Black or African American	7.7%	12.7%	4.8%
Race: White	88.0%	76.9%	90.7%
Race: Multiracial	1.5%	8.5%	2.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	12.3%	8.7%	16.0%
Used electronic cigarettes	11.4%	15.3%	6.7%
Used hookahs or water pipes	2.5%	2.6%	2.6%
Used alcohol	20.9%	14.5%	24.9%
Used marijuana	3.5%	6.5%	3.0%
Used inhalants	1.9%	1.1%	1.9%
Used Rx not prescribed for you by a doctor	7.8%	7.6%	7.8%
Used `OTC` to get high	3.9%	1.6%	0.4%
Used synthetic drugs	0.3%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.7%	1.0%	0.4%
Used heroin or `smack`	1.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.7%	1.3%	0.4%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.0%
Used `club drugs` such as ecstasy	1.0%	0.9%	0.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	39.6%	29.7%	31.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.7%	7.6%	5.6%
Rode with someone who was drinking alcohol	21.2%	15.1%	27.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.3%	20.7%	28.0%
Posted something online or sent a text that might embarrass or hurt another student	12.2%	15.5%	19.0%
Made fun of other people	43.3%	51.1%	61.8%
Hit, shoved or pushed another student and was not just fooling around	15.7%	14.1%	21.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	23.0%	29.4%	35.8%
Was in a physical fight	31.8%	17.9%	24.5%
Been threatened or injured with a weapon on school property	8.9%	6.6%	9.7%
Seriously considered suicide	9.7%	14.1%	12.0%
Planned suicide	8.1%	10.9%	8.6%
Attempted suicide	4.0%	6.2%	6.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	20.6%	24.4%	23.9%
Was grouchy or irritable, or in a bad mood	33.2%	35.0%	34.8%
Felt hopeless about the future	10.2%	13.2%	14.3%
Felt like not eating or eating more than usual	20.2%	21.8%	23.3%
Felt like sleeping a lot more or a lot less than usual	29.5%	33.4%	21.3%
Had difficulty concentrating on school work	30.2%	29.6%	30.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.5%	93.9%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.1%	93.8%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.8%	93.0%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.2%	95.6%	95.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	75.1%	79.4%	76.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	68.8%	75.2%	84.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.6%	71.1%	84.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.6%	87.8%	89.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	51.6%	44.4%	45.7%
'Very' or 'sort of easy' to get alcohol	58.5%	48.9%	56.7%
'Very' or 'sort of easy' to get marijuana	28.2%	36.9%	17.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.2%	25.4%	20.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	4.0%	10.7%	11.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	11.2%	25.9%	16.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.2%	26.8%	34.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.0%	25.9%	16.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.6%	41.8%	43.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	20.4%	17.1%	15.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.6%	39.7%	38.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.9%	31.4%	35.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.0%	22.9%	24.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.9%	37.0%	27.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.5%	9.0%	7.5%
'No' or 'slight risk' if they use synthetic drugs	14.4%	12.7%	9.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.0%	21.6%	15.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.3%	13.1%	11.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Crawford County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	192	*	379
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	35.8%	15.3%	13.8%
Grade level. 7th Grade	19.5%	13.7%	18.0%
Grade level. 8th Grade	23.6%	14.0%	13.2%
Grade level. 9th Grade	0.0%	13.4%	17.2%
Grade level. 10th Grade	21.1%	13.7%	18.3%
Grade level. 11th Grade	0.0%	14.6%	9.3%
Grade level. 12th Grade	0.0%	15.2%	10.3%
Male	49.3%	49.7%	48.1%
Hispanic or Latino	0.9%	5.8%	1.1%
Race: Black or African American	0.0%	12.7%	0.3%
Race: White	97.0%	76.9%	97.6%
Race: Multiracial	0.5%	8.5%	1.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	21.6%	8.7%	13.3%
Used electronic cigarettes	6.5%	15.3%	11.1%
Used hookahs or water pipes	16.3%	2.6%	4.0%
Used alcohol	20.9%	14.5%	13.3%
Used marijuana	18.1%	6.5%	6.1%
Used inhalants	15.5%	1.1%	0.3%
Used Rx not prescribed for you by a doctor	20.7%	7.6%	7.7%
Used `OTC` to get high	15.4%	1.6%	0.8%
Used synthetic drugs	14.4%	0.3%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	14.2%	1.0%	0.8%
Used heroin or `smack`	13.8%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	14.5%	1.3%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	14.5%	0.3%	0.5%
Used `club drugs` such as ecstasy	14.4%	0.9%	1.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.5%	29.7%	29.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	16.2%	7.6%	4.8%
Rode with someone who was drinking alcohol	23.0%	15.1%	13.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	34.2%	20.7%	20.1%
Posted something online or sent a text that might embarrass or hurt another student	16.6%	15.5%	14.2%
Made fun of other people	58.3%	51.1%	50.7%
Hit, shoved or pushed another student and was not just fooling around	31.9%	14.1%	14.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.6%	29.4%	32.1%
Was in a physical fight	34.1%	17.9%	19.3%
Been threatened or injured with a weapon on school property	7.5%	6.6%	5.8%
Seriously considered suicide	18.2%	14.1%	11.1%
Planned suicide	16.0%	10.9%	6.5%
Attempted suicide	14.8%	6.2%	4.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	22.7%	24.4%	21.4%
Was grouchy or irritable, or in a bad mood	41.2%	35.0%	31.7%
Felt hopeless about the future	18.0%	13.2%	11.5%
Felt like not eating or eating more than usual	20.8%	21.8%	19.8%
Felt like sleeping a lot more or a lot less than usual	16.0%	33.4%	24.2%
Had difficulty concentrating on school work	34.3%	29.6%	28.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.9%	93.9%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.0%	93.8%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	79.3%	93.0%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.8%	95.6%	95.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	59.0%	79.4%	79.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	57.5%	75.2%	78.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	58.9%	71.1%	78.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	72.0%	87.8%	91.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	49.3%	44.4%	50.8%
'Very' or 'sort of easy' to get alcohol	43.1%	48.9%	51.1%
'Very' or 'sort of easy' to get marijuana	41.6%	36.9%	33.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	34.1%	25.4%	29.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	19.7%	10.7%	10.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.8%	25.9%	18.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.8%	26.8%	25.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	37.6%	25.9%	20.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	45.0%	41.8%	39.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	27.7%	17.1%	13.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	51.9%	39.7%	33.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	57.3%	31.4%	35.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	50.9%	22.9%	24.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	46.9%	37.0%	32.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	22.2%	9.0%	6.4%
'No' or 'slight risk' if they use synthetic drugs	38.9%	12.7%	6.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	34.5%	21.6%	17.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	25.3%	13.1%	10.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Dade County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	130	*	1043
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	11.5%	15.3%	16.5%
Grade level. 7th Grade	15.1%	13.7%	11.3%
Grade level. 8th Grade	10.8%	14.0%	15.7%
Grade level. 9th Grade	23.0%	13.4%	17.4%
Grade level. 10th Grade	15.8%	13.7%	17.4%
Grade level. 11th Grade	7.9%	14.6%	9.6%
Grade level. 12th Grade	15.8%	15.2%	12.2%
Male	49.6%	49.7%	51.3%
Hispanic or Latino	1.4%	5.8%	1.8%
Race: Black or African American	0.0%	12.7%	0.0%
Race: White	97.1%	76.9%	94.8%
Race: Multiracial	2.9%	8.5%	1.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.1%	8.7%	17.2%
Used electronic cigarettes	12.3%	15.3%	12.2%
Used hookahs or water pipes	1.4%	2.6%	5.2%
Used alcohol	17.9%	14.5%	21.7%
Used marijuana	0.7%	6.5%	6.9%
Used inhalants	0.7%	1.1%	1.7%
Used Rx not prescribed for you by a doctor	6.5%	7.6%	8.6%
Used `OTC` to get high	0.0%	1.6%	1.7%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	0.9%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.7%	1.3%	1.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.9%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.0%	29.7%	34.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.9%	7.6%	7.0%
Rode with someone who was drinking alcohol	14.4%	15.1%	12.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.0%	20.7%	28.4%
Posted something online or sent a text that might embarrass or hurt another student	13.5%	15.5%	17.4%
Made fun of other people	54.6%	51.1%	64.9%
Hit, shoved or pushed another student and was not just fooling around	12.1%	14.1%	22.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	36.2%	29.4%	38.3%
Was in a physical fight	17.7%	17.9%	27.8%
Been threatened or injured with a weapon on school property	7.9%	6.6%	12.2%
Seriously considered suicide	12.3%	14.1%	13.2%
Planned suicide	13.7%	10.9%	10.4%
Attempted suicide	7.1%	6.2%	9.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.1%	24.4%	23.3%
Was grouchy or irritable, or in a bad mood	32.1%	35.0%	31.3%
Felt hopeless about the future	16.3%	13.2%	14.8%
Felt like not eating or eating more than usual	22.1%	21.8%	17.4%
Felt like sleeping a lot more or a lot less than usual	26.2%	33.4%	20.7%
Had difficulty concentrating on school work	28.4%	29.6%	31.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.6%	93.9%	90.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.9%	93.8%	90.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.5%	93.0%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	95.6%	94.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	82.1%	79.4%	74.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.1%	75.2%	78.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.9%	71.1%	78.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.9%	87.8%	87.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	52.9%	44.4%	58.4%
'Very' or 'sort of easy' to get alcohol	51.4%	48.9%	56.3%
'Very' or 'sort of easy' to get marijuana	24.5%	36.9%	37.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.1%	25.4%	26.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.5%	10.7%	7.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.6%	25.9%	13.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	28.6%	26.8%	25.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.4%	25.9%	18.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	27.1%	41.8%	38.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	12.9%	17.1%	15.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	26.2%	39.7%	35.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	25.7%	31.4%	38.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.6%	22.9%	30.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.8%	37.0%	34.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.1%	9.0%	8.7%
'No' or 'slight risk' if they use synthetic drugs	10.0%	12.7%	10.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	12.1%	21.6%	21.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	8.5%	13.1%	15.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Grundy County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	430	*	515
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.6%	15.3%	11.6%
Grade level. 7th Grade	15.5%	13.7%	18.0%
Grade level. 8th Grade	13.6%	14.0%	15.1%
Grade level. 9th Grade	13.6%	13.4%	16.3%
Grade level. 10th Grade	17.0%	13.7%	12.8%
Grade level. 11th Grade	16.0%	14.6%	15.7%
Grade level. 12th Grade	9.7%	15.2%	10.5%
Male	48.3%	49.7%	47.1%
Hispanic or Latino	1.0%	5.8%	0.6%
Race: Black or African American	0.5%	12.7%	0.6%
Race: White	98.0%	76.9%	96.6%
Race: Multiracial	1.0%	8.5%	1.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.9%	8.7%	16.3%
Used electronic cigarettes	11.9%	15.3%	8.6%
Used hookahs or water pipes	1.0%	2.6%	2.3%
Used alcohol	15.4%	14.5%	13.3%
Used marijuana	5.0%	6.5%	5.2%
Used inhalants	0.5%	1.1%	0.6%
Used Rx not prescribed for you by a doctor	8.1%	7.6%	9.2%
Used `OTC` to get high	1.0%	1.6%	3.4%
Used synthetic drugs	0.5%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.0%	1.2%
Used heroin or `smack`	0.5%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.0%	1.3%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.5%	0.9%	1.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.6%	29.7%	27.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.4%	7.6%	4.7%
Rode with someone who was drinking alcohol	15.1%	15.1%	14.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.3%	20.7%	27.7%
Posted something online or sent a text that might embarrass or hurt another student	14.1%	15.5%	17.9%
Made fun of other people	48.5%	51.1%	58.7%
Hit, shoved or pushed another student and was not just fooling around	11.8%	14.1%	16.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.7%	29.4%	36.6%
Was in a physical fight	17.9%	17.9%	17.9%
Been threatened or injured with a weapon on school property	4.9%	6.6%	6.9%
Seriously considered suicide	10.8%	14.1%	12.2%
Planned suicide	7.4%	10.9%	9.2%
Attempted suicide	3.9%	6.2%	7.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	22.3%	24.4%	24.3%
Was grouchy or irritable, or in a bad mood	38.3%	35.0%	38.7%
Felt hopeless about the future	12.2%	13.2%	9.8%
Felt like not eating or eating more than usual	19.0%	21.8%	22.5%
Felt like sleeping a lot more or a lot less than usual	32.2%	33.4%	23.1%
Had difficulty concentrating on school work	30.4%	29.6%	24.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.3%	93.9%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.8%	93.8%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.8%	93.0%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.9%	95.6%	95.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.0%	79.4%	81.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.0%	75.2%	82.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.5%	71.1%	82.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.7%	87.8%	89.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	48.8%	44.4%	43.0%
'Very' or 'sort of easy' to get alcohol	50.5%	48.9%	46.2%
'Very' or 'sort of easy' to get marijuana	32.0%	36.9%	26.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	29.1%	25.4%	24.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.4%	10.7%	6.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.7%	25.9%	11.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.1%	26.8%	20.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.7%	25.9%	15.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	35.6%	41.8%	35.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	11.8%	17.1%	15.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	32.4%	39.7%	30.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	28.1%	31.4%	31.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	19.6%	22.9%	24.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.0%	37.0%	29.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	3.0%	9.0%	8.7%
'No' or 'slight risk' if they use synthetic drugs	8.4%	12.7%	14.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.2%	21.6%	21.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	8.5%	13.1%	15.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Harrison County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	76	*	320
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	27.3%	15.3%	18.7%
Grade level. 7th Grade	16.2%	13.7%	19.4%
Grade level. 8th Grade	7.8%	14.0%	14.9%
Grade level. 9th Grade	12.3%	13.4%	14.9%
Grade level. 10th Grade	14.9%	13.7%	8.2%
Grade level. 11th Grade	11.0%	14.6%	9.7%
Grade level. 12th Grade	10.4%	15.2%	14.2%
Male	49.7%	49.7%	50.0%
Hispanic or Latino	0.0%	5.8%	1.6%
Race: Black or African American	0.7%	12.7%	0.8%
Race: White	96.7%	76.9%	98.5%
Race: Multiracial	1.3%	8.5%	0.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	14.5%	8.7%	14.3%
Used electronic cigarettes	9.1%	15.3%	7.5%
Used hookahs or water pipes	0.0%	2.6%	3.0%
Used alcohol	14.9%	14.5%	15.0%
Used marijuana	3.9%	6.5%	2.2%
Used inhalants	0.0%	1.1%	1.5%
Used Rx not prescribed for you by a doctor	5.8%	7.6%	9.0%
Used `OTC` to get high	0.0%	1.6%	2.3%
Used synthetic drugs	0.6%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	0.8%
Used heroin or `smack`	0.0%	0.2%	0.8%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.8%
Used `club drugs` such as ecstasy	0.0%	0.9%	1.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.9%	29.7%	24.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.0%	7.6%	5.3%
Rode with someone who was drinking alcohol	6.5%	15.1%	17.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	8.4%	20.7%	30.1%
Posted something online or sent a text that might embarrass or hurt another student	12.3%	15.5%	18.8%
Made fun of other people	45.2%	51.1%	58.3%
Hit, shoved or pushed another student and was not just fooling around	11.0%	14.1%	20.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.7%	29.4%	42.1%
Was in a physical fight	23.4%	17.9%	21.6%
Been threatened or injured with a weapon on school property	2.6%	6.6%	7.5%
Seriously considered suicide	5.2%	14.1%	10.6%
Planned suicide	5.3%	10.9%	6.8%
Attempted suicide	0.6%	6.2%	3.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	13.0%	24.4%	24.2%
Was grouchy or irritable, or in a bad mood	27.2%	35.0%	34.8%
Felt hopeless about the future	8.4%	13.2%	10.4%
Felt like not eating or eating more than usual	14.9%	21.8%	25.8%
Felt like sleeping a lot more or a lot less than usual	23.4%	33.4%	24.2%
Had difficulty concentrating on school work	22.7%	29.6%	29.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.9%	93.9%	90.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.8%	93.8%	93.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.9%	93.0%	96.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.4%	95.6%	97.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.8%	79.4%	75.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.4%	75.2%	87.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.6%	71.1%	87.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.4%	87.8%	91.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	41.6%	44.4%	45.5%
'Very' or 'sort of easy' to get alcohol	36.4%	48.9%	47.3%
'Very' or 'sort of easy' to get marijuana	20.8%	36.9%	21.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	13.2%	25.4%	21.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	4.5%	10.7%	12.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	8.4%	25.9%	14.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	11.0%	26.8%	25.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	4.5%	25.9%	12.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	35.1%	41.8%	35.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.6%	17.1%	14.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	31.8%	39.7%	31.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	27.3%	31.4%	39.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	16.2%	22.9%	29.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	24.7%	37.0%	22.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	3.3%	9.0%	9.1%
'No' or 'slight risk' if they use synthetic drugs	7.9%	12.7%	13.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	7.9%	21.6%	16.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	6.0%	13.1%	11.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Henry County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	232	*	550
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	29.3%	15.3%	15.4%
Grade level. 7th Grade	14.4%	13.7%	12.0%
Grade level. 8th Grade	9.7%	14.0%	18.2%
Grade level. 9th Grade	4.0%	13.4%	20.3%
Grade level. 10th Grade	5.7%	13.7%	22.2%
Grade level. 11th Grade	22.2%	14.6%	7.1%
Grade level. 12th Grade	14.7%	15.2%	4.9%
Male	50.1%	49.7%	47.5%
Hispanic or Latino	1.4%	5.8%	1.2%
Race: Black or African American	1.2%	12.7%	1.5%
Race: White	96.7%	76.9%	95.1%
Race: Multiracial	1.9%	8.5%	1.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.3%	8.7%	10.9%
Used electronic cigarettes	12.8%	15.3%	11.4%
Used hookahs or water pipes	2.3%	2.6%	4.6%
Used alcohol	12.6%	14.5%	15.7%
Used marijuana	6.3%	6.5%	6.5%
Used inhalants	0.5%	1.1%	1.5%
Used Rx not prescribed for you by a doctor	4.3%	7.6%	6.8%
Used `OTC` to get high	0.3%	1.6%	0.6%
Used synthetic drugs	0.0%	0.3%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.3%	1.0%	0.9%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	1.3%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.3%
Used `club drugs` such as ecstasy	0.5%	0.9%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	32.9%	29.7%	28.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.5%	7.6%	6.8%
Rode with someone who was drinking alcohol	14.1%	15.1%	13.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.1%	20.7%	26.5%
Posted something online or sent a text that might embarrass or hurt another student	15.2%	15.5%	22.2%
Made fun of other people	49.6%	51.1%	63.0%
Hit, shoved or pushed another student and was not just fooling around	14.8%	14.1%	19.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	36.2%	29.4%	44.1%
Was in a physical fight	23.9%	17.9%	17.8%
Been threatened or injured with a weapon on school property	8.9%	6.6%	11.1%
Seriously considered suicide	19.5%	14.1%	21.6%
Planned suicide	14.0%	10.9%	18.2%
Attempted suicide	6.7%	6.2%	10.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.4%	24.4%	32.0%
Was grouchy or irritable, or in a bad mood	36.4%	35.0%	38.3%
Felt hopeless about the future	17.6%	13.2%	18.5%
Felt like not eating or eating more than usual	26.7%	21.8%	26.0%
Felt like sleeping a lot more or a lot less than usual	34.4%	33.4%	25.4%
Had difficulty concentrating on school work	30.7%	29.6%	32.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.9%	93.9%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.4%	93.8%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.4%	93.0%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.0%	95.6%	95.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.2%	79.4%	79.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.8%	75.2%	79.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.0%	71.1%	79.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.2%	87.8%	89.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.1%	44.4%	45.7%
'Very' or 'sort of easy' to get alcohol	48.2%	48.9%	50.8%
'Very' or 'sort of easy' to get marijuana	35.6%	36.9%	38.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.0%	25.4%	30.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.5%	10.7%	10.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.3%	25.9%	15.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.3%	26.8%	25.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.3%	25.9%	21.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.0%	41.8%	37.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.8%	17.1%	16.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.1%	39.7%	27.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.7%	31.4%	35.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.6%	22.9%	22.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.7%	37.0%	28.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.8%	9.0%	6.6%
'No' or 'slight risk' if they use synthetic drugs	10.5%	12.7%	9.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.1%	21.6%	18.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.4%	13.1%	10.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Howard County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	229	*	223
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.0%	15.3%	13.3%
Grade level. 7th Grade	11.9%	13.7%	14.5%
Grade level. 8th Grade	15.3%	14.0%	13.3%
Grade level. 9th Grade	11.9%	13.4%	14.5%
Grade level. 10th Grade	6.4%	13.7%	21.4%
Grade level. 11th Grade	19.1%	14.6%	13.3%
Grade level. 12th Grade	21.6%	15.2%	9.8%
Male	48.3%	49.7%	48.6%
Hispanic or Latino	0.9%	5.8%	1.2%
Race: Black or African American	5.1%	12.7%	4.0%
Race: White	92.3%	76.9%	92.5%
Race: Multiracial	0.9%	8.5%	1.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	16.2%	8.7%	17.3%
Used electronic cigarettes	8.5%	15.3%	13.5%
Used hookahs or water pipes	0.9%	2.6%	6.3%
Used alcohol	27.0%	14.5%	20.0%
Used marijuana	3.1%	6.5%	7.4%
Used inhalants	0.9%	1.1%	2.3%
Used Rx not prescribed for you by a doctor	8.7%	7.6%	9.7%
Used `OTC` to get high	1.7%	1.6%	2.9%
Used synthetic drugs	0.9%	0.3%	0.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.9%	1.0%	1.7%
Used heroin or `smack`	0.9%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	1.3%	1.1%
Used methamphetamine (meth, crank, crystal, ice)	1.4%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.9%	0.9%	1.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.3%	29.7%	21.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.7%	7.6%	2.9%
Rode with someone who was drinking alcohol	29.7%	15.1%	27.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.0%	20.7%	25.1%
Posted something online or sent a text that might embarrass or hurt another student	15.0%	15.5%	21.1%
Made fun of other people	47.6%	51.1%	64.0%
Hit, shoved or pushed another student and was not just fooling around	7.8%	14.1%	17.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.1%	29.4%	38.3%
Was in a physical fight	14.5%	17.9%	24.4%
Been threatened or injured with a weapon on school property	4.7%	6.6%	2.9%
Seriously considered suicide	9.8%	14.1%	6.9%
Planned suicide	3.9%	10.9%	8.0%
Attempted suicide	3.0%	6.2%	2.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	17.5%	24.4%	17.1%
Was grouchy or irritable, or in a bad mood	27.9%	35.0%	36.6%
Felt hopeless about the future	9.6%	13.2%	9.8%
Felt like not eating or eating more than usual	13.2%	21.8%	18.5%
Felt like sleeping a lot more or a lot less than usual	22.2%	33.4%	20.8%
Had difficulty concentrating on school work	29.1%	29.6%	27.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.7%	93.9%	93.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.7%	93.8%	92.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.2%	93.0%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.2%	95.6%	96.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	70.8%	79.4%	73.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.2%	75.2%	79.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.4%	71.1%	79.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.6%	87.8%	90.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.9%	44.4%	47.1%
'Very' or 'sort of easy' to get alcohol	49.4%	48.9%	54.7%
'Very' or 'sort of easy' to get marijuana	26.4%	36.9%	22.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.7%	25.4%	19.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	17.2%	10.7%	15.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	11.2%	25.9%	14.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.9%	26.8%	30.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.7%	25.9%	15.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	41.9%	41.8%	39.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	19.5%	17.1%	20.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	45.0%	39.7%	40.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	42.4%	31.4%	41.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	32.5%	22.9%	39.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.7%	37.0%	31.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.1%	9.0%	6.4%
'No' or 'slight risk' if they use synthetic drugs	11.4%	12.7%	9.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.1%	21.6%	21.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.6%	13.1%	16.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Howell County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	326	*	35
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.5%	15.3%	0.0%
Grade level. 7th Grade	21.7%	13.7%	0.0%
Grade level. 8th Grade	13.3%	14.0%	100.0%
Grade level. 9th Grade	25.5%	13.4%	0.0%
Grade level. 10th Grade	8.5%	13.7%	0.0%
Grade level. 11th Grade	3.7%	14.6%	0.0%
Grade level. 12th Grade	10.9%	15.2%	0.0%
Male	49.4%	49.7%	70.7%
Hispanic or Latino	1.0%	5.8%	1.0%
Race: Black or African American	0.5%	12.7%	0.0%
Race: White	96.3%	76.9%	98.7%
Race: Multiracial	2.5%	8.5%	1.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	10.2%	8.7%	0.0%
Used electronic cigarettes	5.7%	15.3%	0.0%
Used hookahs or water pipes	1.2%	2.6%	0.0%
Used alcohol	7.5%	14.5%	0.0%
Used marijuana	1.4%	6.5%	0.0%
Used inhalants	1.0%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	8.6%	7.6%	3.4%
Used `OTC` to get high	1.7%	1.6%	0.0%
Used synthetic drugs	0.3%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.3%	1.3%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	39.1%	29.7%	7.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.6%	7.6%	0.0%
Rode with someone who was drinking alcohol	14.0%	15.1%	4.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.2%	20.7%	10.5%
Posted something online or sent a text that might embarrass or hurt another student	12.7%	15.5%	4.2%
Made fun of other people	50.6%	51.1%	81.5%
Hit, shoved or pushed another student and was not just fooling around	18.5%	14.1%	15.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	39.6%	29.4%	27.0%
Was in a physical fight	28.1%	17.9%	10.7%
Been threatened or injured with a weapon on school property	9.5%	6.6%	3.4%
Seriously considered suicide	12.6%	14.1%	3.4%
Planned suicide	10.6%	10.9%	3.3%
Attempted suicide	8.1%	6.2%	0.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.5%	24.4%	8.2%
Was grouchy or irritable, or in a bad mood	30.1%	35.0%	20.7%
Felt hopeless about the future	13.0%	13.2%	5.6%
Felt like not eating or eating more than usual	18.4%	21.8%	17.0%
Felt like sleeping a lot more or a lot less than usual	31.8%	33.4%	17.2%
Had difficulty concentrating on school work	26.4%	29.6%	17.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.6%	93.9%	100.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.1%	93.8%	100.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.7%	93.0%	100.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.2%	95.6%	95.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.7%	79.4%	93.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.4%	75.2%	93.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.4%	71.1%	93.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.6%	87.8%	95.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	45.5%	44.4%	5.4%
'Very' or 'sort of easy' to get alcohol	50.4%	48.9%	12.6%
'Very' or 'sort of easy' to get marijuana	26.9%	36.9%	2.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	31.4%	25.4%	11.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	4.6%	10.7%	1.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	12.0%	25.9%	1.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	14.9%	26.8%	1.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.5%	25.9%	1.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	30.5%	41.8%	26.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	19.1%	17.1%	5.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.3%	39.7%	18.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	41.3%	31.4%	25.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.6%	22.9%	15.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.0%	37.0%	13.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.6%	9.0%	5.6%
'No' or 'slight risk' if they use synthetic drugs	13.5%	12.7%	6.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.7%	21.6%	11.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.4%	13.1%	7.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Iron County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	357	*	52
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.4%	15.3%	53.4%
Grade level. 7th Grade	13.4%	13.7%	0.0%
Grade level. 8th Grade	9.4%	14.0%	0.0%
Grade level. 9th Grade	24.3%	13.4%	0.0%
Grade level. 10th Grade	15.8%	13.7%	0.0%
Grade level. 11th Grade	15.3%	14.6%	0.0%
Grade level. 12th Grade	10.4%	15.2%	46.6%
Male	47.8%	49.7%	50.3%
Hispanic or Latino	1.5%	5.8%	0.0%
Race: Black or African American	2.5%	12.7%	1.9%
Race: White	95.1%	76.9%	96.9%
Race: Multiracial	2.0%	8.5%	1.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.8%	8.7%	11.8%
Used electronic cigarettes	13.8%	15.3%	8.7%
Used hookahs or water pipes	0.5%	2.6%	0.0%
Used alcohol	12.3%	14.5%	13.0%
Used marijuana	6.2%	6.5%	5.0%
Used inhalants	1.0%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	5.7%	7.6%	1.9%
Used `OTC` to get high	1.6%	1.6%	2.5%
Used synthetic drugs	0.0%	0.3%	0.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	2.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.1%	1.3%	5.6%
Used methamphetamine (meth, crank, crystal, ice)	1.1%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.5%	0.9%	2.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.4%	29.7%	30.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.0%	7.6%	1.9%
Rode with someone who was drinking alcohol	10.8%	15.1%	17.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.9%	20.7%	14.3%
Posted something online or sent a text that might embarrass or hurt another student	7.0%	15.5%	11.8%
Made fun of other people	42.0%	51.1%	50.9%
Hit, shoved or pushed another student and was not just fooling around	7.0%	14.1%	6.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	36.5%	29.4%	23.0%
Was in a physical fight	15.4%	17.9%	10.5%
Been threatened or injured with a weapon on school property	6.4%	6.6%	3.1%
Seriously considered suicide	14.1%	14.1%	3.7%
Planned suicide	10.1%	10.9%	3.7%
Attempted suicide	5.5%	6.2%	3.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.7%	24.4%	6.2%
Was grouchy or irritable, or in a bad mood	32.3%	35.0%	28.6%
Felt hopeless about the future	13.6%	13.2%	14.8%
Felt like not eating or eating more than usual	19.1%	21.8%	19.8%
Felt like sleeping a lot more or a lot less than usual	32.8%	33.4%	18.5%
Had difficulty concentrating on school work	29.3%	29.6%	16.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.1%	93.9%	83.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.7%	93.8%	98.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.6%	93.0%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.8%	95.6%	100.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.4%	79.4%	75.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.9%	75.2%	90.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.0%	71.1%	90.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.0%	87.8%	93.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.7%	44.4%	44.7%
'Very' or 'sort of easy' to get alcohol	43.1%	48.9%	41.9%
'Very' or 'sort of easy' to get marijuana	29.4%	36.9%	27.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.1%	25.4%	25.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	15.0%	10.7%	5.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.0%	25.9%	13.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.6%	26.8%	22.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.0%	25.9%	14.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.0%	41.8%	27.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.4%	17.1%	18.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	27.0%	39.7%	10.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.9%	31.4%	34.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.2%	22.9%	25.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.6%	37.0%	30.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.1%	9.0%	7.6%
'No' or 'slight risk' if they use synthetic drugs	12.2%	12.7%	2.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.8%	21.6%	9.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.7%	13.1%	6.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Jackson County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	2814	*	2788
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.0%	15.3%	10.9%
Grade level. 7th Grade	13.0%	13.7%	14.1%
Grade level. 8th Grade	22.1%	14.0%	20.7%
Grade level. 9th Grade	0.8%	13.4%	20.6%
Grade level. 10th Grade	39.2%	13.7%	11.2%
Grade level. 11th Grade	0.7%	14.6%	14.1%
Grade level. 12th Grade	7.3%	15.2%	8.3%
Male	47.6%	49.7%	49.1%
Hispanic or Latino	6.5%	5.8%	5.3%
Race: Black or African American	26.0%	12.7%	22.5%
Race: White	65.1%	76.9%	68.2%
Race: Multiracial	5.3%	8.5%	4.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.6%	8.7%	6.4%
Used electronic cigarettes	11.8%	15.3%	8.1%
Used hookahs or water pipes	3.0%	2.6%	4.1%
Used alcohol	8.4%	14.5%	11.1%
Used marijuana	7.8%	6.5%	6.8%
Used inhalants	1.2%	1.1%	1.0%
Used Rx not prescribed for you by a doctor	8.5%	7.6%	9.3%
Used `OTC` to get high	1.6%	1.6%	2.2%
Used synthetic drugs	0.3%	0.3%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.1%	1.0%	1.4%
Used heroin or `smack`	0.4%	0.2%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.0%	1.3%	1.9%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.3%	0.5%
Used `club drugs` such as ecstasy	0.7%	0.9%	1.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.9%	29.7%	31.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.0%	7.6%	7.2%
Rode with someone who was drinking alcohol	15.3%	15.1%	13.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.1%	20.7%	21.1%
Posted something online or sent a text that might embarrass or hurt another student	15.6%	15.5%	17.6%
Made fun of other people	46.5%	51.1%	51.7%
Hit, shoved or pushed another student and was not just fooling around	14.8%	14.1%	18.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	28.7%	29.4%	30.2%
Was in a physical fight	19.1%	17.9%	18.8%
Been threatened or injured with a weapon on school property	7.9%	6.6%	6.9%
Seriously considered suicide	12.4%	14.1%	13.7%
Planned suicide	10.4%	10.9%	10.0%
Attempted suicide	5.7%	6.2%	6.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.1%	24.4%	22.8%
Was grouchy or irritable, or in a bad mood	29.8%	35.0%	34.8%
Felt hopeless about the future	14.2%	13.2%	14.3%
Felt like not eating or eating more than usual	20.8%	21.8%	20.5%
Felt like sleeping a lot more or a lot less than usual	31.3%	33.4%	23.8%
Had difficulty concentrating on school work	28.1%	29.6%	27.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	97.2%	93.9%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.2%	93.8%	95.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.7%	93.0%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.9%	95.6%	94.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.6%	79.4%	82.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.6%	75.2%	70.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	69.7%	71.1%	70.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.1%	87.8%	86.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	37.5%	44.4%	41.7%
'Very' or 'sort of easy' to get alcohol	48.7%	48.9%	47.5%
'Very' or 'sort of easy' to get marijuana	39.8%	36.9%	40.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.5%	25.4%	29.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.5%	10.7%	8.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	29.0%	25.9%	16.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.3%	26.8%	21.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	31.7%	25.9%	26.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	41.4%	41.8%	42.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.6%	17.1%	17.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.8%	39.7%	34.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	27.2%	31.4%	32.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.7%	22.9%	21.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.5%	37.0%	39.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.2%	9.0%	12.4%
'No' or 'slight risk' if they use synthetic drugs	15.1%	12.7%	15.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.4%	21.6%	24.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.0%	13.1%	15.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Jasper County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	2126	*	949
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.3%	15.3%	16.3%
Grade level. 7th Grade	13.9%	13.7%	14.8%
Grade level. 8th Grade	16.7%	14.0%	17.6%
Grade level. 9th Grade	11.8%	13.4%	2.6%
Grade level. 10th Grade	19.1%	13.7%	26.8%
Grade level. 11th Grade	17.6%	14.6%	20.2%
Grade level. 12th Grade	3.7%	15.2%	1.7%
Male	47.1%	49.7%	46.9%
Hispanic or Latino	3.3%	5.8%	3.7%
Race: Black or African American	1.6%	12.7%	1.6%
Race: White	94.0%	76.9%	92.9%
Race: Multiracial	2.4%	8.5%	1.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	10.4%	8.7%	10.9%
Used electronic cigarettes	13.9%	15.3%	12.6%
Used hookahs or water pipes	2.1%	2.6%	2.8%
Used alcohol	11.1%	14.5%	12.0%
Used marijuana	5.9%	6.5%	5.3%
Used inhalants	1.2%	1.1%	0.5%
Used Rx not prescribed for you by a doctor	8.4%	7.6%	7.4%
Used `OTC` to get high	2.0%	1.6%	0.9%
Used synthetic drugs	0.6%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.0%	1.0%
Used heroin or `smack`	0.3%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	1.3%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.3%	0.3%
Used `club drugs` such as ecstasy	0.4%	0.9%	0.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	21.2%	29.7%	17.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.4%	7.6%	2.9%
Rode with someone who was drinking alcohol	12.3%	15.1%	10.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.4%	20.7%	19.2%
Posted something online or sent a text that might embarrass or hurt another student	14.7%	15.5%	7.9%
Made fun of other people	44.0%	51.1%	42.4%
Hit, shoved or pushed another student and was not just fooling around	15.2%	14.1%	13.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.9%	29.4%	32.1%
Was in a physical fight	20.1%	17.9%	14.5%
Been threatened or injured with a weapon on school property	7.1%	6.6%	5.5%
Seriously considered suicide	15.8%	14.1%	14.7%
Planned suicide	10.5%	10.9%	10.5%
Attempted suicide	6.7%	6.2%	7.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.4%	24.4%	24.2%
Was grouchy or irritable, or in a bad mood	35.6%	35.0%	30.7%
Felt hopeless about the future	17.1%	13.2%	14.4%
Felt like not eating or eating more than usual	23.5%	21.8%	21.8%
Felt like sleeping a lot more or a lot less than usual	32.7%	33.4%	23.1%
Had difficulty concentrating on school work	32.7%	29.6%	23.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.7%	93.9%	94.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.7%	93.8%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.3%	93.0%	96.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.2%	95.6%	97.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.0%	79.4%	79.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.0%	75.2%	80.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.1%	71.1%	80.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.5%	87.8%	89.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	44.7%	44.4%	41.1%
'Very' or 'sort of easy' to get alcohol	47.2%	48.9%	48.4%
'Very' or 'sort of easy' to get marijuana	33.4%	36.9%	27.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.8%	25.4%	26.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.0%	10.7%	8.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.9%	25.9%	18.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.7%	26.8%	19.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.3%	25.9%	17.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.6%	41.8%	33.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.9%	17.1%	12.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.3%	39.7%	30.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.1%	31.4%	27.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.6%	22.9%	19.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.1%	37.0%	21.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.4%	9.0%	5.3%
'No' or 'slight risk' if they use synthetic drugs	11.8%	12.7%	7.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.4%	21.6%	12.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.0%	13.1%	9.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Jefferson County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	2323	*	4058
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.5%	15.3%	10.7%
Grade level. 7th Grade	14.8%	13.7%	25.3%
Grade level. 8th Grade	16.0%	14.0%	6.4%
Grade level. 9th Grade	15.5%	13.4%	25.3%
Grade level. 10th Grade	18.8%	13.7%	7.8%
Grade level. 11th Grade	12.0%	14.6%	21.8%
Grade level. 12th Grade	6.5%	15.2%	2.8%
Male	50.6%	49.7%	49.1%
Hispanic or Latino	1.1%	5.8%	1.2%
Race: Black or African American	0.9%	12.7%	0.8%
Race: White	96.9%	76.9%	96.3%
Race: Multiracial	1.5%	8.5%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.4%	8.7%	8.9%
Used electronic cigarettes	23.6%	15.3%	17.7%
Used hookahs or water pipes	2.4%	2.6%	5.4%
Used alcohol	14.0%	14.5%	15.3%
Used marijuana	7.4%	6.5%	10.6%
Used inhalants	0.8%	1.1%	1.0%
Used Rx not prescribed for you by a doctor	9.0%	7.6%	8.7%
Used `OTC` to get high	2.9%	1.6%	1.5%
Used synthetic drugs	0.8%	0.3%	0.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.7%	1.0%	1.1%
Used heroin or `smack`	0.2%	0.2%	0.1%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.3%	1.3%	2.3%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.2%
Used `club drugs` such as ecstasy	1.1%	0.9%	1.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	31.4%	29.7%	30.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.8%	7.6%	14.2%
Rode with someone who was drinking alcohol	15.4%	15.1%	14.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.4%	20.7%	21.9%
Posted something online or sent a text that might embarrass or hurt another student	17.5%	15.5%	19.3%
Made fun of other people	47.4%	51.1%	52.5%
Hit, shoved or pushed another student and was not just fooling around	15.0%	14.1%	14.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.7%	29.4%	33.5%
Was in a physical fight	19.8%	17.9%	16.8%
Been threatened or injured with a weapon on school property	6.9%	6.6%	6.1%
Seriously considered suicide	14.8%	14.1%	13.7%
Planned suicide	9.9%	10.9%	9.1%
Attempted suicide	6.4%	6.2%	5.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.8%	24.4%	23.0%
Was grouchy or irritable, or in a bad mood	36.2%	35.0%	31.9%
Felt hopeless about the future	15.9%	13.2%	12.5%
Felt like not eating or eating more than usual	22.1%	21.8%	21.2%
Felt like sleeping a lot more or a lot less than usual	31.6%	33.4%	24.6%
Had difficulty concentrating on school work	31.4%	29.6%	31.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.9%	93.9%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.2%	93.8%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.1%	93.0%	92.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.4%	95.6%	96.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.3%	79.4%	81.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.6%	75.2%	68.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	70.0%	71.1%	68.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.6%	87.8%	88.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.0%	44.4%	45.6%
'Very' or 'sort of easy' to get alcohol	50.8%	48.9%	52.0%
'Very' or 'sort of easy' to get marijuana	38.6%	36.9%	41.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.6%	25.4%	29.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.9%	10.7%	9.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	34.7%	25.9%	24.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.6%	26.8%	25.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	28.7%	25.9%	28.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	47.1%	41.8%	48.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.1%	17.1%	12.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.0%	39.7%	35.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.2%	31.4%	30.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.8%	22.9%	20.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.4%	37.0%	39.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.6%	9.0%	7.2%
'No' or 'slight risk' if they use synthetic drugs	13.2%	12.7%	10.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.5%	21.6%	20.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.0%	13.1%	11.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Johnson County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1276	*	991
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	8.7%	15.3%	13.1%
Grade level. 7th Grade	8.4%	13.7%	13.2%
Grade level. 8th Grade	21.9%	14.0%	15.8%
Grade level. 9th Grade	15.3%	13.4%	7.0%
Grade level. 10th Grade	19.8%	13.7%	20.3%
Grade level. 11th Grade	15.4%	14.6%	17.7%
Grade level. 12th Grade	10.5%	15.2%	12.8%
Male	51.6%	49.7%	52.9%
Hispanic or Latino	2.4%	5.8%	2.0%
Race: Black or African American	4.1%	12.7%	4.4%
Race: White	90.5%	76.9%	89.4%
Race: Multiracial	3.5%	8.5%	2.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	10.4%	8.7%	10.6%
Used electronic cigarettes	14.4%	15.3%	10.0%
Used hookahs or water pipes	2.0%	2.6%	3.1%
Used alcohol	15.6%	14.5%	15.7%
Used marijuana	6.7%	6.5%	5.3%
Used inhalants	0.6%	1.1%	1.1%
Used Rx not prescribed for you by a doctor	9.7%	7.6%	10.5%
Used `OTC` to get high	1.4%	1.6%	1.5%
Used synthetic drugs	0.2%	0.3%	0.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.0%	1.8%
Used heroin or `smack`	0.2%	0.2%	0.8%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	1.3%	2.3%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.3%	0.1%
Used `club drugs` such as ecstasy	0.5%	0.9%	1.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.6%	29.7%	25.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.2%	7.6%	4.1%
Rode with someone who was drinking alcohol	15.6%	15.1%	12.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.5%	20.7%	23.5%
Posted something online or sent a text that might embarrass or hurt another student	16.1%	15.5%	18.1%
Made fun of other people	55.5%	51.1%	55.1%
Hit, shoved or pushed another student and was not just fooling around	13.2%	14.1%	13.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.8%	29.4%	29.3%
Was in a physical fight	18.8%	17.9%	19.1%
Been threatened or injured with a weapon on school property	9.8%	6.6%	4.6%
Seriously considered suicide	16.8%	14.1%	14.1%
Planned suicide	11.2%	10.9%	9.0%
Attempted suicide	5.2%	6.2%	5.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.0%	24.4%	23.2%
Was grouchy or irritable, or in a bad mood	35.4%	35.0%	36.3%
Felt hopeless about the future	16.1%	13.2%	13.0%
Felt like not eating or eating more than usual	21.5%	21.8%	17.8%
Felt like sleeping a lot more or a lot less than usual	34.4%	33.4%	24.2%
Had difficulty concentrating on school work	32.1%	29.6%	27.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.3%	93.9%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.5%	93.8%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.6%	93.0%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.0%	95.6%	96.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.2%	79.4%	79.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.9%	75.2%	76.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.1%	71.1%	76.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.0%	87.8%	89.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.9%	44.4%	43.1%
'Very' or 'sort of easy' to get alcohol	51.4%	48.9%	45.9%
'Very' or 'sort of easy' to get marijuana	34.3%	36.9%	28.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	25.0%	25.4%	26.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.9%	10.7%	8.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.8%	25.9%	12.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	28.4%	26.8%	21.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.9%	25.9%	15.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	43.8%	41.8%	37.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.0%	17.1%	14.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.1%	39.7%	33.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.4%	31.4%	30.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.7%	22.9%	20.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.0%	37.0%	32.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.7%	9.0%	6.7%
'No' or 'slight risk' if they use synthetic drugs	11.0%	12.7%	9.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.7%	21.6%	20.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.5%	13.1%	11.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Laclede County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	437	*	333
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	35.3%	15.3%	11.5%
Grade level. 7th Grade	5.0%	13.7%	14.7%
Grade level. 8th Grade	9.7%	14.0%	23.3%
Grade level. 9th Grade	13.0%	13.4%	13.2%
Grade level. 10th Grade	2.6%	13.7%	11.8%
Grade level. 11th Grade	22.4%	14.6%	19.7%
Grade level. 12th Grade	11.9%	15.2%	5.8%
Male	49.5%	49.7%	47.8%
Hispanic or Latino	1.5%	5.8%	1.8%
Race: Black or African American	0.3%	12.7%	0.7%
Race: White	96.5%	76.9%	95.7%
Race: Multiracial	2.3%	8.5%	1.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	12.6%	8.7%	9.0%
Used electronic cigarettes	20.5%	15.3%	13.4%
Used hookahs or water pipes	2.2%	2.6%	3.4%
Used alcohol	14.5%	14.5%	13.4%
Used marijuana	6.1%	6.5%	5.0%
Used inhalants	0.3%	1.1%	0.3%
Used Rx not prescribed for you by a doctor	8.0%	7.6%	9.6%
Used `OTC` to get high	3.3%	1.6%	2.1%
Used synthetic drugs	0.0%	0.3%	0.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.1%	1.0%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.6%	1.3%	2.1%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.3%	0.3%
Used `club drugs` such as ecstasy	1.3%	0.9%	1.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	37.7%	29.7%	35.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.9%	7.6%	11.0%
Rode with someone who was drinking alcohol	16.4%	15.1%	10.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	14.8%	20.7%	21.8%
Posted something online or sent a text that might embarrass or hurt another student	15.0%	15.5%	17.1%
Made fun of other people	47.8%	51.1%	47.5%
Hit, shoved or pushed another student and was not just fooling around	14.0%	14.1%	17.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	44.7%	29.4%	31.5%
Was in a physical fight	21.0%	17.9%	16.1%
Been threatened or injured with a weapon on school property	8.6%	6.6%	6.7%
Seriously considered suicide	17.8%	14.1%	11.7%
Planned suicide	10.8%	10.9%	7.5%
Attempted suicide	7.6%	6.2%	4.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	34.4%	24.4%	28.3%
Was grouchy or irritable, or in a bad mood	39.5%	35.0%	29.1%
Felt hopeless about the future	23.4%	13.2%	15.3%
Felt like not eating or eating more than usual	26.9%	21.8%	22.0%
Felt like sleeping a lot more or a lot less than usual	39.9%	33.4%	27.2%
Had difficulty concentrating on school work	32.7%	29.6%	28.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.0%	93.9%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.6%	93.8%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.5%	93.0%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.9%	95.6%	95.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	74.6%	79.4%	79.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.3%	75.2%	80.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.5%	71.1%	80.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.0%	87.8%	93.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.1%	44.4%	41.1%
'Very' or 'sort of easy' to get alcohol	45.5%	48.9%	41.5%
'Very' or 'sort of easy' to get marijuana	30.5%	36.9%	28.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.4%	25.4%	26.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.3%	10.7%	9.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	27.0%	25.9%	15.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.6%	26.8%	19.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.7%	25.9%	20.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.8%	41.8%	45.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	21.9%	17.1%	19.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.0%	39.7%	30.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.8%	31.4%	37.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.2%	22.9%	23.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.7%	37.0%	27.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.4%	9.0%	8.1%
'No' or 'slight risk' if they use synthetic drugs	13.9%	12.7%	10.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	25.2%	21.6%	19.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.0%	13.1%	11.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Lafayette County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	679	*	173
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.3%	15.3%	15.8%
Grade level. 7th Grade	15.7%	13.7%	11.1%
Grade level. 8th Grade	15.9%	14.0%	73.1%
Grade level. 9th Grade	15.9%	13.4%	0.0%
Grade level. 10th Grade	16.4%	13.7%	0.0%
Grade level. 11th Grade	13.3%	14.6%	0.0%
Grade level. 12th Grade	11.6%	15.2%	0.0%
Male	48.0%	49.7%	77.2%
Hispanic or Latino	2.0%	5.8%	0.3%
Race: Black or African American	2.0%	12.7%	0.8%
Race: White	94.5%	76.9%	97.4%
Race: Multiracial	2.5%	8.5%	0.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.7%	8.7%	4.4%
Used electronic cigarettes	10.3%	15.3%	4.8%
Used hookahs or water pipes	3.2%	2.6%	1.2%
Used alcohol	20.1%	14.5%	6.3%
Used marijuana	7.6%	6.5%	1.0%
Used inhalants	1.3%	1.1%	2.0%
Used Rx not prescribed for you by a doctor	7.9%	7.6%	7.9%
Used `OTC` to get high	2.3%	1.6%	1.0%
Used synthetic drugs	0.3%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.0%	1.0%
Used heroin or `smack`	0.3%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.7%	1.3%	0.3%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.3%
Used `club drugs` such as ecstasy	0.7%	0.9%	0.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.7%	29.7%	13.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.0%	7.6%	3.5%
Rode with someone who was drinking alcohol	18.4%	15.1%	13.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	24.3%	20.7%	12.2%
Posted something online or sent a text that might embarrass or hurt another student	20.1%	15.5%	7.6%
Made fun of other people	49.8%	51.1%	77.8%
Hit, shoved or pushed another student and was not just fooling around	13.6%	14.1%	11.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	36.5%	29.4%	20.8%
Was in a physical fight	21.4%	17.9%	11.7%
Been threatened or injured with a weapon on school property	6.0%	6.6%	5.4%
Seriously considered suicide	15.1%	14.1%	4.8%
Planned suicide	10.2%	10.9%	5.0%
Attempted suicide	6.4%	6.2%	3.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.0%	24.4%	10.7%
Was grouchy or irritable, or in a bad mood	35.7%	35.0%	15.0%
Felt hopeless about the future	14.5%	13.2%	7.6%
Felt like not eating or eating more than usual	21.1%	21.8%	9.2%
Felt like sleeping a lot more or a lot less than usual	32.0%	33.4%	11.1%
Had difficulty concentrating on school work	28.5%	29.6%	17.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.8%	93.9%	97.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.2%	93.8%	96.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.2%	93.0%	98.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.7%	95.6%	97.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	75.1%	79.4%	91.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.3%	75.2%	92.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.7%	71.1%	92.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.3%	87.8%	95.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	47.3%	44.4%	71.0%
'Very' or 'sort of easy' to get alcohol	49.1%	48.9%	74.6%
'Very' or 'sort of easy' to get marijuana	32.3%	36.9%	10.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.8%	25.4%	10.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.4%	10.7%	2.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	14.8%	25.9%	4.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.1%	26.8%	6.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.6%	25.9%	6.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	47.8%	41.8%	75.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	22.3%	17.1%	9.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.4%	39.7%	18.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.3%	31.4%	71.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.1%	22.9%	70.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	40.6%	37.0%	14.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.1%	9.0%	6.3%
'No' or 'slight risk' if they use synthetic drugs	15.6%	12.7%	9.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.0%	21.6%	66.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.2%	13.1%	7.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Lawrence County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	586	*	819
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.7%	15.3%	5.1%
Grade level. 7th Grade	4.4%	13.7%	21.8%
Grade level. 8th Grade	19.0%	14.0%	12.3%
Grade level. 9th Grade	22.1%	13.4%	22.9%
Grade level. 10th Grade	16.1%	13.7%	16.1%
Grade level. 11th Grade	16.0%	14.6%	10.6%
Grade level. 12th Grade	4.8%	15.2%	11.1%
Male	49.4%	49.7%	48.7%
Hispanic or Latino	4.6%	5.8%	3.9%
Race: Black or African American	0.5%	12.7%	0.2%
Race: White	94.7%	76.9%	94.9%
Race: Multiracial	3.0%	8.5%	2.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	12.9%	8.7%	12.1%
Used electronic cigarettes	15.4%	15.3%	11.6%
Used hookahs or water pipes	2.3%	2.6%	2.5%
Used alcohol	11.8%	14.5%	13.8%
Used marijuana	5.8%	6.5%	5.9%
Used inhalants	1.0%	1.1%	0.6%
Used Rx not prescribed for you by a doctor	7.9%	7.6%	7.6%
Used `OTC` to get high	1.5%	1.6%	1.4%
Used synthetic drugs	0.1%	0.3%	0.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.0%	0.9%
Used heroin or `smack`	0.3%	0.2%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	1.3%	1.4%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.3%	0.3%
Used `club drugs` such as ecstasy	0.5%	0.9%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.4%	29.7%	28.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.7%	7.6%	5.0%
Rode with someone who was drinking alcohol	15.9%	15.1%	11.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.7%	20.7%	19.0%
Posted something online or sent a text that might embarrass or hurt another student	12.5%	15.5%	13.3%
Made fun of other people	44.7%	51.1%	48.8%
Hit, shoved or pushed another student and was not just fooling around	13.0%	14.1%	13.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	26.5%	29.4%	28.7%
Was in a physical fight	18.7%	17.9%	13.8%
Been threatened or injured with a weapon on school property	6.4%	6.6%	6.0%
Seriously considered suicide	12.5%	14.1%	9.1%
Planned suicide	8.9%	10.9%	7.6%
Attempted suicide	4.7%	6.2%	5.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.7%	24.4%	22.5%
Was grouchy or irritable, or in a bad mood	32.4%	35.0%	30.4%
Felt hopeless about the future	11.7%	13.2%	12.4%
Felt like not eating or eating more than usual	20.4%	21.8%	21.1%
Felt like sleeping a lot more or a lot less than usual	30.2%	33.4%	21.7%
Had difficulty concentrating on school work	22.9%	29.6%	24.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.2%	93.9%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.8%	93.8%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.9%	93.0%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.9%	95.6%	96.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.3%	79.4%	77.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.6%	75.2%	78.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.6%	71.1%	78.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.3%	87.8%	90.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	48.1%	44.4%	47.0%
'Very' or 'sort of easy' to get alcohol	50.6%	48.9%	49.8%
'Very' or 'sort of easy' to get marijuana	32.3%	36.9%	32.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.5%	25.4%	25.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.0%	10.7%	9.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.6%	25.9%	17.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.5%	26.8%	22.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.7%	25.9%	16.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.6%	41.8%	41.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.3%	17.1%	17.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.9%	39.7%	31.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.0%	31.4%	32.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.1%	22.9%	24.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.9%	37.0%	32.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.7%	9.0%	8.5%
'No' or 'slight risk' if they use synthetic drugs	9.8%	12.7%	10.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.0%	21.6%	18.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.8%	13.1%	10.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Lincoln County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	366	*	150
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.7%	15.3%	17.2%
Grade level. 7th Grade	14.2%	13.7%	13.9%
Grade level. 8th Grade	10.7%	14.0%	13.2%
Grade level. 9th Grade	20.7%	13.4%	17.8%
Grade level. 10th Grade	15.2%	13.7%	18.8%
Grade level. 11th Grade	12.7%	14.6%	14.6%
Grade level. 12th Grade	9.7%	15.2%	4.5%
Male	48.0%	49.7%	49.8%
Hispanic or Latino	1.9%	5.8%	1.8%
Race: Black or African American	1.8%	12.7%	2.6%
Race: White	94.9%	76.9%	93.8%
Race: Multiracial	2.2%	8.5%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	16.5%	8.7%	16.2%
Used electronic cigarettes	15.4%	15.3%	5.7%
Used hookahs or water pipes	1.8%	2.6%	0.9%
Used alcohol	25.2%	14.5%	27.0%
Used marijuana	6.0%	6.5%	2.7%
Used inhalants	0.3%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	6.7%	7.6%	4.3%
Used `OTC` to get high	2.0%	1.6%	0.0%
Used synthetic drugs	0.4%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.7%	1.0%	1.4%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	1.3%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.7%
Used `club drugs` such as ecstasy	0.8%	0.9%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	24.5%	29.7%	17.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.2%	7.6%	2.2%
Rode with someone who was drinking alcohol	28.7%	15.1%	24.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.0%	20.7%	26.9%
Posted something online or sent a text that might embarrass or hurt another student	16.1%	15.5%	15.1%
Made fun of other people	52.8%	51.1%	56.5%
Hit, shoved or pushed another student and was not just fooling around	19.4%	14.1%	13.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.4%	29.4%	27.5%
Was in a physical fight	23.2%	17.9%	17.0%
Been threatened or injured with a weapon on school property	4.8%	6.6%	5.9%
Seriously considered suicide	10.6%	14.1%	6.9%
Planned suicide	7.3%	10.9%	1.5%
Attempted suicide	5.4%	6.2%	5.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.8%	24.4%	12.3%
Was grouchy or irritable, or in a bad mood	34.1%	35.0%	25.9%
Felt hopeless about the future	14.8%	13.2%	5.2%
Felt like not eating or eating more than usual	22.5%	21.8%	8.6%
Felt like sleeping a lot more or a lot less than usual	30.5%	33.4%	18.0%
Had difficulty concentrating on school work	26.6%	29.6%	17.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.7%	93.9%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.5%	93.8%	90.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.8%	93.0%	98.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.2%	95.6%	97.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	69.3%	79.4%	75.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	61.5%	75.2%	90.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.1%	71.1%	90.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.2%	87.8%	93.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	48.1%	44.4%	34.3%
'Very' or 'sort of easy' to get alcohol	57.2%	48.9%	46.4%
'Very' or 'sort of easy' to get marijuana	34.2%	36.9%	12.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.8%	25.4%	17.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	15.1%	10.7%	11.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.0%	25.9%	7.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	32.9%	26.8%	31.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.9%	25.9%	10.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	43.0%	41.8%	37.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.5%	17.1%	21.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.5%	39.7%	49.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	43.6%	31.4%	50.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.2%	22.9%	37.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.0%	37.0%	25.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.7%	9.0%	12.0%
'No' or 'slight risk' if they use synthetic drugs	10.2%	12.7%	13.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.9%	21.6%	23.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.6%	13.1%	14.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Linn County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	315	*	232
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	3.9%	15.3%	10.2%
Grade level. 7th Grade	12.9%	13.7%	7.1%
Grade level. 8th Grade	28.9%	14.0%	27.6%
Grade level. 9th Grade	10.2%	13.4%	11.7%
Grade level. 10th Grade	18.4%	13.7%	22.4%
Grade level. 11th Grade	8.2%	14.6%	7.1%
Grade level. 12th Grade	17.6%	15.2%	13.8%
Male	46.3%	49.7%	47.9%
Hispanic or Latino	1.2%	5.8%	1.5%
Race: Black or African American	0.4%	12.7%	0.5%
Race: White	96.1%	76.9%	96.9%
Race: Multiracial	1.9%	8.5%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.0%	8.7%	16.4%
Used electronic cigarettes	9.5%	15.3%	10.7%
Used hookahs or water pipes	0.8%	2.6%	3.0%
Used alcohol	24.2%	14.5%	21.8%
Used marijuana	4.3%	6.5%	4.1%
Used inhalants	0.8%	1.1%	0.5%
Used Rx not prescribed for you by a doctor	5.2%	7.6%	8.1%
Used `OTC` to get high	1.2%	1.6%	2.0%
Used synthetic drugs	0.0%	0.3%	1.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.0%	2.0%
Used heroin or `smack`	0.4%	0.2%	0.5%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	1.3%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.3%	0.5%
Used `club drugs` such as ecstasy	0.8%	0.9%	1.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	19.1%	29.7%	21.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.9%	7.6%	2.6%
Rode with someone who was drinking alcohol	22.9%	15.1%	22.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	24.1%	20.7%	27.9%
Posted something online or sent a text that might embarrass or hurt another student	21.1%	15.5%	16.8%
Made fun of other people	57.2%	51.1%	60.9%
Hit, shoved or pushed another student and was not just fooling around	14.0%	14.1%	20.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.9%	29.4%	34.5%
Was in a physical fight	19.5%	17.9%	19.3%
Been threatened or injured with a weapon on school property	7.0%	6.6%	4.6%
Seriously considered suicide	13.3%	14.1%	10.8%
Planned suicide	10.2%	10.9%	8.2%
Attempted suicide	5.5%	6.2%	3.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.8%	24.4%	25.9%
Was grouchy or irritable, or in a bad mood	31.9%	35.0%	29.9%
Felt hopeless about the future	13.2%	13.2%	11.3%
Felt like not eating or eating more than usual	16.4%	21.8%	17.3%
Felt like sleeping a lot more or a lot less than usual	23.4%	33.4%	16.9%
Had difficulty concentrating on school work	21.5%	29.6%	23.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.1%	93.9%	90.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.9%	93.8%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.5%	93.0%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.4%	95.6%	94.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.7%	79.4%	69.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	67.7%	75.2%	80.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.5%	71.1%	80.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.6%	87.8%	88.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	55.3%	44.4%	59.7%
'Very' or 'sort of easy' to get alcohol	60.3%	48.9%	67.9%
'Very' or 'sort of easy' to get marijuana	24.9%	36.9%	34.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	32.3%	25.4%	36.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.7%	10.7%	15.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.5%	25.9%	16.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	33.9%	26.8%	34.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	15.2%	25.9%	17.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	36.9%	41.8%	37.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	14.1%	17.1%	16.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.5%	39.7%	40.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.9%	31.4%	44.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.0%	22.9%	30.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.3%	37.0%	26.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.8%	9.0%	2.1%
'No' or 'slight risk' if they use synthetic drugs	9.4%	12.7%	4.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	15.6%	21.6%	15.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.0%	13.1%	6.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Livingston County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	837	*	699
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	15.6%	15.3%	16.7%
Grade level. 7th Grade	15.2%	13.7%	12.3%
Grade level. 8th Grade	12.8%	14.0%	15.3%
Grade level. 9th Grade	15.6%	13.4%	18.2%
Grade level. 10th Grade	15.6%	13.7%	19.7%
Grade level. 11th Grade	12.5%	14.6%	12.3%
Grade level. 12th Grade	12.8%	15.2%	5.4%
Male	44.1%	49.7%	44.8%
Hispanic or Latino	1.2%	5.8%	1.0%
Race: Black or African American	2.3%	12.7%	2.0%
Race: White	95.3%	76.9%	94.6%
Race: Multiracial	2.0%	8.5%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.2%	8.7%	16.7%
Used electronic cigarettes	10.5%	15.3%	7.9%
Used hookahs or water pipes	2.8%	2.6%	5.0%
Used alcohol	13.8%	14.5%	24.8%
Used marijuana	4.9%	6.5%	5.4%
Used inhalants	0.4%	1.1%	1.5%
Used Rx not prescribed for you by a doctor	8.5%	7.6%	7.9%
Used `OTC` to get high	2.0%	1.6%	2.5%
Used synthetic drugs	0.4%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.0%	1.5%
Used heroin or `smack`	0.4%	0.2%	0.5%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.8%	1.3%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	1.0%
Used `club drugs` such as ecstasy	0.4%	0.9%	1.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.1%	29.7%	27.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.1%	7.6%	5.9%
Rode with someone who was drinking alcohol	16.2%	15.1%	20.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.1%	20.7%	24.3%
Posted something online or sent a text that might embarrass or hurt another student	12.1%	15.5%	17.7%
Made fun of other people	49.4%	51.1%	58.5%
Hit, shoved or pushed another student and was not just fooling around	12.1%	14.1%	15.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	30.0%	29.4%	34.7%
Was in a physical fight	16.4%	17.9%	14.4%
Been threatened or injured with a weapon on school property	4.3%	6.6%	5.9%
Seriously considered suicide	13.0%	14.1%	13.3%
Planned suicide	6.7%	10.9%	10.9%
Attempted suicide	3.6%	6.2%	6.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.6%	24.4%	21.6%
Was grouchy or irritable, or in a bad mood	32.3%	35.0%	29.4%
Felt hopeless about the future	11.4%	13.2%	11.5%
Felt like not eating or eating more than usual	21.7%	21.8%	23.8%
Felt like sleeping a lot more or a lot less than usual	29.9%	33.4%	22.3%
Had difficulty concentrating on school work	25.1%	29.6%	25.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.5%	93.9%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.8%	93.8%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.3%	93.0%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	95.6%	98.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.6%	79.4%	78.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.2%	75.2%	80.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.1%	71.1%	80.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.4%	87.8%	90.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.1%	44.4%	43.1%
'Very' or 'sort of easy' to get alcohol	47.8%	48.9%	50.7%
'Very' or 'sort of easy' to get marijuana	25.4%	36.9%	26.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.2%	25.4%	22.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.1%	10.7%	10.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.5%	25.9%	13.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.5%	26.8%	32.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.1%	25.9%	18.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	39.0%	41.8%	37.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.1%	17.1%	15.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.2%	39.7%	37.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.5%	31.4%	36.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.9%	22.9%	28.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.9%	37.0%	24.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.5%	9.0%	7.9%
'No' or 'slight risk' if they use synthetic drugs	12.6%	12.7%	12.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.2%	21.6%	21.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.1%	13.1%	13.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Macon County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	613	*	0
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	15.3%	15.3%	
Grade level. 7th Grade	13.6%	13.7%	
Grade level. 8th Grade	13.6%	14.0%	
Grade level. 9th Grade	18.1%	13.4%	
Grade level. 10th Grade	15.7%	13.7%	
Grade level. 11th Grade	12.2%	14.6%	
Grade level. 12th Grade	11.5%	15.2%	
Male	47.2%	49.7%	
Hispanic or Latino	1.1%	5.8%	
Race: Black or African American	2.1%	12.7%	
Race: White	95.1%	76.9%	
Race: Multiracial	2.1%	8.5%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.5%	8.7%
Used electronic cigarettes	9.7%	15.3%
Used hookahs or water pipes	1.4%	2.6%
Used alcohol	17.2%	14.5%
Used marijuana	4.0%	6.5%
Used inhalants	0.7%	1.1%
Used Rx not prescribed for you by a doctor	9.8%	7.6%
Used `OTC` to get high	1.8%	1.6%
Used synthetic drugs	0.4%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.0%	
Used heroin or `smack`	0.0%	0.2%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.7%	1.3%	
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	
Used `club drugs` such as ecstasy	0.4%	0.9%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	33.6%	29.7%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.5%	7.6%	
Rode with someone who was drinking alcohol	15.2%	15.1%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	25.6%	20.7%	
Posted something online or sent a text that might embarrass or hurt another student	16.8%	15.5%	
Made fun of other people	54.1%	51.1%	
Hit, shoved or pushed another student and was not just fooling around	15.1%	14.1%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	35.1%	29.4%	
Was in a physical fight	18.6%	17.9%	
Been threatened or injured with a weapon on school property	6.0%	6.6%	
Seriously considered suicide	12.5%	14.1%	
Planned suicide	11.5%	10.9%	
Attempted suicide	5.0%	6.2%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.6%	24.4%	
Was grouchy or irritable, or in a bad mood	40.3%	35.0%	
Felt hopeless about the future	16.0%	13.2%	
Felt like not eating or eating more than usual	21.9%	21.8%	
Felt like sleeping a lot more or a lot less than usual	30.9%	33.4%	
Had difficulty concentrating on school work	29.6%	29.6%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.5%	93.9%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.2%	93.8%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.3%	93.0%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.4%	95.6%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.2%	79.4%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.2%	75.2%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.9%	71.1%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.0%	87.8%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	47.1%	44.4%	
'Very' or 'sort of easy' to get alcohol	51.6%	48.9%	
'Very' or 'sort of easy' to get marijuana	27.7%	36.9%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.0%	25.4%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.4%	10.7%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.6%	25.9%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	30.5%	26.8%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.4%	25.9%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	37.1%	41.8%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.4%	17.1%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.5%	39.7%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.8%	31.4%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.2%	22.9%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.5%	37.0%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.5%	9.0%	
'No' or 'slight risk' if they use synthetic drugs	12.7%	12.7%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.4%	21.6%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.7%	13.1%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Madison County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	671	*	44
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.6%	15.3%	15.6%
Grade level. 7th Grade	17.6%	13.7%	16.8%
Grade level. 8th Grade	17.1%	14.0%	12.8%
Grade level. 9th Grade	14.8%	13.4%	13.4%
Grade level. 10th Grade	13.9%	13.7%	24.6%
Grade level. 11th Grade	14.8%	14.6%	5.6%
Grade level. 12th Grade	10.2%	15.2%	11.2%
Male	47.7%	49.7%	50.6%
Hispanic or Latino	0.5%	5.8%	0.6%
Race: Black or African American	1.4%	12.7%	0.0%
Race: White	96.7%	76.9%	98.3%
Race: Multiracial	1.4%	8.5%	0.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	16.3%	8.7%	35.0%
Used electronic cigarettes	19.7%	15.3%	9.9%
Used hookahs or water pipes	2.4%	2.6%	7.2%
Used alcohol	18.9%	14.5%	32.2%
Used marijuana	6.9%	6.5%	5.6%
Used inhalants	1.5%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	7.9%	7.6%	13.9%
Used `OTC` to get high	2.5%	1.6%	6.1%
Used synthetic drugs	1.0%	0.3%	5.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.0%	1.0%	0.0%
Used heroin or `smack`	0.5%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	3.1%	1.3%	11.1%
Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.3%	0.6%
Used `club drugs` such as ecstasy	2.0%	0.9%	6.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	39.7%	29.7%	38.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.2%	7.6%	6.2%
Rode with someone who was drinking alcohol	18.4%	15.1%	20.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.7%	20.7%	25.6%
Posted something online or sent a text that might embarrass or hurt another student	18.5%	15.5%	17.8%
Made fun of other people	50.2%	51.1%	60.2%
Hit, shoved or pushed another student and was not just fooling around	16.2%	14.1%	25.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	39.1%	29.4%	26.1%
Was in a physical fight	17.6%	17.9%	12.2%
Been threatened or injured with a weapon on school property	10.2%	6.6%	11.6%
Seriously considered suicide	14.7%	14.1%	11.4%
Planned suicide	11.9%	10.9%	12.6%
Attempted suicide	6.6%	6.2%	8.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	30.4%	24.4%	31.1%
Was grouchy or irritable, or in a bad mood	37.1%	35.0%	50.3%
Felt hopeless about the future	16.9%	13.2%	19.1%
Felt like not eating or eating more than usual	21.2%	21.8%	22.7%
Felt like sleeping a lot more or a lot less than usual	32.9%	33.4%	26.4%
Had difficulty concentrating on school work	27.1%	29.6%	26.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.3%	93.9%	87.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.8%	93.8%	89.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.2%	93.0%	90.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.9%	95.6%	90.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	73.0%	79.4%	47.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.2%	75.2%	56.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.2%	71.1%	56.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.0%	87.8%	72.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	52.1%	44.4%	69.4%
'Very' or 'sort of easy' to get alcohol	53.5%	48.9%	70.6%
'Very' or 'sort of easy' to get marijuana	36.3%	36.9%	53.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	30.0%	25.4%	40.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	16.5%	10.7%	14.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	33.8%	25.9%	19.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	33.0%	26.8%	32.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.5%	25.9%	26.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	50.2%	41.8%	55.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	20.9%	17.1%	21.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.8%	39.7%	48.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	42.2%	31.4%	58.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.5%	22.9%	33.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.2%	37.0%	45.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.6%	9.0%	8.6%
'No' or 'slight risk' if they use synthetic drugs	11.4%	12.7%	12.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.3%	21.6%	23.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.4%	13.1%	11.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Maries County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	181	*	0
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	22.0%	15.3%	
Grade level. 7th Grade	0.0%	13.7%	
Grade level. 8th Grade	0.0%	14.0%	
Grade level. 9th Grade	34.1%	13.4%	
Grade level. 10th Grade	10.4%	13.7%	
Grade level. 11th Grade	19.2%	14.6%	
Grade level. 12th Grade	14.3%	15.2%	
Male	50.5%	49.7%	
Hispanic or Latino	1.1%	5.8%	
Race: Black or African American	1.1%	12.7%	
Race: White	97.8%	76.9%	
Race: Multiracial	1.1%	8.5%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	15.4%	8.7%
Used electronic cigarettes	13.4%	15.3%
Used hookahs or water pipes	1.4%	2.6%
Used alcohol	15.6%	14.5%
Used marijuana	1.4%	6.5%
Used inhalants	0.7%	1.1%
Used Rx not prescribed for you by a doctor	5.0%	7.6%
Used `OTC` to get high	0.7%	1.6%
Used synthetic drugs	0.0%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	
Used heroin or `smack`	0.0%	0.2%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.7%	1.3%	
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	
Used `club drugs` such as ecstasy	0.7%	0.9%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.1%	29.7%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.3%	7.6%	
Rode with someone who was drinking alcohol	20.0%	15.1%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.4%	20.7%	
Posted something online or sent a text that might embarrass or hurt another student	12.6%	15.5%	
Made fun of other people	48.6%	51.1%	
Hit, shoved or pushed another student and was not just fooling around	15.5%	14.1%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.8%	29.4%	
Was in a physical fight	16.7%	17.9%	
Been threatened or injured with a weapon on school property	6.9%	6.6%	
Seriously considered suicide	7.4%	14.1%	
Planned suicide	7.2%	10.9%	
Attempted suicide	4.7%	6.2%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.4%	24.4%	
Was grouchy or irritable, or in a bad mood	32.1%	35.0%	
Felt hopeless about the future	12.4%	13.2%	
Felt like not eating or eating more than usual	24.9%	21.8%	
Felt like sleeping a lot more or a lot less than usual	36.1%	33.4%	
Had difficulty concentrating on school work	26.6%	29.6%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.5%	93.9%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.0%	93.8%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.7%	93.0%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.4%	95.6%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.6%	79.4%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.5%	75.2%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.5%	71.1%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.9%	87.8%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	53.8%	44.4%	
'Very' or 'sort of easy' to get alcohol	59.0%	48.9%	
'Very' or 'sort of easy' to get marijuana	34.6%	36.9%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.9%	25.4%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	17.3%	10.7%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	27.5%	25.9%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	35.1%	26.8%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.6%	25.9%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	43.8%	41.8%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes	26.4%	17.1%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.4%	39.7%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	40.3%	31.4%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.3%	22.9%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.3%	37.0%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.8%	9.0%	
'No' or 'slight risk' if they use synthetic drugs	10.4%	12.7%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.3%	21.6%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.6%	13.1%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Miller County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	489	*	473
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.4%	15.3%	15.3%
Grade level. 7th Grade	14.9%	13.7%	11.4%
Grade level. 8th Grade	14.7%	14.0%	15.0%
Grade level. 9th Grade	17.5%	13.4%	15.0%
Grade level. 10th Grade	18.6%	13.7%	16.3%
Grade level. 11th Grade	12.1%	14.6%	12.8%
Grade level. 12th Grade	10.7%	15.2%	14.2%
Male	48.4%	49.7%	48.8%
Hispanic or Latino	1.3%	5.8%	1.4%
Race: Black or African American	0.4%	12.7%	0.3%
Race: White	96.9%	76.9%	95.3%
Race: Multiracial	2.4%	8.5%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	12.8%	8.7%	13.7%
Used electronic cigarettes	16.4%	15.3%	11.2%
Used hookahs or water pipes	0.0%	2.6%	2.7%
Used alcohol	20.0%	14.5%	13.4%
Used marijuana	2.4%	6.5%	4.1%
Used inhalants	0.2%	1.1%	0.5%
Used Rx not prescribed for you by a doctor	9.2%	7.6%	8.7%
Used `OTC` to get high	1.1%	1.6%	1.4%
Used synthetic drugs	0.7%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.0%	0.3%
Used heroin or `smack`	0.0%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.6%
Used `club drugs` such as ecstasy	0.0%	0.9%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.3%	29.7%	28.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.8%	7.6%	4.1%
Rode with someone who was drinking alcohol	25.0%	15.1%	16.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.1%	20.7%	22.1%
Posted something online or sent a text that might embarrass or hurt another student	16.5%	15.5%	16.2%
Made fun of other people	48.9%	51.1%	51.6%
Hit, shoved or pushed another student and was not just fooling around	14.8%	14.1%	12.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	28.9%	29.4%	28.3%
Was in a physical fight	16.4%	17.9%	16.7%
Been threatened or injured with a weapon on school property	6.8%	6.6%	6.6%
Seriously considered suicide	8.8%	14.1%	12.7%
Planned suicide	6.7%	10.9%	8.5%
Attempted suicide	3.3%	6.2%	6.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	19.4%	24.4%	18.9%
Was grouchy or irritable, or in a bad mood	31.4%	35.0%	32.8%
Felt hopeless about the future	11.0%	13.2%	12.3%
Felt like not eating or eating more than usual	19.2%	21.8%	21.6%
Felt like sleeping a lot more or a lot less than usual	23.3%	33.4%	23.6%
Had difficulty concentrating on school work	30.4%	29.6%	27.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.6%	93.9%	91.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.3%	93.8%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.1%	93.0%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	95.6%	94.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.4%	79.4%	80.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.9%	75.2%	85.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	85.6%	71.1%	85.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.5%	87.8%	92.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.2%	44.4%	46.4%
'Very' or 'sort of easy' to get alcohol	53.8%	48.9%	52.1%
'Very' or 'sort of easy' to get marijuana	18.9%	36.9%	25.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	14.9%	25.4%	27.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.6%	10.7%	7.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.8%	25.9%	16.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.8%	26.8%	19.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	9.4%	25.9%	11.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	33.0%	41.8%	35.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.7%	17.1%	14.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.6%	39.7%	31.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.6%	31.4%	37.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.8%	22.9%	27.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.3%	37.0%	23.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.2%	9.0%	8.5%
'No' or 'slight risk' if they use synthetic drugs	9.6%	12.7%	10.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.4%	21.6%	19.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.8%	13.1%	12.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Mississippi County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	857	*	69
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	17.0%	15.3%	18.8%
Grade level. 7th Grade	15.6%	13.7%	69.8%
Grade level. 8th Grade	16.7%	14.0%	11.4%
Grade level. 9th Grade	11.3%	13.4%	0.0%
Grade level. 10th Grade	13.5%	13.7%	0.0%
Grade level. 11th Grade	14.9%	14.6%	0.0%
Grade level. 12th Grade	11.0%	15.2%	0.0%
Male	53.0%	49.7%	82.7%
Hispanic or Latino	1.1%	5.8%	0.4%
Race: Black or African American	23.7%	12.7%	21.2%
Race: White	73.5%	76.9%	77.3%
Race: Multiracial	1.8%	8.5%	0.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	12.0%	8.7%	2.0%
Used electronic cigarettes	12.3%	15.3%	1.2%
Used hookahs or water pipes	2.2%	2.6%	0.0%
Used alcohol	12.8%	14.5%	0.4%
Used marijuana	4.9%	6.5%	0.4%
Used inhalants	1.9%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	10.3%	7.6%	6.3%
Used `OTC` to get high	3.1%	1.6%	0.0%
Used synthetic drugs	0.4%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.4%	1.0%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.4%	1.3%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.4%	0.9%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	38.4%	29.7%	69.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.2%	7.6%	0.8%
Rode with someone who was drinking alcohol	11.7%	15.1%	7.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.4%	20.7%	68.6%
Posted something online or sent a text that might embarrass or hurt another student	16.0%	15.5%	18.8%
Made fun of other people	48.0%	51.1%	40.2%
Hit, shoved or pushed another student and was not just fooling around	17.4%	14.1%	13.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.4%	29.4%	65.4%
Was in a physical fight	27.0%	17.9%	64.3%
Been threatened or injured with a weapon on school property	7.4%	6.6%	3.1%
Seriously considered suicide	10.5%	14.1%	4.3%
Planned suicide	7.9%	10.9%	4.7%
Attempted suicide	4.3%	6.2%	2.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	19.0%	24.4%	9.4%
Was grouchy or irritable, or in a bad mood	34.4%	35.0%	30.6%
Felt hopeless about the future	9.4%	13.2%	48.6%
Felt like not eating or eating more than usual	16.7%	21.8%	4.7%
Felt like sleeping a lot more or a lot less than usual	30.1%	33.4%	52.4%
Had difficulty concentrating on school work	21.2%	29.6%	55.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.8%	93.9%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.1%	93.8%	96.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.7%	93.0%	96.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.3%	95.6%	95.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.1%	79.4%	94.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.4%	75.2%	95.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.4%	71.1%	95.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.5%	87.8%	91.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	41.7%	44.4%	55.7%
'Very' or 'sort of easy' to get alcohol	39.3%	48.9%	11.8%
'Very' or 'sort of easy' to get marijuana	29.4%	36.9%	54.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.9%	25.4%	7.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.6%	10.7%	48.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.5%	25.9%	3.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.1%	26.8%	5.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.0%	25.9%	48.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.5%	41.8%	10.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	20.1%	17.1%	5.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	31.7%	39.7%	8.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.6%	31.4%	9.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.7%	22.9%	6.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.5%	37.0%	6.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.7%	9.0%	4.3%
'No' or 'slight risk' if they use synthetic drugs	11.6%	12.7%	4.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.4%	21.6%	5.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.1%	13.1%	5.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Moniteau County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	528	*	274
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	20.2%	15.3%	11.8%
Grade level. 7th Grade	15.1%	13.7%	17.3%
Grade level. 8th Grade	17.2%	14.0%	16.2%
Grade level. 9th Grade	7.4%	13.4%	21.0%
Grade level. 10th Grade	14.5%	13.7%	10.3%
Grade level. 11th Grade	14.8%	14.6%	15.5%
Grade level. 12th Grade	10.7%	15.2%	7.7%
Male	50.0%	49.7%	53.5%
Hispanic or Latino	2.1%	5.8%	2.2%
Race: Black or African American	3.5%	12.7%	3.6%
Race: White	93.5%	76.9%	92.3%
Race: Multiracial	2.1%	8.5%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.7%	8.7%	14.7%
Used electronic cigarettes	13.5%	15.3%	13.2%
Used hookahs or water pipes	0.6%	2.6%	3.3%
Used alcohol	19.4%	14.5%	22.3%
Used marijuana	4.2%	6.5%	7.4%
Used inhalants	0.9%	1.1%	0.7%
Used Rx not prescribed for you by a doctor	8.5%	7.6%	8.0%
Used `OTC` to get high	1.2%	1.6%	0.7%
Used synthetic drugs	0.6%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.3%	1.0%	1.1%
Used heroin or `smack`	0.3%	0.2%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.6%	1.3%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.4%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	20.3%	29.7%	21.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.6%	7.6%	3.3%
Rode with someone who was drinking alcohol	22.1%	15.1%	20.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	26.6%	20.7%	25.5%
Posted something online or sent a text that might embarrass or hurt another student	18.0%	15.5%	18.2%
Made fun of other people	58.6%	51.1%	62.0%
Hit, shoved or pushed another student and was not just fooling around	16.3%	14.1%	18.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.9%	29.4%	28.6%
Was in a physical fight	20.4%	17.9%	20.1%
Been threatened or injured with a weapon on school property	5.6%	6.6%	8.4%
Seriously considered suicide	14.0%	14.1%	9.7%
Planned suicide	11.9%	10.9%	7.4%
Attempted suicide	8.3%	6.2%	3.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	22.8%	24.4%	16.4%
Was grouchy or irritable, or in a bad mood	32.9%	35.0%	26.4%
Felt hopeless about the future	12.7%	13.2%	11.7%
Felt like not eating or eating more than usual	21.5%	21.8%	15.0%
Felt like sleeping a lot more or a lot less than usual	28.7%	33.4%	19.9%
Had difficulty concentrating on school work	26.2%	29.6%	23.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.4%	93.9%	94.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.1%	93.8%	94.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.2%	93.0%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	95.6%	97.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.2%	79.4%	78.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.4%	75.2%	79.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.9%	71.1%	79.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.2%	87.8%	87.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.8%	44.4%	53.3%
'Very' or 'sort of easy' to get alcohol	47.3%	48.9%	54.4%
'Very' or 'sort of easy' to get marijuana	24.2%	36.9%	33.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.6%	25.4%	32.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.6%	10.7%	9.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.5%	25.9%	18.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	32.0%	26.8%	34.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.5%	25.9%	23.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.1%	41.8%	44.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.0%	17.1%	13.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.2%	39.7%	35.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.7%	31.4%	36.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.4%	22.9%	24.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.5%	37.0%	26.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.2%	9.0%	8.8%
'No' or 'slight risk' if they use synthetic drugs	10.3%	12.7%	9.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.8%	21.6%	19.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.6%	13.1%	11.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Pemiscot County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	544	*	441
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	18.5%	15.3%	17.4%
Grade level. 7th Grade	16.0%	13.7%	17.1%
Grade level. 8th Grade	15.3%	14.0%	19.9%
Grade level. 9th Grade	17.0%	13.4%	9.3%
Grade level. 10th Grade	18.5%	13.7%	8.7%
Grade level. 11th Grade	3.3%	14.6%	12.5%
Grade level. 12th Grade	11.5%	15.2%	15.0%
Male	46.9%	49.7%	46.2%
Hispanic or Latino	1.7%	5.8%	1.3%
Race: Black or African American	27.4%	12.7%	26.2%
Race: White	69.9%	76.9%	71.7%
Race: Multiracial	1.7%	8.5%	1.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	6.3%	8.7%	12.0%
Used electronic cigarettes	11.9%	15.3%	12.1%
Used hookahs or water pipes	0.3%	2.6%	2.8%
Used alcohol	14.5%	14.5%	12.8%
Used marijuana	4.5%	6.5%	5.6%
Used inhalants	2.1%	1.1%	0.9%
Used Rx not prescribed for you by a doctor	12.5%	7.6%	15.1%
Used `OTC` to get high	3.2%	1.6%	2.5%
Used synthetic drugs	0.8%	0.3%	1.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.4%	1.0%	0.3%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.3%	1.3%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.3%	0.6%
Used `club drugs` such as ecstasy	0.5%	0.9%	1.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	39.5%	29.7%	41.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.3%	7.6%	7.3%
Rode with someone who was drinking alcohol	16.5%	15.1%	15.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.6%	20.7%	24.7%
Posted something online or sent a text that might embarrass or hurt another student	15.4%	15.5%	17.2%
Made fun of other people	55.7%	51.1%	61.8%
Hit, shoved or pushed another student and was not just fooling around	19.3%	14.1%	23.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.3%	29.4%	35.9%
Was in a physical fight	23.2%	17.9%	24.4%
Been threatened or injured with a weapon on school property	6.2%	6.6%	3.8%
Seriously considered suicide	9.5%	14.1%	9.7%
Planned suicide	6.0%	10.9%	8.5%
Attempted suicide	6.0%	6.2%	4.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.1%	24.4%	19.1%
Was grouchy or irritable, or in a bad mood	39.6%	35.0%	36.3%
Felt hopeless about the future	14.4%	13.2%	9.7%
Felt like not eating or eating more than usual	22.2%	21.8%	18.2%
Felt like sleeping a lot more or a lot less than usual	33.0%	33.4%	19.7%
Had difficulty concentrating on school work	30.1%	29.6%	25.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.1%	93.9%	94.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.3%	93.8%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.7%	93.0%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.1%	95.6%	92.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.1%	79.4%	79.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	71.5%	75.2%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.7%	71.1%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	82.8%	87.8%	88.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	38.4%	44.4%	43.8%
'Very' or 'sort of easy' to get alcohol	39.4%	48.9%	44.5%
'Very' or 'sort of easy' to get marijuana	31.8%	36.9%	34.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.9%	25.4%	29.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.4%	10.7%	11.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.7%	25.9%	15.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.8%	26.8%	21.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.5%	25.9%	19.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	39.9%	41.8%	41.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	23.8%	17.1%	20.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.8%	39.7%	30.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.3%	31.4%	38.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.3%	22.9%	26.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.5%	37.0%	31.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	16.1%	9.0%	12.6%
'No' or 'slight risk' if they use synthetic drugs	18.4%	12.7%	13.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	25.9%	21.6%	23.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	20.9%	13.1%	21.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Perry County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	156	*	46
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	5.0%	15.3%	38.2%
Grade level. 7th Grade	0.0%	13.7%	29.5%
Grade level. 8th Grade	0.0%	14.0%	32.4%
Grade level. 9th Grade	59.7%	13.4%	0.0%
Grade level. 10th Grade	21.0%	13.7%	0.0%
Grade level. 11th Grade	8.4%	14.6%	0.0%
Grade level. 12th Grade	5.9%	15.2%	0.0%
Male	51.1%	49.7%	49.7%
Hispanic or Latino	0.8%	5.8%	0.0%
Race: Black or African American	0.0%	12.7%	0.0%
Race: White	98.0%	76.9%	97.7%
Race: Multiracial	1.7%	8.5%	1.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	18.5%	8.7%	1.8%
Used electronic cigarettes	33.2%	15.3%	0.0%
Used hookahs or water pipes	4.0%	2.6%	0.0%
Used alcohol	25.1%	14.5%	1.8%
Used marijuana	15.1%	6.5%	0.0%
Used inhalants	0.3%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	6.1%	7.6%	4.6%
Used `OTC` to get high	0.3%	1.6%	0.0%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.0%	0.0%
Used heroin or `smack`	0.6%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.4%	1.3%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.0%
Used `club drugs` such as ecstasy	1.1%	0.9%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.6%	29.7%	12.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.9%	7.6%	4.8%
Rode with someone who was drinking alcohol	20.4%	15.1%	21.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.1%	20.7%	26.2%
Posted something online or sent a text that might embarrass or hurt another student	11.9%	15.5%	4.6%
Made fun of other people	43.5%	51.1%	49.7%
Hit, shoved or pushed another student and was not just fooling around	15.8%	14.1%	8.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	50.7%	29.4%	22.5%
Was in a physical fight	12.0%	17.9%	1.7%
Been threatened or injured with a weapon on school property	10.0%	6.6%	5.2%
Seriously considered suicide	19.2%	14.1%	6.9%
Planned suicide	11.5%	10.9%	4.0%
Attempted suicide	7.9%	6.2%	4.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.9%	24.4%	12.8%
Was grouchy or irritable, or in a bad mood	37.9%	35.0%	17.9%
Felt hopeless about the future	15.6%	13.2%	3.0%
Felt like not eating or eating more than usual	21.2%	21.8%	7.9%
Felt like sleeping a lot more or a lot less than usual	31.8%	33.4%	13.4%
Had difficulty concentrating on school work	36.4%	29.6%	20.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.1%	93.9%	100.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.3%	93.8%	97.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	86.0%	93.0%	100.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.1%	95.6%	97.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.2%	79.4%	98.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.3%	75.2%	98.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.0%	71.1%	98.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.7%	87.8%	100.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	67.4%	44.4%	4.6%
'Very' or 'sort of easy' to get alcohol	55.4%	48.9%	15.6%
'Very' or 'sort of easy' to get marijuana	43.6%	36.9%	0.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.7%	25.4%	18.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	18.4%	10.7%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	42.8%	25.9%	0.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	36.4%	26.8%	4.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	30.0%	25.9%	2.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	49.3%	41.8%	7.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.3%	17.1%	1.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	47.0%	39.7%	15.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	43.0%	31.4%	16.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	33.2%	22.9%	6.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.9%	37.0%	6.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.0%	9.0%	1.7%
'No' or 'slight risk' if they use synthetic drugs	10.5%	12.7%	9.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	29.7%	21.6%	13.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	19.5%	13.1%	8.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Pettis County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	323	*	744
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	26.5%	15.3%	23.6%
Grade level. 7th Grade	7.3%	13.7%	12.8%
Grade level. 8th Grade	14.2%	14.0%	11.0%
Grade level. 9th Grade	0.0%	13.4%	16.3%
Grade level. 10th Grade	1.2%	13.7%	9.7%
Grade level. 11th Grade	33.7%	14.6%	15.0%
Grade level. 12th Grade	17.0%	15.2%	11.7%
Male	47.7%	49.7%	49.1%
Hispanic or Latino	4.1%	5.8%	4.7%
Race: Black or African American	2.5%	12.7%	2.4%
Race: White	94.0%	76.9%	89.5%
Race: Multiracial	1.7%	8.5%	2.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.5%	8.7%	8.4%
Used electronic cigarettes	4.1%	15.3%	9.1%
Used hookahs or water pipes	1.6%	2.6%	4.1%
Used alcohol	17.6%	14.5%	17.2%
Used marijuana	14.3%	6.5%	6.2%
Used inhalants	0.6%	1.1%	1.3%
Used Rx not prescribed for you by a doctor	14.1%	7.6%	9.0%
Used `OTC` to get high	1.1%	1.6%	1.9%
Used synthetic drugs	0.3%	0.3%	0.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.4%	1.0%	1.2%
Used heroin or `smack`	0.0%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.4%	1.3%	1.3%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.7%
Used `club drugs` such as ecstasy	1.6%	0.9%	1.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	32.2%	29.7%	27.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.8%	7.6%	5.7%
Rode with someone who was drinking alcohol	20.0%	15.1%	15.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.6%	20.7%	21.8%
Posted something online or sent a text that might embarrass or hurt another student	15.1%	15.5%	14.1%
Made fun of other people	49.6%	51.1%	49.4%
Hit, shoved or pushed another student and was not just fooling around	12.7%	14.1%	16.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.0%	29.4%	30.6%
Was in a physical fight	16.9%	17.9%	16.5%
Been threatened or injured with a weapon on school property	7.3%	6.6%	6.8%
Seriously considered suicide	11.8%	14.1%	10.8%
Planned suicide	10.3%	10.9%	8.7%
Attempted suicide	1.3%	6.2%	4.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.1%	24.4%	21.6%
Was grouchy or irritable, or in a bad mood	28.6%	35.0%	28.9%
Felt hopeless about the future	13.0%	13.2%	12.2%
Felt like not eating or eating more than usual	17.0%	21.8%	21.2%
Felt like sleeping a lot more or a lot less than usual	31.0%	33.4%	24.3%
Had difficulty concentrating on school work	29.1%	29.6%	26.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.3%	93.9%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	86.1%	93.8%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	85.9%	93.0%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.7%	95.6%	94.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.6%	79.4%	81.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.8%	75.2%	79.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	67.8%	71.1%	79.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.1%	87.8%	85.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.6%	44.4%	38.7%
'Very' or 'sort of easy' to get alcohol	52.4%	48.9%	43.2%
'Very' or 'sort of easy' to get marijuana	46.7%	36.9%	23.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	29.9%	25.4%	24.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.5%	10.7%	7.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.0%	25.9%	14.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	31.1%	26.8%	23.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	31.6%	25.9%	18.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	44.2%	41.8%	35.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	24.4%	17.1%	12.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.1%	39.7%	32.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.9%	31.4%	29.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.5%	22.9%	20.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	44.1%	37.0%	26.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.5%	9.0%	7.4%
'No' or 'slight risk' if they use synthetic drugs	14.0%	12.7%	9.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.2%	21.6%	20.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.5%	13.1%	12.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Phelps County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1033	*	903
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	23.5%	15.3%	15.4%
Grade level. 7th Grade	0.1%	13.7%	14.4%
Grade level. 8th Grade	11.7%	14.0%	8.5%
Grade level. 9th Grade	13.7%	13.4%	26.3%
Grade level. 10th Grade	27.6%	13.7%	14.9%
Grade level. 11th Grade	11.1%	14.6%	11.0%
Grade level. 12th Grade	12.3%	15.2%	9.5%
Male	50.9%	49.7%	52.7%
Hispanic or Latino	1.7%	5.8%	1.4%
Race: Black or African American	2.8%	12.7%	2.1%
Race: White	91.5%	76.9%	92.6%
Race: Multiracial	3.4%	8.5%	2.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.6%	8.7%	10.5%
Used electronic cigarettes	17.4%	15.3%	12.4%
Used hookahs or water pipes	1.3%	2.6%	2.2%
Used alcohol	16.9%	14.5%	15.4%
Used marijuana	6.5%	6.5%	3.9%
Used inhalants	1.7%	1.1%	1.0%
Used Rx not prescribed for you by a doctor	7.2%	7.6%	7.4%
Used `OTC` to get high	2.2%	1.6%	1.2%
Used synthetic drugs	0.2%	0.3%	0.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.0%	1.0%	0.8%
Used heroin or `smack`	0.6%	0.2%	0.8%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	1.3%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.3%	1.2%
Used `club drugs` such as ecstasy	1.4%	0.9%	1.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.0%	29.7%	25.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.4%	7.6%	5.1%
Rode with someone who was drinking alcohol	13.2%	15.1%	13.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.9%	20.7%	19.9%
Posted something online or sent a text that might embarrass or hurt another student	14.4%	15.5%	14.4%
Made fun of other people	47.1%	51.1%	46.7%
Hit, shoved or pushed another student and was not just fooling around	13.7%	14.1%	13.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.0%	29.4%	34.1%
Was in a physical fight	19.4%	17.9%	17.4%
Been threatened or injured with a weapon on school property	6.7%	6.6%	5.8%
Seriously considered suicide	17.0%	14.1%	17.6%
Planned suicide	12.0%	10.9%	12.3%
Attempted suicide	6.7%	6.2%	8.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.9%	24.4%	24.0%
Was grouchy or irritable, or in a bad mood	32.2%	35.0%	30.5%
Felt hopeless about the future	14.8%	13.2%	12.8%
Felt like not eating or eating more than usual	22.3%	21.8%	19.9%
Felt like sleeping a lot more or a lot less than usual	32.0%	33.4%	23.3%
Had difficulty concentrating on school work	30.3%	29.6%	25.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.5%	93.9%	92.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.0%	93.8%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.6%	93.0%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.2%	95.6%	95.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.4%	79.4%	83.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.6%	75.2%	78.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.5%	71.1%	78.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.7%	87.8%	90.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	44.9%	44.4%	48.2%
'Very' or 'sort of easy' to get alcohol	49.3%	48.9%	51.1%
'Very' or 'sort of easy' to get marijuana	34.3%	36.9%	33.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.7%	25.4%	27.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.7%	10.7%	9.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.9%	25.9%	18.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.4%	26.8%	22.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.3%	25.9%	21.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.5%	41.8%	40.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	13.8%	17.1%	14.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.3%	39.7%	33.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.7%	31.4%	32.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.7%	22.9%	24.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	39.9%	37.0%	31.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.9%	9.0%	8.2%
'No' or 'slight risk' if they use synthetic drugs	9.4%	12.7%	11.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.8%	21.6%	20.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.3%	13.1%	13.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Pike County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1015	*	111
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.4%	15.3%	14.2%
Grade level. 7th Grade	13.8%	13.7%	10.7%
Grade level. 8th Grade	14.7%	14.0%	16.4%
Grade level. 9th Grade	16.0%	13.4%	18.1%
Grade level. 10th Grade	17.8%	13.7%	10.7%
Grade level. 11th Grade	14.1%	14.6%	21.4%
Grade level. 12th Grade	9.2%	15.2%	8.5%
Male	54.3%	49.7%	55.2%
Hispanic or Latino	1.6%	5.8%	1.8%
Race: Black or African American	6.5%	12.7%	7.1%
Race: White	90.2%	76.9%	88.2%
Race: Multiracial	2.2%	8.5%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.3%	8.7%	11.2%
Used electronic cigarettes	10.2%	15.3%	9.6%
Used hookahs or water pipes	2.8%	2.6%	4.3%
Used alcohol	21.7%	14.5%	19.3%
Used marijuana	6.8%	6.5%	8.2%
Used inhalants	1.2%	1.1%	0.4%
Used Rx not prescribed for you by a doctor	9.7%	7.6%	11.8%
Used `OTC` to get high	2.5%	1.6%	2.5%
Used synthetic drugs	0.6%	0.3%	1.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.3%	1.0%	2.1%
Used heroin or `smack`	0.0%	0.2%	1.5%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	1.3%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.0%
Used `club drugs` such as ecstasy	1.3%	0.9%	1.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.3%	29.7%	26.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.9%	7.6%	5.4%
Rode with someone who was drinking alcohol	24.8%	15.1%	19.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.1%	20.7%	21.3%
Posted something online or sent a text that might embarrass or hurt another student	16.9%	15.5%	13.0%
Made fun of other people	52.3%	51.1%	54.8%
Hit, shoved or pushed another student and was not just fooling around	15.3%	14.1%	15.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.8%	29.4%	29.2%
Was in a physical fight	20.9%	17.9%	16.8%
Been threatened or injured with a weapon on school property	6.7%	6.6%	9.6%
Seriously considered suicide	12.7%	14.1%	8.8%
Planned suicide	9.1%	10.9%	7.7%
Attempted suicide	6.2%	6.2%	4.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.3%	24.4%	18.9%
Was grouchy or irritable, or in a bad mood	37.6%	35.0%	32.4%
Felt hopeless about the future	13.9%	13.2%	8.0%
Felt like not eating or eating more than usual	17.9%	21.8%	16.0%
Felt like sleeping a lot more or a lot less than usual	31.6%	33.4%	28.4%
Had difficulty concentrating on school work	28.8%	29.6%	18.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.7%	93.9%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.8%	93.8%	88.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.4%	93.0%	94.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.9%	95.6%	95.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.9%	79.4%	78.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.1%	75.2%	76.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.6%	71.1%	76.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.4%	87.8%	87.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.0%	44.4%	53.9%
'Very' or 'sort of easy' to get alcohol	57.3%	48.9%	53.9%
'Very' or 'sort of easy' to get marijuana	39.1%	36.9%	34.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.7%	25.4%	22.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.4%	10.7%	9.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.8%	25.9%	15.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	30.0%	26.8%	26.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.8%	25.9%	17.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	41.3%	41.8%	44.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.4%	17.1%	22.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.5%	39.7%	44.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	40.9%	31.4%	50.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.7%	22.9%	31.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.5%	37.0%	38.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.6%	9.0%	14.1%
'No' or 'slight risk' if they use synthetic drugs	13.0%	12.7%	18.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.9%	21.6%	21.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.6%	13.1%	19.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Platte County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	6403	*	4934
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	15.7%	15.3%	16.0%
Grade level. 7th Grade	14.4%	13.7%	13.7%
Grade level. 8th Grade	14.5%	14.0%	16.2%
Grade level. 9th Grade	16.4%	13.4%	14.7%
Grade level. 10th Grade	16.8%	13.7%	17.0%
Grade level. 11th Grade	9.3%	14.6%	10.1%
Grade level. 12th Grade	12.9%	15.2%	12.4%
Male	49.3%	49.7%	48.9%
Hispanic or Latino	4.3%	5.8%	3.9%
Race: Black or African American	6.9%	12.7%	6.2%
Race: White	87.5%	76.9%	86.3%
Race: Multiracial	3.3%	8.5%	3.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.7%	8.7%	5.3%
Used electronic cigarettes	11.8%	15.3%	7.1%
Used hookahs or water pipes	1.4%	2.6%	2.8%
Used alcohol	11.0%	14.5%	12.8%
Used marijuana	6.6%	6.5%	7.6%
Used inhalants	0.9%	1.1%	0.7%
Used Rx not prescribed for you by a doctor	7.3%	7.6%	8.4%
Used `OTC` to get high	1.5%	1.6%	1.6%
Used synthetic drugs	0.6%	0.3%	0.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.0%	0.9%
Used heroin or `smack`	0.2%	0.2%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.3%	1.3%	2.2%
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.3%	0.3%
Used `club drugs` such as ecstasy	0.6%	0.9%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.9%	29.7%	25.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.0%	7.6%	7.4%
Rode with someone who was drinking alcohol	14.9%	15.1%	14.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.2%	20.7%	19.4%
Posted something online or sent a text that might embarrass or hurt another student	12.8%	15.5%	14.9%
Made fun of other people	40.2%	51.1%	44.1%
Hit, shoved or pushed another student and was not just fooling around	7.5%	14.1%	8.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	19.8%	29.4%	20.1%
Was in a physical fight	11.7%	17.9%	10.7%
Been threatened or injured with a weapon on school property	5.4%	6.6%	5.5%
Seriously considered suicide	13.4%	14.1%	12.3%
Planned suicide	9.2%	10.9%	8.8%
Attempted suicide	5.0%	6.2%	4.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.5%	24.4%	19.7%
Was grouchy or irritable, or in a bad mood	30.3%	35.0%	28.3%
Felt hopeless about the future	13.7%	13.2%	12.1%
Felt like not eating or eating more than usual	21.2%	21.8%	20.4%
Felt like sleeping a lot more or a lot less than usual	31.7%	33.4%	24.5%
Had difficulty concentrating on school work	29.3%	29.6%	26.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.3%	93.9%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.8%	93.8%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.6%	93.0%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.4%	95.6%	95.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.6%	79.4%	85.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.3%	75.2%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.2%	71.1%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.1%	87.8%	87.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	37.1%	44.4%	40.5%
'Very' or 'sort of easy' to get alcohol	49.4%	48.9%	50.6%
'Very' or 'sort of easy' to get marijuana	34.2%	36.9%	35.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	25.4%	25.4%	27.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.2%	10.7%	5.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.3%	25.9%	10.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.9%	26.8%	19.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.6%	25.9%	20.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	35.2%	41.8%	34.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	14.3%	17.1%	12.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.7%	39.7%	34.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	25.6%	31.4%	26.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.2%	22.9%	17.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.7%	37.0%	32.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.2%	9.0%	8.0%
'No' or 'slight risk' if they use synthetic drugs	12.7%	12.7%	11.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.6%	21.6%	21.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.9%	13.1%	13.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Polk County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	630	*	1153
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	10.0%	15.3%	11.4%
Grade level. 7th Grade	15.9%	13.7%	15.4%
Grade level. 8th Grade	10.2%	14.0%	14.5%
Grade level. 9th Grade	21.6%	13.4%	12.5%
Grade level. 10th Grade	15.9%	13.7%	16.0%
Grade level. 11th Grade	16.2%	14.6%	18.9%
Grade level. 12th Grade	10.1%	15.2%	11.3%
Male	47.6%	49.7%	47.5%
Hispanic or Latino	1.5%	5.8%	1.1%
Race: Black or African American	0.8%	12.7%	0.7%
Race: White	96.2%	76.9%	95.3%
Race: Multiracial	2.1%	8.5%	1.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.7%	8.7%	11.4%
Used electronic cigarettes	14.0%	15.3%	12.0%
Used hookahs or water pipes	2.1%	2.6%	2.5%
Used alcohol	14.2%	14.5%	12.9%
Used marijuana	6.9%	6.5%	4.9%
Used inhalants	0.7%	1.1%	0.9%
Used Rx not prescribed for you by a doctor	9.7%	7.6%	7.3%
Used `OTC` to get high	1.4%	1.6%	1.3%
Used synthetic drugs	0.3%	0.3%	0.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.7%	1.0%	1.1%
Used heroin or `smack`	0.7%	0.2%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.7%	1.3%	1.3%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	0.7%
Used `club drugs` such as ecstasy	1.4%	0.9%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.3%	29.7%	25.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.8%	7.6%	4.2%
Rode with someone who was drinking alcohol	11.7%	15.1%	9.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.5%	20.7%	22.4%
Posted something online or sent a text that might embarrass or hurt another student	12.7%	15.5%	14.8%
Made fun of other people	54.0%	51.1%	52.3%
Hit, shoved or pushed another student and was not just fooling around	11.9%	14.1%	13.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	35.5%	29.4%	33.2%
Was in a physical fight	17.2%	17.9%	16.7%
Been threatened or injured with a weapon on school property	8.9%	6.6%	7.1%
Seriously considered suicide	15.2%	14.1%	12.0%
Planned suicide	10.9%	10.9%	9.7%
Attempted suicide	5.3%	6.2%	4.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.9%	24.4%	22.7%
Was grouchy or irritable, or in a bad mood	33.8%	35.0%	29.3%
Felt hopeless about the future	16.1%	13.2%	11.9%
Felt like not eating or eating more than usual	24.1%	21.8%	21.0%
Felt like sleeping a lot more or a lot less than usual	33.5%	33.4%	22.9%
Had difficulty concentrating on school work	31.4%	29.6%	29.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.3%	93.9%	93.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.2%	93.8%	94.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.2%	93.0%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	95.6%	96.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.3%	79.4%	80.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.8%	75.2%	81.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.9%	71.1%	81.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.3%	87.8%	91.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	47.3%	44.4%	47.6%
'Very' or 'sort of easy' to get alcohol	48.0%	48.9%	46.6%
'Very' or 'sort of easy' to get marijuana	35.3%	36.9%	32.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	25.0%	25.4%	27.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.6%	10.7%	10.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.0%	25.9%	16.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.4%	26.8%	23.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.8%	25.9%	17.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	42.6%	41.8%	40.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.9%	17.1%	16.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.2%	39.7%	31.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.8%	31.4%	35.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.8%	22.9%	24.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.1%	37.0%	28.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.6%	9.0%	8.4%
'No' or 'slight risk' if they use synthetic drugs	12.7%	12.7%	10.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.6%	21.6%	19.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.2%	13.1%	13.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Putnam County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	127	*	0
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	25.4%	15.3%	
Grade level. 7th Grade	52.1%	13.7%	
Grade level. 8th Grade	22.5%	14.0%	
Grade level. 9th Grade	0.0%	13.4%	
Grade level. 10th Grade	0.0%	13.7%	
Grade level. 11th Grade	0.0%	14.6%	
Grade level. 12th Grade	0.0%	15.2%	
Male	62.0%	49.7%	
Hispanic or Latino	0.0%	5.8%	
Race: Black or African American	4.3%	12.7%	
Race: White	94.3%	76.9%	
Race: Multiracial	1.4%	8.5%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	1.8%	8.7%
Used electronic cigarettes	3.6%	15.3%
Used hookahs or water pipes	1.8%	2.6%
Used alcohol	1.8%	14.5%
Used marijuana	0.0%	6.5%
Used inhalants	0.0%	1.1%
Used Rx not prescribed for you by a doctor	7.4%	7.6%
Used `OTC` to get high	0.0%	1.6%
Used synthetic drugs	0.0%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	
Used heroin or `smack`	0.0%	0.2%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	
Used `club drugs` such as ecstasy	0.0%	0.9%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	45.1%	29.7%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.9%	7.6%	
Rode with someone who was drinking alcohol	14.5%	15.1%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	25.7%	20.7%	
Posted something online or sent a text that might embarrass or hurt another student	18.6%	15.5%	
Made fun of other people	35.7%	51.1%	
Hit, shoved or pushed another student and was not just fooling around	48.6%	14.1%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.7%	29.4%	
Was in a physical fight	31.9%	17.9%	
Been threatened or injured with a weapon on school property	10.1%	6.6%	
Seriously considered suicide	12.1%	14.1%	
Planned suicide	3.0%	10.9%	
Attempted suicide	4.5%	6.2%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	14.9%	24.4%	
Was grouchy or irritable, or in a bad mood	22.7%	35.0%	
Felt hopeless about the future	6.0%	13.2%	
Felt like not eating or eating more than usual	11.9%	21.8%	
Felt like sleeping a lot more or a lot less than usual	22.7%	33.4%	
Had difficulty concentrating on school work	19.7%	29.6%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.3%	93.9%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	98.1%	93.8%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	100.0%	93.0%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.1%	95.6%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.7%	79.4%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.9%	75.2%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	91.5%	71.1%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	85.9%	87.8%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	20.0%	44.4%	
'Very' or 'sort of easy' to get alcohol	23.3%	48.9%	
'Very' or 'sort of easy' to get marijuana	5.0%	36.9%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	10.2%	25.4%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.0%	10.7%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	3.4%	25.9%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	5.0%	26.8%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	3.3%	25.9%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	49.2%	41.8%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes	13.8%	17.1%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	25.4%	39.7%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	55.2%	31.4%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	50.0%	22.9%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	40.7%	37.0%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.8%	9.0%	
'No' or 'slight risk' if they use synthetic drugs	12.5%	12.7%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.5%	21.6%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.3%	13.1%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Randolph County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	167	*	31
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	12.5%	15.3%	20.9%
Grade level. 7th Grade	11.8%	13.7%	64.4%
Grade level. 8th Grade	17.6%	14.0%	14.7%
Grade level. 9th Grade	18.5%	13.4%	0.0%
Grade level. 10th Grade	23.0%	13.7%	0.0%
Grade level. 11th Grade	12.9%	14.6%	0.0%
Grade level. 12th Grade	3.7%	15.2%	0.0%
Male	54.9%	49.7%	78.0%
Hispanic or Latino	1.5%	5.8%	0.0%
Race: Black or African American	5.6%	12.7%	0.0%
Race: White	90.1%	76.9%	98.0%
Race: Multiracial	1.9%	8.5%	1.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	10.1%	8.7%	2.2%
Used electronic cigarettes	10.2%	15.3%	0.0%
Used hookahs or water pipes	0.4%	2.6%	1.2%
Used alcohol	20.3%	14.5%	2.2%
Used marijuana	0.9%	6.5%	0.0%
Used inhalants	0.0%	1.1%	1.2%
Used Rx not prescribed for you by a doctor	8.2%	7.6%	2.2%
Used `OTC` to get high	0.0%	1.6%	2.0%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.1%	1.0%	0.0%
Used heroin or `smack`	0.0%	0.2%	1.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.7%	0.9%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.3%	29.7%	12.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.3%	7.6%	0.0%
Rode with someone who was drinking alcohol	17.5%	15.1%	3.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.9%	20.7%	7.2%
Posted something online or sent a text that might embarrass or hurt another student	17.2%	15.5%	6.7%
Made fun of other people	43.0%	51.1%	14.7%
Hit, shoved or pushed another student and was not just fooling around	10.4%	14.1%	10.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.8%	29.4%	13.1%
Was in a physical fight	16.3%	17.9%	4.2%
Been threatened or injured with a weapon on school property	4.5%	6.6%	5.0%
Seriously considered suicide	11.8%	14.1%	2.2%
Planned suicide	12.7%	10.9%	2.2%
Attempted suicide	6.2%	6.2%	1.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.8%	24.4%	5.7%
Was grouchy or irritable, or in a bad mood	38.4%	35.0%	6.5%
Felt hopeless about the future	17.2%	13.2%	4.2%
Felt like not eating or eating more than usual	26.6%	21.8%	4.7%
Felt like sleeping a lot more or a lot less than usual	34.8%	33.4%	6.5%
Had difficulty concentrating on school work	26.0%	29.6%	61.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.7%	93.9%	97.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.0%	93.8%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.9%	93.0%	98.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	95.6%	93.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.7%	79.4%	95.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.6%	75.2%	95.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.1%	71.1%	95.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.7%	87.8%	97.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.0%	44.4%	11.7%
'Very' or 'sort of easy' to get alcohol	53.9%	48.9%	11.5%
'Very' or 'sort of easy' to get marijuana	26.5%	36.9%	5.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.8%	25.4%	12.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.3%	10.7%	3.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.1%	25.9%	2.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.0%	26.8%	8.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.5%	25.9%	6.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	36.5%	41.8%	63.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.1%	17.1%	60.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.8%	39.7%	10.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.2%	31.4%	8.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.4%	22.9%	8.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.4%	37.0%	3.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.2%	9.0%	3.5%
'No' or 'slight risk' if they use synthetic drugs	8.2%	12.7%	4.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.1%	21.6%	6.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.4%	13.1%	7.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Ray County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	982	*	1201
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	16.8%	15.3%	12.4%
Grade level. 7th Grade	15.0%	13.7%	17.0%
Grade level. 8th Grade	14.8%	14.0%	16.8%
Grade level. 9th Grade	16.8%	13.4%	16.5%
Grade level. 10th Grade	17.6%	13.7%	14.2%
Grade level. 11th Grade	13.6%	14.6%	12.4%
Grade level. 12th Grade	5.5%	15.2%	10.7%
Male	49.3%	49.7%	50.6%
Hispanic or Latino	1.6%	5.8%	1.6%
Race: Black or African American	1.4%	12.7%	1.5%
Race: White	95.8%	76.9%	94.9%
Race: Multiracial	2.0%	8.5%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.5%	8.7%	16.2%
Used electronic cigarettes	15.2%	15.3%	12.4%
Used hookahs or water pipes	2.6%	2.6%	7.6%
Used alcohol	12.6%	14.5%	16.0%
Used marijuana	5.7%	6.5%	6.9%
Used inhalants	1.0%	1.1%	1.5%
Used Rx not prescribed for you by a doctor	8.7%	7.6%	8.9%
Used `OTC` to get high	1.6%	1.6%	1.8%
Used synthetic drugs	0.6%	0.3%	1.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.0%	2.0%
Used heroin or `smack`	0.2%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.3%	1.3%	2.1%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	0.5%
Used `club drugs` such as ecstasy	0.6%	0.9%	1.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.3%	29.7%	28.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.9%	7.6%	5.4%
Rode with someone who was drinking alcohol	15.6%	15.1%	14.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.5%	20.7%	21.2%
Posted something online or sent a text that might embarrass or hurt another student	16.4%	15.5%	15.9%
Made fun of other people	48.9%	51.1%	53.9%
Hit, shoved or pushed another student and was not just fooling around	13.2%	14.1%	16.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.9%	29.4%	34.9%
Was in a physical fight	19.1%	17.9%	19.5%
Been threatened or injured with a weapon on school property	7.7%	6.6%	6.8%
Seriously considered suicide	13.6%	14.1%	12.2%
Planned suicide	10.5%	10.9%	9.5%
Attempted suicide	5.0%	6.2%	7.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.9%	24.4%	21.8%
Was grouchy or irritable, or in a bad mood	36.2%	35.0%	32.7%
Felt hopeless about the future	14.7%	13.2%	9.9%
Felt like not eating or eating more than usual	21.6%	21.8%	19.6%
Felt like sleeping a lot more or a lot less than usual	31.1%	33.4%	21.1%
Had difficulty concentrating on school work	29.7%	29.6%	28.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.7%	93.9%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.1%	93.8%	93.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.4%	93.0%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.2%	95.6%	94.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	82.5%	79.4%	76.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.8%	75.2%	78.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.6%	71.1%	78.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.9%	87.8%	89.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	45.7%	44.4%	50.6%
'Very' or 'sort of easy' to get alcohol	53.3%	48.9%	54.9%
'Very' or 'sort of easy' to get marijuana	32.2%	36.9%	33.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	29.8%	25.4%	31.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.0%	10.7%	11.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.7%	25.9%	17.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.7%	26.8%	27.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.4%	25.9%	20.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.8%	41.8%	41.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	14.8%	17.1%	18.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.8%	39.7%	36.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.3%	31.4%	35.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.8%	22.9%	25.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.3%	37.0%	31.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.6%	9.0%	9.9%
'No' or 'slight risk' if they use synthetic drugs	10.6%	12.7%	13.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.3%	21.6%	22.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.7%	13.1%	15.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Reynolds County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	202	*	83
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	5.2%	15.3%	14.3%
Grade level. 7th Grade	20.0%	13.7%	14.3%
Grade level. 8th Grade	19.1%	14.0%	19.8%
Grade level. 9th Grade	14.8%	13.4%	0.0%
Grade level. 10th Grade	18.3%	13.7%	15.4%
Grade level. 11th Grade	13.9%	14.6%	28.6%
Grade level. 12th Grade	8.7%	15.2%	7.7%
Male	52.6%	49.7%	51.7%
Hispanic or Latino	0.9%	5.8%	1.1%
Race: Black or African American	1.7%	12.7%	1.1%
Race: White	96.6%	76.9%	95.6%
Race: Multiracial	1.7%	8.5%	2.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	23.9%	8.7%	14.6%
Used electronic cigarettes	18.2%	15.3%	6.6%
Used hookahs or water pipes	3.6%	2.6%	3.3%
Used alcohol	24.5%	14.5%	16.7%
Used marijuana	8.3%	6.5%	4.4%
Used inhalants	2.7%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	12.0%	7.6%	3.3%
Used `OTC` to get high	5.6%	1.6%	0.0%
Used synthetic drugs	1.9%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	2.9%	1.0%	1.1%
Used heroin or `smack`	1.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	3.8%	1.3%	2.2%
Used methamphetamine (meth, crank, crystal, ice)	2.9%	0.3%	0.0%
Used `club drugs` such as ecstasy	2.9%	0.9%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	31.9%	29.7%	17.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.8%	7.6%	4.5%
Rode with someone who was drinking alcohol	20.0%	15.1%	13.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.2%	20.7%	13.2%
Posted something online or sent a text that might embarrass or hurt another student	17.1%	15.5%	16.7%
Made fun of other people	54.3%	51.1%	52.2%
Hit, shoved or pushed another student and was not just fooling around	20.5%	14.1%	16.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	42.7%	29.4%	30.8%
Was in a physical fight	32.5%	17.9%	8.8%
Been threatened or injured with a weapon on school property	9.4%	6.6%	3.3%
Seriously considered suicide	19.0%	14.1%	8.8%
Planned suicide	11.3%	10.9%	7.7%
Attempted suicide	10.4%	6.2%	4.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.1%	24.4%	20.0%
Was grouchy or irritable, or in a bad mood	43.9%	35.0%	28.6%
Felt hopeless about the future	16.7%	13.2%	3.3%
Felt like not eating or eating more than usual	25.2%	21.8%	16.5%
Felt like sleeping a lot more or a lot less than usual	30.4%	33.4%	20.0%
Had difficulty concentrating on school work	33.9%	29.6%	21.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.4%	93.9%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.2%	93.8%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	88.3%	93.0%	94.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.2%	95.6%	96.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	68.1%	79.4%	67.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	68.4%	75.2%	75.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	70.4%	71.1%	75.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.1%	87.8%	92.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	64.0%	44.4%	61.4%
'Very' or 'sort of easy' to get alcohol	55.9%	48.9%	55.7%
'Very' or 'sort of easy' to get marijuana	47.8%	36.9%	35.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	33.0%	25.4%	33.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	17.7%	10.7%	3.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	30.4%	25.9%	18.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.0%	26.8%	22.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.8%	25.9%	15.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	48.2%	41.8%	47.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	19.8%	17.1%	22.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.0%	39.7%	29.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.2%	31.4%	38.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.4%	22.9%	37.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.4%	37.0%	36.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.0%	9.0%	8.9%
'No' or 'slight risk' if they use synthetic drugs	12.6%	12.7%	7.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.3%	21.6%	19.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.3%	13.1%	13.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Saline County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	30	*	536
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	33.8%	15.3%	8.2%
Grade level. 7th Grade	37.2%	13.7%	23.6%
Grade level. 8th Grade	29.0%	14.0%	14.4%
Grade level. 9th Grade	0.0%	13.4%	12.8%
Grade level. 10th Grade	0.0%	13.7%	14.6%
Grade level. 11th Grade	0.0%	14.6%	15.1%
Grade level. 12th Grade	0.0%	15.2%	11.3%
Male	48.8%	49.7%	49.1%
Hispanic or Latino	8.0%	5.8%	9.4%
Race: Black or African American	0.0%	12.7%	5.6%
Race: White	90.3%	76.9%	82.9%
Race: Multiracial	2.4%	8.5%	6.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	0.0%	8.7%	15.9%
Used electronic cigarettes	0.0%	15.3%	11.5%
Used hookahs or water pipes	0.0%	2.6%	4.3%
Used alcohol	2.4%	14.5%	18.4%
Used marijuana	0.0%	6.5%	5.4%
Used inhalants	0.0%	1.1%	2.0%
Used Rx not prescribed for you by a doctor	0.0%	7.6%	11.5%
Used `OTC` to get high	0.0%	1.6%	1.5%
Used synthetic drugs	0.0%	0.3%	1.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	0.3%
Used heroin or `smack`	0.0%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	2.1%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.9%	1.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	13.5%	29.7%	27.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.9%	7.6%	7.9%
Rode with someone who was drinking alcohol	9.7%	15.1%	16.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	0.0%	20.7%	27.8%
Posted something online or sent a text that might embarrass or hurt another student	0.0%	15.5%	22.2%
Made fun of other people	27.1%	51.1%	56.6%
Hit, shoved or pushed another student and was not just fooling around	6.8%	14.1%	20.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	17.4%	29.4%	41.1%
Was in a physical fight	6.8%	17.9%	22.4%
Been threatened or injured with a weapon on school property	0.0%	6.6%	9.0%
Seriously considered suicide	6.0%	14.1%	12.8%
Planned suicide	3.1%	10.9%	13.2%
Attempted suicide	0.0%	6.2%	8.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	5.8%	24.4%	25.3%
Was grouchy or irritable, or in a bad mood	8.5%	35.0%	39.1%
Felt hopeless about the future	3.9%	13.2%	16.2%
Felt like not eating or eating more than usual	11.6%	21.8%	21.2%
Felt like sleeping a lot more or a lot less than usual	9.2%	33.4%	23.8%
Had difficulty concentrating on school work	12.1%	29.6%	31.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.1%	93.9%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.1%	93.8%	89.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.1%	93.0%	94.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.1%	95.6%	93.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.1%	79.4%	72.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.1%	75.2%	76.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	96.1%	71.1%	76.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.1%	87.8%	87.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	17.9%	44.4%	55.6%
'Very' or 'sort of easy' to get alcohol	23.7%	48.9%	57.4%
'Very' or 'sort of easy' to get marijuana	3.9%	36.9%	37.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	10.1%	25.4%	28.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	3.9%	10.7%	15.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	3.9%	25.9%	20.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	3.9%	26.8%	32.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	3.9%	25.9%	24.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	25.1%	41.8%	42.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	10.1%	17.1%	21.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	31.4%	39.7%	44.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.3%	31.4%	44.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.6%	22.9%	32.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	13.5%	37.0%	35.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.1%	9.0%	9.7%
'No' or 'slight risk' if they use synthetic drugs	14.0%	12.7%	11.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.9%	21.6%	24.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.0%	13.1%	15.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Scott County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	453	*	332
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	5.8%	15.3%	10.6%
Grade level. 7th Grade	14.7%	13.7%	17.3%
Grade level. 8th Grade	14.1%	14.0%	18.4%
Grade level. 9th Grade	18.4%	13.4%	16.9%
Grade level. 10th Grade	17.6%	13.7%	10.6%
Grade level. 11th Grade	14.9%	14.6%	11.1%
Grade level. 12th Grade	14.5%	15.2%	15.0%
Male	47.8%	49.7%	53.1%
Hispanic or Latino	1.1%	5.8%	1.5%
Race: Black or African American	11.5%	12.7%	10.9%
Race: White	86.4%	76.9%	86.5%
Race: Multiracial	1.5%	8.5%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	14.7%	8.7%	15.0%
Used electronic cigarettes	15.9%	15.3%	31.9%
Used hookahs or water pipes	2.9%	2.6%	7.9%
Used alcohol	22.9%	14.5%	27.4%
Used marijuana	4.2%	6.5%	11.4%
Used inhalants	1.0%	1.1%	1.5%
Used Rx not prescribed for you by a doctor	10.1%	7.6%	14.7%
Used `OTC` to get high	3.7%	1.6%	5.8%
Used synthetic drugs	0.4%	0.3%	1.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.0%	4.7%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.3%	1.3%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.7%	0.9%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.2%	29.7%	38.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.5%	7.6%	6.2%
Rode with someone who was drinking alcohol	18.9%	15.1%	22.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	24.0%	20.7%	24.1%
Posted something online or sent a text that might embarrass or hurt another student	17.1%	15.5%	20.8%
Made fun of other people	51.2%	51.1%	64.9%
Hit, shoved or pushed another student and was not just fooling around	16.3%	14.1%	24.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.9%	29.4%	39.1%
Was in a physical fight	19.9%	17.9%	34.7%
Been threatened or injured with a weapon on school property	4.9%	6.6%	8.0%
Seriously considered suicide	12.6%	14.1%	12.6%
Planned suicide	7.2%	10.9%	10.4%
Attempted suicide	4.5%	6.2%	6.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	31.2%	24.4%	24.4%
Was grouchy or irritable, or in a bad mood	43.6%	35.0%	32.0%
Felt hopeless about the future	13.7%	13.2%	10.7%
Felt like not eating or eating more than usual	24.4%	21.8%	21.4%
Felt like sleeping a lot more or a lot less than usual	34.0%	33.4%	19.3%
Had difficulty concentrating on school work	28.3%	29.6%	26.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.8%	93.9%	87.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.5%	93.8%	86.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.1%	93.0%	89.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.8%	95.6%	90.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.3%	79.4%	72.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.0%	75.2%	68.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.3%	71.1%	68.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.9%	87.8%	81.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	45.7%	44.4%	48.1%
'Very' or 'sort of easy' to get alcohol	47.5%	48.9%	55.5%
'Very' or 'sort of easy' to get marijuana	31.4%	36.9%	33.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.6%	25.4%	32.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	19.6%	10.7%	10.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.2%	25.9%	27.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.1%	26.8%	32.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.0%	25.9%	22.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	47.3%	41.8%	52.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.4%	17.1%	22.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.0%	39.7%	41.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.0%	31.4%	46.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.3%	22.9%	35.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.5%	37.0%	35.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.4%	9.0%	13.4%
'No' or 'slight risk' if they use synthetic drugs	10.1%	12.7%	14.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.6%	21.6%	24.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.6%	13.1%	21.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Shannon County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	250	*	138
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	13.3%	15.3%	18.6%
Grade level. 7th Grade	11.2%	13.7%	13.3%
Grade level. 8th Grade	14.0%	14.0%	19.5%
Grade level. 9th Grade	12.6%	13.4%	12.4%
Grade level. 10th Grade	21.7%	13.7%	15.9%
Grade level. 11th Grade	12.6%	14.6%	9.7%
Grade level. 12th Grade	14.7%	15.2%	10.6%
Male	46.8%	49.7%	49.6%
Hispanic or Latino	1.4%	5.8%	1.9%
Race: Black or African American	0.0%	12.7%	0.0%
Race: White	96.5%	76.9%	96.4%
Race: Multiracial	2.8%	8.5%	2.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	16.9%	8.7%	20.5%
Used electronic cigarettes	10.5%	15.3%	10.6%
Used hookahs or water pipes	2.1%	2.6%	4.5%
Used alcohol	26.2%	14.5%	17.0%
Used marijuana	5.6%	6.5%	8.8%
Used inhalants	1.4%	1.1%	0.9%
Used Rx not prescribed for you by a doctor	7.8%	7.6%	8.0%
Used `OTC` to get high	0.7%	1.6%	0.9%
Used synthetic drugs	0.7%	0.3%	1.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.0%	0.9%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.7%	1.3%	2.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	1.8%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	40.1%	29.7%	44.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.0%	7.6%	5.4%
Rode with someone who was drinking alcohol	20.4%	15.1%	12.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.2%	20.7%	13.3%
Posted something online or sent a text that might embarrass or hurt another student	15.5%	15.5%	14.2%
Made fun of other people	49.3%	51.1%	41.6%
Hit, shoved or pushed another student and was not just fooling around	16.9%	14.1%	22.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	21.7%	29.4%	24.3%
Was in a physical fight	22.4%	17.9%	19.5%
Been threatened or injured with a weapon on school property	7.7%	6.6%	8.0%
Seriously considered suicide	17.7%	14.1%	13.6%
Planned suicide	9.2%	10.9%	10.3%
Attempted suicide	3.5%	6.2%	5.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	22.4%	24.4%	22.3%
Was grouchy or irritable, or in a bad mood	37.1%	35.0%	28.6%
Felt hopeless about the future	13.3%	13.2%	10.7%
Felt like not eating or eating more than usual	22.4%	21.8%	18.9%
Felt like sleeping a lot more or a lot less than usual	36.4%	33.4%	28.3%
Had difficulty concentrating on school work	24.6%	29.6%	28.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.5%	93.9%	89.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.9%	93.8%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.1%	93.0%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.5%	95.6%	96.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	72.3%	79.4%	66.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	63.8%	75.2%	71.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.0%	71.1%	71.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.1%	87.8%	90.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	58.9%	44.4%	47.3%
'Very' or 'sort of easy' to get alcohol	61.7%	48.9%	42.7%
'Very' or 'sort of easy' to get marijuana	37.6%	36.9%	36.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.6%	25.4%	27.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.3%	10.7%	7.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.0%	25.9%	9.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.1%	26.8%	26.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.0%	25.9%	21.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	45.7%	41.8%	54.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	22.4%	17.1%	27.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.1%	39.7%	40.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	42.7%	31.4%	50.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	34.5%	22.9%	36.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.5%	37.0%	37.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.6%	9.0%	8.1%
'No' or 'slight risk' if they use synthetic drugs	7.1%	12.7%	14.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.3%	21.6%	22.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.7%	13.1%	14.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Shelby County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	230	*	116
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.7%	15.3%	0.0%
Grade level. 7th Grade	8.8%	13.7%	20.2%
Grade level. 8th Grade	18.4%	14.0%	20.2%
Grade level. 9th Grade	16.7%	13.4%	17.0%
Grade level. 10th Grade	14.9%	13.7%	14.9%
Grade level. 11th Grade	15.8%	14.6%	14.9%
Grade level. 12th Grade	8.8%	15.2%	12.8%
Male	48.7%	49.7%	48.9%
Hispanic or Latino	1.7%	5.8%	1.1%
Race: Black or African American	1.7%	12.7%	1.1%
Race: White	97.4%	76.9%	98.9%
Race: Multiracial	0.9%	8.5%	0.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.0%	8.7%	12.8%
Used electronic cigarettes	7.0%	15.3%	3.2%
Used hookahs or water pipes	0.0%	2.6%	2.2%
Used alcohol	11.4%	14.5%	12.8%
Used marijuana	0.9%	6.5%	0.0%
Used inhalants	0.9%	1.1%	1.1%
Used Rx not prescribed for you by a doctor	7.1%	7.6%	11.8%
Used `OTC` to get high	0.9%	1.6%	1.1%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	17.4%	29.7%	16.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.3%	7.6%	0.0%
Rode with someone who was drinking alcohol	14.0%	15.1%	14.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.6%	20.7%	26.9%
Posted something online or sent a text that might embarrass or hurt another student	13.9%	15.5%	18.3%
Made fun of other people	53.4%	51.1%	63.4%
Hit, shoved or pushed another student and was not just fooling around	7.8%	14.1%	11.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.2%	29.4%	30.1%
Was in a physical fight	13.9%	17.9%	20.4%
Been threatened or injured with a weapon on school property	2.6%	6.6%	5.4%
Seriously considered suicide	10.5%	14.1%	12.9%
Planned suicide	8.7%	10.9%	10.8%
Attempted suicide	4.3%	6.2%	6.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	20.7%	24.4%	20.4%
Was grouchy or irritable, or in a bad mood	26.1%	35.0%	28.0%
Felt hopeless about the future	7.8%	13.2%	11.7%
Felt like not eating or eating more than usual	16.5%	21.8%	11.8%
Felt like sleeping a lot more or a lot less than usual	25.2%	33.4%	12.9%
Had difficulty concentrating on school work	20.9%	29.6%	21.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.4%	93.9%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.5%	93.8%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.4%	93.0%	98.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.4%	95.6%	97.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.2%	79.4%	79.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.9%	75.2%	91.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	88.7%	71.1%	91.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.8%	87.8%	97.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	40.9%	44.4%	57.6%
'Very' or 'sort of easy' to get alcohol	48.2%	48.9%	51.1%
'Very' or 'sort of easy' to get marijuana	18.4%	36.9%	18.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.9%	25.4%	26.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.2%	10.7%	8.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	10.4%	25.9%	6.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	13.0%	26.8%	21.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	6.1%	25.9%	5.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	28.6%	41.8%	39.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	12.3%	17.1%	16.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.1%	39.7%	32.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.8%	31.4%	40.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.9%	22.9%	31.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	20.4%	37.0%	23.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	3.6%	9.0%	5.4%
'No' or 'slight risk' if they use synthetic drugs	8.1%	12.7%	5.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	14.2%	21.6%	14.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	8.8%	13.1%	8.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey St. Charles County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	8692	*	9007
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.4%	15.3%	10.0%
Grade level. 7th Grade	26.5%	13.7%	25.6%
Grade level. 8th Grade	4.3%	14.0%	1.1%
Grade level. 9th Grade	22.5%	13.4%	30.9%
Grade level. 10th Grade	10.7%	13.7%	6.8%
Grade level. 11th Grade	19.0%	14.6%	20.4%
Grade level. 12th Grade	5.5%	15.2%	5.2%
Male	48.9%	49.7%	48.7%
Hispanic or Latino	2.2%	5.8%	2.3%
Race: Black or African American	4.4%	12.7%	4.7%
Race: White	91.0%	76.9%	90.0%
Race: Multiracial	2.6%	8.5%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.4%	8.7%	5.3%
Used electronic cigarettes	20.9%	15.3%	9.9%
Used hookahs or water pipes	1.6%	2.6%	3.0%
Used alcohol	14.1%	14.5%	15.6%
Used marijuana	7.9%	6.5%	7.7%
Used inhalants	0.9%	1.1%	1.0%
Used Rx not prescribed for you by a doctor	7.1%	7.6%	7.8%
Used `OTC` to get high	1.2%	1.6%	1.3%
Used synthetic drugs	0.5%	0.3%	0.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.0%	0.8%
Used heroin or `smack`	0.1%	0.2%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.0%	1.3%	1.9%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.3%	0.2%
Used `club drugs` such as ecstasy	0.6%	0.9%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.7%	29.7%	27.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.1%	7.6%	4.4%
Rode with someone who was drinking alcohol	17.5%	15.1%	16.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.5%	20.7%	25.0%
Posted something online or sent a text that might embarrass or hurt another student	15.4%	15.5%	19.1%
Made fun of other people	48.4%	51.1%	55.7%
Hit, shoved or pushed another student and was not just fooling around	10.0%	14.1%	11.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	27.0%	29.4%	28.6%
Was in a physical fight	14.1%	17.9%	13.0%
Been threatened or injured with a weapon on school property	6.0%	6.6%	5.1%
Seriously considered suicide	12.5%	14.1%	10.9%
Planned suicide	8.6%	10.9%	7.3%
Attempted suicide	4.8%	6.2%	3.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.0%	24.4%	19.5%
Was grouchy or irritable, or in a bad mood	30.1%	35.0%	28.8%
Felt hopeless about the future	14.1%	13.2%	11.1%
Felt like not eating or eating more than usual	19.2%	21.8%	18.6%
Felt like sleeping a lot more or a lot less than usual	29.5%	33.4%	21.6%
Had difficulty concentrating on school work	29.7%	29.6%	28.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.4%	93.9%	96.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.7%	93.8%	96.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.8%	93.0%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	95.6%	96.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.0%	79.4%	86.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.7%	75.2%	73.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	70.8%	71.1%	73.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.4%	87.8%	88.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.6%	44.4%	44.4%
'Very' or 'sort of easy' to get alcohol	57.3%	48.9%	58.1%
'Very' or 'sort of easy' to get marijuana	39.9%	36.9%	38.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	30.1%	25.4%	31.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.5%	10.7%	6.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	38.7%	25.9%	14.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	31.9%	26.8%	23.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	32.2%	25.9%	23.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	42.4%	41.8%	42.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	11.6%	17.1%	10.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.4%	39.7%	36.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.6%	31.4%	27.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.2%	22.9%	17.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.9%	37.0%	33.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.2%	9.0%	6.3%
'No' or 'slight risk' if they use synthetic drugs	11.7%	12.7%	10.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.1%	21.6%	20.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.8%	13.1%	11.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey St.Francois County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1740	*	1252
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.7%	15.3%	25.4%
Grade level. 7th Grade	15.0%	13.7%	12.3%
Grade level. 8th Grade	14.2%	14.0%	7.3%
Grade level. 9th Grade	16.4%	13.4%	18.4%
Grade level. 10th Grade	16.9%	13.7%	15.9%
Grade level. 11th Grade	11.6%	14.6%	11.5%
Grade level. 12th Grade	9.3%	15.2%	9.2%
Male	53.0%	49.7%	54.2%
Hispanic or Latino	1.1%	5.8%	1.2%
Race: Black or African American	4.8%	12.7%	4.3%
Race: White	93.4%	76.9%	93.4%
Race: Multiracial	1.4%	8.5%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	12.4%	8.7%	14.7%
Used electronic cigarettes	22.9%	15.3%	16.4%
Used hookahs or water pipes	2.4%	2.6%	2.9%
Used alcohol	15.0%	14.5%	16.1%
Used marijuana	7.1%	6.5%	6.7%
Used inhalants	1.2%	1.1%	0.8%
Used Rx not prescribed for you by a doctor	8.3%	7.6%	8.7%
Used `OTC` to get high	1.5%	1.6%	2.3%
Used synthetic drugs	0.6%	0.3%	0.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.0%	0.7%
Used heroin or `smack`	0.3%	0.2%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.3%	1.3%	1.9%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	0.4%
Used `club drugs` such as ecstasy	0.8%	0.9%	1.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	34.7%	29.7%	35.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.1%	7.6%	5.2%
Rode with someone who was drinking alcohol	13.2%	15.1%	14.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.7%	20.7%	21.6%
Posted something online or sent a text that might embarrass or hurt another student	16.1%	15.5%	15.1%
Made fun of other people	44.7%	51.1%	48.7%
Hit, shoved or pushed another student and was not just fooling around	15.9%	14.1%	17.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.3%	29.4%	31.6%
Was in a physical fight	21.1%	17.9%	22.4%
Been threatened or injured with a weapon on school property	8.4%	6.6%	6.3%
Seriously considered suicide	13.6%	14.1%	15.2%
Planned suicide	9.6%	10.9%	11.7%
Attempted suicide	5.7%	6.2%	6.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.2%	24.4%	26.1%
Was grouchy or irritable, or in a bad mood	35.5%	35.0%	33.5%
Felt hopeless about the future	15.0%	13.2%	13.7%
Felt like not eating or eating more than usual	21.6%	21.8%	23.0%
Felt like sleeping a lot more or a lot less than usual	33.2%	33.4%	24.5%
Had difficulty concentrating on school work	29.3%	29.6%	28.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.6%	93.9%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.8%	93.8%	93.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.4%	93.0%	93.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.7%	95.6%	95.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	73.4%	79.4%	72.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.4%	75.2%	75.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.5%	71.1%	75.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.4%	87.8%	90.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	48.3%	44.4%	51.2%
'Very' or 'sort of easy' to get alcohol	52.0%	48.9%	49.8%
'Very' or 'sort of easy' to get marijuana	37.2%	36.9%	34.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.2%	25.4%	26.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.6%	10.7%	10.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	33.2%	25.9%	20.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.2%	26.8%	23.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.5%	25.9%	19.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	46.1%	41.8%	46.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	18.3%	17.1%	19.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.0%	39.7%	36.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.1%	31.4%	39.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.1%	22.9%	27.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.1%	37.0%	33.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.2%	9.0%	9.3%
'No' or 'slight risk' if they use synthetic drugs	12.5%	12.7%	11.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.8%	21.6%	21.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.5%	13.1%	12.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

St. Louis County County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	17408	*	11897
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	11.2%	15.3%	13.9%
Grade level. 7th Grade	13.6%	13.7%	16.8%
Grade level. 8th Grade	18.2%	14.0%	14.1%
Grade level. 9th Grade	18.4%	13.4%	18.5%
Grade level. 10th Grade	18.4%	13.7%	12.0%
Grade level. 11th Grade	10.0%	14.6%	10.8%
Grade level. 12th Grade	10.2%	15.2%	13.8%
Male	47.7%	49.7%	48.0%
Hispanic or Latino	1.9%	5.8%	1.9%
Race: Black or African American	23.2%	12.7%	22.6%
Race: White	70.3%	76.9%	70.7%
Race: Multiracial	2.9%	8.5%	2.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.2%	8.7%	5.1%
Used electronic cigarettes	18.7%	15.3%	10.7%
Used hookahs or water pipes	2.3%	2.6%	5.2%
Used alcohol	15.2%	14.5%	16.6%
Used marijuana	9.9%	6.5%	11.3%
Used inhalants	1.1%	1.1%	1.1%
Used Rx not prescribed for you by a doctor	7.9%	7.6%	8.6%
Used `OTC` to get high	2.1%	1.6%	1.8%
Used synthetic drugs	0.5%	0.3%	0.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.9%	1.0%	1.1%
Used heroin or `smack`	0.1%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.4%	1.3%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.3%
Used `club drugs` such as ecstasy	0.7%	0.9%	1.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.4%	29.7%	24.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.2%	7.6%	5.0%
Rode with someone who was drinking alcohol	18.9%	15.1%	18.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	23.3%	20.7%	26.2%
Posted something online or sent a text that might embarrass or hurt another student	17.8%	15.5%	19.9%
Made fun of other people	53.9%	51.1%	59.1%
Hit, shoved or pushed another student and was not just fooling around	12.2%	14.1%	13.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.9%	29.4%	26.2%
Was in a physical fight	16.5%	17.9%	16.3%
Been threatened or injured with a weapon on school property	6.4%	6.6%	5.1%
Seriously considered suicide	13.8%	14.1%	13.3%
Planned suicide	8.9%	10.9%	9.4%
Attempted suicide	5.5%	6.2%	5.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	22.4%	24.4%	19.8%
Was grouchy or irritable, or in a bad mood	30.4%	35.0%	29.1%
Felt hopeless about the future	13.2%	13.2%	11.7%
Felt like not eating or eating more than usual	19.1%	21.8%	18.4%
Felt like sleeping a lot more or a lot less than usual	28.9%	33.4%	21.5%
Had difficulty concentrating on school work	28.7%	29.6%	26.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.3%	93.9%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.4%	93.8%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.0%	93.0%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	95.6%	95.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.1%	79.4%	85.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.0%	75.2%	67.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	66.2%	71.1%	67.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.7%	87.8%	87.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	40.2%	44.4%	42.8%
'Very' or 'sort of easy' to get alcohol	56.2%	48.9%	53.9%
'Very' or 'sort of easy' to get marijuana	42.5%	36.9%	42.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.5%	25.4%	28.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.3%	10.7%	6.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	35.4%	25.9%	14.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	31.3%	26.8%	25.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	32.9%	25.9%	27.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	37.6%	41.8%	37.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	12.7%	17.1%	12.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.4%	39.7%	33.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	21.4%	31.4%	23.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	16.0%	22.9%	16.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.8%	37.0%	36.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.1%	9.0%	9.3%
'No' or 'slight risk' if they use synthetic drugs	12.2%	12.7%	12.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.9%	21.6%	20.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.1%	13.1%	13.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Stoddard County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1218	*	993
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.8%	15.3%	13.3%
Grade level. 7th Grade	13.1%	13.7%	14.0%
Grade level. 8th Grade	14.4%	14.0%	13.1%
Grade level. 9th Grade	16.7%	13.4%	15.3%
Grade level. 10th Grade	14.0%	13.7%	17.9%
Grade level. 11th Grade	15.7%	14.6%	13.8%
Grade level. 12th Grade	11.2%	15.2%	12.6%
Male	49.1%	49.7%	49.1%
Hispanic or Latino	1.2%	5.8%	1.0%
Race: Black or African American	1.5%	12.7%	1.2%
Race: White	97.3%	76.9%	97.8%
Race: Multiracial	0.8%	8.5%	0.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.3%	8.7%	16.0%
Used electronic cigarettes	13.7%	15.3%	14.7%
Used hookahs or water pipes	1.9%	2.6%	2.9%
Used alcohol	16.9%	14.5%	18.9%
Used marijuana	3.7%	6.5%	5.3%
Used inhalants	1.6%	1.1%	1.4%
Used Rx not prescribed for you by a doctor	9.4%	7.6%	10.7%
Used `OTC` to get high	2.0%	1.6%	1.0%
Used synthetic drugs	0.8%	0.3%	0.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.0%	0.5%
Used heroin or `smack`	0.2%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.8%	1.3%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.3%	0.2%
Used `club drugs` such as ecstasy	1.2%	0.9%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.3%	29.7%	25.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.2%	7.6%	3.6%
Rode with someone who was drinking alcohol	17.1%	15.1%	15.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.9%	20.7%	27.8%
Posted something online or sent a text that might embarrass or hurt another student	16.2%	15.5%	19.6%
Made fun of other people	51.5%	51.1%	55.8%
Hit, shoved or pushed another student and was not just fooling around	15.2%	14.1%	15.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	30.3%	29.4%	33.3%
Was in a physical fight	19.8%	17.9%	20.2%
Been threatened or injured with a weapon on school property	6.9%	6.6%	6.8%
Seriously considered suicide	11.3%	14.1%	11.2%
Planned suicide	8.7%	10.9%	8.6%
Attempted suicide	5.4%	6.2%	4.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.1%	24.4%	20.0%
Was grouchy or irritable, or in a bad mood	34.7%	35.0%	32.9%
Felt hopeless about the future	11.6%	13.2%	11.4%
Felt like not eating or eating more than usual	18.5%	21.8%	19.6%
Felt like sleeping a lot more or a lot less than usual	29.6%	33.4%	24.6%
Had difficulty concentrating on school work	27.4%	29.6%	28.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.7%	93.9%	92.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.7%	93.8%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.4%	93.0%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.6%	95.6%	95.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	73.4%	79.4%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.1%	75.2%	76.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.8%	71.1%	76.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.5%	87.8%	89.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.1%	44.4%	51.0%
'Very' or 'sort of easy' to get alcohol	49.6%	48.9%	48.5%
'Very' or 'sort of easy' to get marijuana	31.9%	36.9%	32.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.7%	25.4%	30.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.6%	10.7%	14.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.6%	25.9%	21.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.6%	26.8%	29.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.3%	25.9%	23.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	46.9%	41.8%	48.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.9%	17.1%	18.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.3%	39.7%	33.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.6%	31.4%	40.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.2%	22.9%	28.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.1%	37.0%	30.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.7%	9.0%	8.2%
'No' or 'slight risk' if they use synthetic drugs	10.8%	12.7%	9.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.6%	21.6%	20.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.0%	13.1%	14.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Stone County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	669	*	459
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.3%	15.3%	6.2%
Grade level. 7th Grade	16.3%	13.7%	15.9%
Grade level. 8th Grade	15.9%	14.0%	21.1%
Grade level. 9th Grade	10.7%	13.4%	29.7%
Grade level. 10th Grade	26.3%	13.7%	11.4%
Grade level. 11th Grade	13.1%	14.6%	7.6%
Grade level. 12th Grade	1.3%	15.2%	8.1%
Male	49.3%	49.7%	51.1%
Hispanic or Latino	1.3%	5.8%	1.0%
Race: Black or African American	0.2%	12.7%	0.0%
Race: White	97.0%	76.9%	96.4%
Race: Multiracial	2.0%	8.5%	1.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.7%	8.7%	10.2%
Used electronic cigarettes	15.2%	15.3%	12.4%
Used hookahs or water pipes	1.5%	2.6%	4.0%
Used alcohol	12.0%	14.5%	15.5%
Used marijuana	4.6%	6.5%	7.4%
Used inhalants	0.9%	1.1%	2.1%
Used Rx not prescribed for you by a doctor	6.3%	7.6%	11.7%
Used `OTC` to get high	1.6%	1.6%	1.0%
Used synthetic drugs	0.2%	0.3%	1.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.0%	1.2%
Used heroin or `smack`	0.8%	0.2%	1.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.0%	1.3%	2.9%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.3%	1.0%
Used `club drugs` such as ecstasy	0.4%	0.9%	2.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.3%	29.7%	25.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.9%	7.6%	6.0%
Rode with someone who was drinking alcohol	12.8%	15.1%	11.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.3%	20.7%	17.9%
Posted something online or sent a text that might embarrass or hurt another student	15.7%	15.5%	12.6%
Made fun of other people	50.0%	51.1%	49.4%
Hit, shoved or pushed another student and was not just fooling around	13.4%	14.1%	15.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.0%	29.4%	34.2%
Was in a physical fight	17.3%	17.9%	24.0%
Been threatened or injured with a weapon on school property	6.5%	6.6%	8.3%
Seriously considered suicide	14.4%	14.1%	15.7%
Planned suicide	9.6%	10.9%	10.4%
Attempted suicide	6.3%	6.2%	7.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.4%	24.4%	23.6%
Was grouchy or irritable, or in a bad mood	30.6%	35.0%	26.0%
Felt hopeless about the future	14.6%	13.2%	13.3%
Felt like not eating or eating more than usual	24.5%	21.8%	20.4%
Felt like sleeping a lot more or a lot less than usual	30.5%	33.4%	21.1%
Had difficulty concentrating on school work	28.5%	29.6%	26.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.2%	93.9%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.0%	93.8%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.6%	93.0%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.8%	95.6%	96.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.9%	79.4%	82.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.0%	75.2%	77.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.5%	71.1%	77.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.9%	87.8%	87.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	41.8%	44.4%	48.1%
'Very' or 'sort of easy' to get alcohol	45.2%	48.9%	51.1%
'Very' or 'sort of easy' to get marijuana	28.5%	36.9%	33.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.9%	25.4%	28.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.8%	10.7%	6.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.0%	25.9%	17.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.8%	26.8%	19.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.6%	25.9%	19.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	42.9%	41.8%	40.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	14.6%	17.1%	18.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.9%	39.7%	33.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.4%	31.4%	33.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.0%	22.9%	23.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.4%	37.0%	35.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.4%	9.0%	9.9%
'No' or 'slight risk' if they use synthetic drugs	9.6%	12.7%	12.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.0%	21.6%	20.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.5%	13.1%	14.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Sullivan County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	203	*	224
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	9.4%	15.3%	10.8%
Grade level. 7th Grade	19.7%	13.7%	14.4%
Grade level. 8th Grade	18.9%	14.0%	15.3%
Grade level. 9th Grade	15.7%	13.4%	15.3%
Grade level. 10th Grade	10.2%	13.7%	15.3%
Grade level. 11th Grade	11.8%	14.6%	20.7%
Grade level. 12th Grade	14.2%	15.2%	8.1%
Male	47.2%	49.7%	49.5%
Hispanic or Latino	14.2%	5.8%	5.5%
Race: Black or African American	0.8%	12.7%	0.9%
Race: White	93.3%	76.9%	94.6%
Race: Multiracial	2.5%	8.5%	0.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.8%	8.7%	25.2%
Used electronic cigarettes	4.8%	15.3%	8.3%
Used hookahs or water pipes	1.6%	2.6%	3.7%
Used alcohol	12.1%	14.5%	30.3%
Used marijuana	0.8%	6.5%	4.5%
Used inhalants	0.8%	1.1%	0.9%
Used Rx not prescribed for you by a doctor	10.4%	7.6%	5.5%
Used `OTC` to get high	2.4%	1.6%	0.9%
Used synthetic drugs	1.6%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	1.8%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.8%	0.9%	2.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	22.8%	29.7%	30.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.8%	7.6%	5.5%
Rode with someone who was drinking alcohol	11.3%	15.1%	24.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	26.2%	20.7%	32.4%
Posted something online or sent a text that might embarrass or hurt another student	16.5%	15.5%	18.2%
Made fun of other people	55.6%	51.1%	63.6%
Hit, shoved or pushed another student and was not just fooling around	16.5%	14.1%	19.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	39.7%	29.4%	33.3%
Was in a physical fight	14.2%	17.9%	26.1%
Been threatened or injured with a weapon on school property	3.9%	6.6%	5.5%
Seriously considered suicide	12.8%	14.1%	13.5%
Planned suicide	8.7%	10.9%	6.4%
Attempted suicide	7.9%	6.2%	7.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	20.6%	24.4%	27.9%
Was grouchy or irritable, or in a bad mood	32.0%	35.0%	40.9%
Felt hopeless about the future	8.7%	13.2%	11.7%
Felt like not eating or eating more than usual	21.3%	21.8%	21.8%
Felt like sleeping a lot more or a lot less than usual	30.2%	33.4%	28.2%
Had difficulty concentrating on school work	29.1%	29.6%	26.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.4%	93.9%	83.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.5%	93.8%	91.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.7%	93.0%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.5%	95.6%	95.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.5%	79.4%	64.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.5%	75.2%	79.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	86.6%	71.1%	79.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.3%	87.8%	92.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.3%	44.4%	52.3%
'Very' or 'sort of easy' to get alcohol	52.0%	48.9%	58.6%
'Very' or 'sort of easy' to get marijuana	20.5%	36.9%	36.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.0%	25.4%	23.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.5%	10.7%	10.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	10.2%	25.9%	17.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.7%	26.8%	35.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	5.5%	25.9%	15.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	33.9%	41.8%	42.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	16.5%	17.1%	15.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	32.3%	39.7%	35.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.5%	31.4%	42.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.3%	22.9%	38.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	24.0%	37.0%	27.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.7%	9.0%	4.6%
'No' or 'slight risk' if they use synthetic drugs	15.0%	12.7%	8.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.9%	21.6%	21.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.1%	13.1%	10.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Taney County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	2032	*	601
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.1%	15.3%	7.1%
Grade level. 7th Grade	14.4%	13.7%	14.2%
Grade level. 8th Grade	15.9%	14.0%	24.4%
Grade level. 9th Grade	20.3%	13.4%	22.1%
Grade level. 10th Grade	29.8%	13.7%	18.9%
Grade level. 11th Grade	1.1%	14.6%	8.2%
Grade level. 12th Grade	4.4%	15.2%	5.0%
Male	46.2%	49.7%	48.1%
Hispanic or Latino	3.4%	5.8%	3.5%
Race: Black or African American	0.6%	12.7%	0.7%
Race: White	94.9%	76.9%	93.1%
Race: Multiracial	2.5%	8.5%	3.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	6.8%	8.7%	11.1%
Used electronic cigarettes	11.3%	15.3%	15.2%
Used hookahs or water pipes	2.1%	2.6%	4.6%
Used alcohol	11.2%	14.5%	13.3%
Used marijuana	6.0%	6.5%	7.9%
Used inhalants	0.8%	1.1%	2.4%
Used Rx not prescribed for you by a doctor	8.0%	7.6%	8.0%
Used `OTC` to get high	2.2%	1.6%	1.0%
Used synthetic drugs	1.3%	0.3%	0.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.9%	1.0%	1.6%
Used heroin or `smack`	0.2%	0.2%	0.8%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.7%	1.3%	2.2%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.3%	0.8%
Used `club drugs` such as ecstasy	0.6%	0.9%	1.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	24.7%	29.7%	31.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.3%	7.6%	7.0%
Rode with someone who was drinking alcohol	12.3%	15.1%	14.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	24.6%	20.7%	27.9%
Posted something online or sent a text that might embarrass or hurt another student	16.8%	15.5%	14.5%
Made fun of other people	48.8%	51.1%	58.7%
Hit, shoved or pushed another student and was not just fooling around	12.0%	14.1%	16.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	35.3%	29.4%	43.1%
Was in a physical fight	20.7%	17.9%	19.2%
Been threatened or injured with a weapon on school property	9.8%	6.6%	9.6%
Seriously considered suicide	19.8%	14.1%	20.7%
Planned suicide	14.7%	10.9%	13.9%
Attempted suicide	9.2%	6.2%	7.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	32.0%	24.4%	31.3%
Was grouchy or irritable, or in a bad mood	35.9%	35.0%	34.4%
Felt hopeless about the future	17.9%	13.2%	17.5%
Felt like not eating or eating more than usual	27.8%	21.8%	23.0%
Felt like sleeping a lot more or a lot less than usual	37.2%	33.4%	28.1%
Had difficulty concentrating on school work	33.5%	29.6%	33.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.8%	93.9%	90.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.9%	93.8%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.9%	93.0%	90.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.4%	95.6%	93.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.2%	79.4%	80.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.4%	75.2%	74.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.3%	71.1%	74.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.4%	87.8%	89.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	39.7%	44.4%	47.5%
'Very' or 'sort of easy' to get alcohol	42.8%	48.9%	51.3%
'Very' or 'sort of easy' to get marijuana	31.6%	36.9%	39.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	25.1%	25.4%	30.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.2%	10.7%	9.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.9%	25.9%	21.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.0%	26.8%	19.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.8%	25.9%	24.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	37.6%	41.8%	45.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	14.0%	17.1%	14.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.9%	39.7%	30.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.5%	31.4%	35.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.6%	22.9%	23.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.9%	37.0%	35.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.8%	9.0%	6.9%
'No' or 'slight risk' if they use synthetic drugs	11.0%	12.7%	10.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.6%	21.6%	20.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.5%	13.1%	11.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Daviess County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	269	*	201
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	11.9%	15.3%	14.3%
Grade level. 7th Grade	16.4%	13.7%	15.8%
Grade level. 8th Grade	16.9%	14.0%	14.3%
Grade level. 9th Grade	13.6%	13.4%	12.0%
Grade level. 10th Grade	12.4%	13.7%	17.3%
Grade level. 11th Grade	11.9%	14.6%	12.8%
Grade level. 12th Grade	16.9%	15.2%	13.5%
Male	49.7%	49.7%	50.4%
Hispanic or Latino	1.1%	5.8%	0.8%
Race: Black or African American	1.1%	12.7%	0.7%
Race: White	97.2%	76.9%	97.0%
Race: Multiracial	1.1%	8.5%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	15.3%	8.7%	18.7%
Used electronic cigarettes	11.9%	15.3%	3.7%
Used hookahs or water pipes	2.3%	2.6%	1.5%
Used alcohol	13.2%	14.5%	14.9%
Used marijuana	4.0%	6.5%	2.2%
Used inhalants	1.7%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	5.7%	7.6%	10.4%
Used `OTC` to get high	2.3%	1.6%	0.7%
Used synthetic drugs	0.6%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.7%	1.0%	0.8%
Used heroin or `smack`	0.6%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	1.3%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	1.7%	0.3%	0.0%
Used `club drugs` such as ecstasy	1.1%	0.9%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.1%	29.7%	21.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.0%	7.6%	5.3%
Rode with someone who was drinking alcohol	17.2%	15.1%	15.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.6%	20.7%	26.1%
Posted something online or sent a text that might embarrass or hurt another student	14.7%	15.5%	15.8%
Made fun of other people	46.9%	51.1%	52.6%
Hit, shoved or pushed another student and was not just fooling around	10.2%	14.1%	9.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.1%	29.4%	27.6%
Was in a physical fight	16.9%	17.9%	15.7%
Been threatened or injured with a weapon on school property	4.0%	6.6%	6.7%
Seriously considered suicide	11.5%	14.1%	10.5%
Planned suicide	8.1%	10.9%	7.5%
Attempted suicide	5.7%	6.2%	5.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	18.2%	24.4%	18.7%
Was grouchy or irritable, or in a bad mood	31.1%	35.0%	29.1%
Felt hopeless about the future	10.9%	13.2%	9.7%
Felt like not eating or eating more than usual	19.3%	21.8%	20.1%
Felt like sleeping a lot more or a lot less than usual	29.1%	33.4%	21.1%
Had difficulty concentrating on school work	26.1%	29.6%	23.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.5%	93.9%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.8%	93.8%	91.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.9%	93.0%	96.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	95.6%	96.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.0%	79.4%	77.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.3%	75.2%	86.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.4%	71.1%	86.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.9%	87.8%	94.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.1%	44.4%	46.2%
'Very' or 'sort of easy' to get alcohol	43.1%	48.9%	45.8%
'Very' or 'sort of easy' to get marijuana	26.3%	36.9%	23.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.1%	25.4%	21.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.6%	10.7%	8.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.9%	25.9%	10.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.0%	26.8%	23.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.8%	25.9%	11.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	33.7%	41.8%	30.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	11.9%	17.1%	12.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.4%	39.7%	33.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.6%	31.4%	35.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.9%	22.9%	27.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.1%	37.0%	21.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.5%	9.0%	8.2%
'No' or 'slight risk' if they use synthetic drugs	10.3%	12.7%	11.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.8%	21.6%	17.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.0%	13.1%	12.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

DeKalb County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	261	*	275
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	22.2%	15.3%	12.4%
Grade level. 7th Grade	16.7%	13.7%	16.3%
Grade level. 8th Grade	13.9%	14.0%	12.4%
Grade level. 9th Grade	16.7%	13.4%	29.2%
Grade level. 10th Grade	11.6%	13.7%	11.8%
Grade level. 11th Grade	12.5%	14.6%	7.9%
Grade level. 12th Grade	6.5%	15.2%	10.1%
Male	67.8%	49.7%	65.5%
Hispanic or Latino	6.2%	5.8%	5.7%
Race: Black or African American	11.6%	12.7%	15.2%
Race: White	83.3%	76.9%	80.3%
Race: Multiracial	2.8%	8.5%	2.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.6%	8.7%	11.4%
Used electronic cigarettes	10.2%	15.3%	5.1%
Used hookahs or water pipes	0.5%	2.6%	2.3%
Used alcohol	10.7%	14.5%	7.9%
Used marijuana	7.4%	6.5%	3.4%
Used inhalants	5.6%	1.1%	0.6%
Used Rx not prescribed for you by a doctor	10.4%	7.6%	7.9%
Used `OTC` to get high	2.8%	1.6%	1.7%
Used synthetic drugs	0.5%	0.3%	0.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.0%	0.6%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	6.2%	1.3%	0.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.6%
Used `club drugs` such as ecstasy	1.0%	0.9%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.5%	29.7%	21.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	12.3%	7.6%	5.6%
Rode with someone who was drinking alcohol	14.7%	15.1%	12.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	32.2%	20.7%	23.0%
Posted something online or sent a text that might embarrass or hurt another student	18.7%	15.5%	13.5%
Made fun of other people	53.5%	51.1%	47.7%
Hit, shoved or pushed another student and was not just fooling around	19.5%	14.1%	12.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	28.0%	29.4%	31.6%
Was in a physical fight	34.3%	17.9%	18.5%
Been threatened or injured with a weapon on school property	8.9%	6.6%	6.7%
Seriously considered suicide	20.1%	14.1%	8.5%
Planned suicide	18.2%	10.9%	6.3%
Attempted suicide	10.3%	6.2%	3.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.2%	24.4%	15.3%
Was grouchy or irritable, or in a bad mood	37.4%	35.0%	30.9%
Felt hopeless about the future	13.6%	13.2%	10.1%
Felt like not eating or eating more than usual	21.6%	21.8%	19.8%
Felt like sleeping a lot more or a lot less than usual	25.5%	33.4%	22.6%
Had difficulty concentrating on school work	29.3%	29.6%	28.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.8%	93.9%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.0%	93.8%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.5%	93.0%	96.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.4%	95.6%	97.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.6%	79.4%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	71.2%	75.2%	84.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.4%	71.1%	84.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.7%	87.8%	91.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.3%	44.4%	44.6%
'Very' or 'sort of easy' to get alcohol	45.3%	48.9%	44.9%
'Very' or 'sort of easy' to get marijuana	25.6%	36.9%	26.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.4%	25.4%	20.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.5%	10.7%	10.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.5%	25.9%	13.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.7%	26.8%	19.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.5%	25.9%	14.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	51.4%	41.8%	42.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	35.0%	17.1%	20.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	50.2%	39.7%	33.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	44.9%	31.4%	38.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.5%	22.9%	18.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.4%	37.0%	24.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.7%	9.0%	6.8%
'No' or 'slight risk' if they use synthetic drugs	15.9%	12.7%	6.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.3%	21.6%	27.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	17.8%	13.1%	10.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Dent County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	265	*	267
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	15.6%	15.3%	16.5%
Grade level. 7th Grade	11.0%	13.7%	18.9%
Grade level. 8th Grade	19.5%	14.0%	24.4%
Grade level. 9th Grade	14.0%	13.4%	0.0%
Grade level. 10th Grade	14.6%	13.7%	0.0%
Grade level. 11th Grade	14.0%	14.6%	40.2%
Grade level. 12th Grade	11.4%	15.2%	0.0%
Male	49.3%	49.7%	50.6%
Hispanic or Latino	1.3%	5.8%	0.8%
Race: Black or African American	0.0%	12.7%	0.8%
Race: White	97.4%	76.9%	95.3%
Race: Multiracial	2.0%	8.5%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	21.5%	8.7%	22.5%
Used electronic cigarettes	16.5%	15.3%	17.1%
Used hookahs or water pipes	4.3%	2.6%	3.6%
Used alcohol	19.6%	14.5%	13.5%
Used marijuana	9.0%	6.5%	6.7%
Used inhalants	2.0%	1.1%	2.0%
Used Rx not prescribed for you by a doctor	8.1%	7.6%	6.8%
Used `OTC` to get high	3.0%	1.6%	1.6%
Used synthetic drugs	0.7%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.4%	1.0%	0.8%
Used heroin or `smack`	0.0%	0.2%	1.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.0%	1.3%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.3%	1.2%
Used `club drugs` such as ecstasy	0.7%	0.9%	1.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.1%	29.7%	24.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.5%	7.6%	4.7%
Rode with someone who was drinking alcohol	15.9%	15.1%	15.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	26.9%	20.7%	22.9%
Posted something online or sent a text that might embarrass or hurt another student	15.3%	15.5%	14.6%
Made fun of other people	53.7%	51.1%	50.0%
Hit, shoved or pushed another student and was not just fooling around	20.4%	14.1%	17.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.8%	29.4%	29.6%
Was in a physical fight	20.1%	17.9%	24.2%
Been threatened or injured with a weapon on school property	8.1%	6.6%	4.4%
Seriously considered suicide	14.7%	14.1%	8.0%
Planned suicide	9.1%	10.9%	7.2%
Attempted suicide	5.9%	6.2%	5.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.8%	24.4%	26.1%
Was grouchy or irritable, or in a bad mood	34.5%	35.0%	31.2%
Felt hopeless about the future	16.2%	13.2%	10.2%
Felt like not eating or eating more than usual	26.1%	21.8%	19.8%
Felt like sleeping a lot more or a lot less than usual	35.3%	33.4%	23.1%
Had difficulty concentrating on school work	29.0%	29.6%	24.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.3%	93.9%	86.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	86.5%	93.8%	90.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	89.6%	93.0%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.5%	95.6%	93.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	65.1%	79.4%	71.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	67.0%	75.2%	77.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.5%	71.1%	77.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.9%	87.8%	86.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.2%	44.4%	48.0%
'Very' or 'sort of easy' to get alcohol	48.4%	48.9%	48.8%
'Very' or 'sort of easy' to get marijuana	34.1%	36.9%	32.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.0%	25.4%	25.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	18.6%	10.7%	10.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	23.9%	25.9%	18.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.6%	26.8%	23.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.2%	25.9%	16.9%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	51.3%	41.8%	51.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	25.3%	17.1%	22.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	48.4%	39.7%	38.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	46.4%	31.4%	45.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	42.4%	22.9%	31.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	41.4%	37.0%	35.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.7%	9.0%	10.4%
'No' or 'slight risk' if they use synthetic drugs	12.0%	12.7%	12.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.1%	21.6%	25.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.7%	13.1%	15.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Douglas County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	566	*	418
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	12.7%	15.3%	
Grade level. 7th Grade	13.2%	13.7%	
Grade level. 8th Grade	14.7%	14.0%	
Grade level. 9th Grade	13.7%	13.4%	
Grade level. 10th Grade	12.3%	13.7%	
Grade level. 11th Grade	20.1%	14.6%	
Grade level. 12th Grade	13.2%	15.2%	
Male	44.8%	49.7%	
Hispanic or Latino	0.4%	5.8%	
Race: Black or African American	0.0%	12.7%	
Race: White	98.4%	76.9%	
Race: Multiracial	0.8%	8.5%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.3%	8.7%
Used electronic cigarettes	16.4%	15.3%
Used hookahs or water pipes	1.8%	2.6%
Used alcohol	15.3%	14.5%
Used marijuana	4.9%	6.5%
Used inhalants	0.9%	1.1%
Used Rx not prescribed for you by a doctor	7.3%	7.6%
Used `OTC` to get high	1.4%	1.6%
Used synthetic drugs	0.5%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	
Used heroin or `smack`	0.0%	0.2%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.4%	1.3%	
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	
Used `club drugs` such as ecstasy	0.5%	0.9%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	32.8%	29.7%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.7%	7.6%	
Rode with someone who was drinking alcohol	13.1%	15.1%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.6%	20.7%	
Posted something online or sent a text that might embarrass or hurt another student	11.7%	15.5%	
Made fun of other people	41.7%	51.1%	
Hit, shoved or pushed another student and was not just fooling around	14.6%	14.1%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.9%	29.4%	
Was in a physical fight	22.3%	17.9%	
Been threatened or injured with a weapon on school property	6.5%	6.6%	
Seriously considered suicide	9.4%	14.1%	
Planned suicide	7.7%	10.9%	
Attempted suicide	4.2%	6.2%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	20.1%	24.4%	
Was grouchy or irritable, or in a bad mood	33.3%	35.0%	
Felt hopeless about the future	12.7%	13.2%	
Felt like not eating or eating more than usual	18.9%	21.8%	
Felt like sleeping a lot more or a lot less than usual	31.5%	33.4%	
Had difficulty concentrating on school work	27.3%	29.6%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.8%	93.9%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.2%	93.8%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.8%	93.0%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	95.6%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	70.2%	79.4%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.9%	75.2%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.8%	71.1%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.5%	87.8%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	51.5%	44.4%	
'Very' or 'sort of easy' to get alcohol	49.1%	48.9%	
'Very' or 'sort of easy' to get marijuana	32.6%	36.9%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.6%	25.4%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	18.8%	10.7%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	28.8%	25.9%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.9%	26.8%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.7%	25.9%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.7%	41.8%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes	21.0%	17.1%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.6%	39.7%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.5%	31.4%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.3%	22.9%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.2%	37.0%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.4%	9.0%	
'No' or 'slight risk' if they use synthetic drugs	10.7%	12.7%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.2%	21.6%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.0%	13.1%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Dunklin County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	1726	*	1096
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	14.4%	15.3%	15.6%
Grade level. 7th Grade	16.8%	13.7%	14.2%
Grade level. 8th Grade	15.0%	14.0%	17.2%
Grade level. 9th Grade	15.3%	13.4%	18.5%
Grade level. 10th Grade	11.9%	13.7%	7.4%
Grade level. 11th Grade	13.3%	14.6%	20.3%
Grade level. 12th Grade	13.4%	15.2%	6.8%
Male	48.1%	49.7%	47.7%
Hispanic or Latino	3.7%	5.8%	3.6%
Race: Black or African American	9.9%	12.7%	10.4%
Race: White	86.4%	76.9%	85.8%
Race: Multiracial	2.1%	8.5%	0.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	10.8%	8.7%	14.2%
Used electronic cigarettes	12.6%	15.3%	16.2%
Used hookahs or water pipes	2.0%	2.6%	2.0%
Used alcohol	14.9%	14.5%	14.6%
Used marijuana	7.5%	6.5%	4.9%
Used inhalants	1.0%	1.1%	1.6%
Used Rx not prescribed for you by a doctor	11.7%	7.6%	13.0%
Used `OTC` to get high	3.7%	1.6%	2.9%
Used synthetic drugs	0.4%	0.3%	1.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.0%	1.1%
Used heroin or `smack`	0.4%	0.2%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.6%	1.3%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.3%	1.3%
Used `club drugs` such as ecstasy	0.7%	0.9%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.4%	29.7%	29.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.0%	7.6%	6.8%
Rode with someone who was drinking alcohol	14.7%	15.1%	17.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.7%	20.7%	26.5%
Posted something online or sent a text that might embarrass or hurt another student	17.9%	15.5%	19.5%
Made fun of other people	53.8%	51.1%	60.3%
Hit, shoved or pushed another student and was not just fooling around	17.3%	14.1%	20.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.0%	29.4%	34.7%
Was in a physical fight	22.1%	17.9%	21.3%
Been threatened or injured with a weapon on school property	6.8%	6.6%	6.3%
Seriously considered suicide	15.6%	14.1%	13.8%
Planned suicide	11.7%	10.9%	11.8%
Attempted suicide	6.6%	6.2%	6.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.6%	24.4%	24.6%
Was grouchy or irritable, or in a bad mood	35.5%	35.0%	38.7%
Felt hopeless about the future	17.4%	13.2%	14.4%
Felt like not eating or eating more than usual	26.1%	21.8%	25.4%
Felt like sleeping a lot more or a lot less than usual	33.4%	33.4%	26.7%
Had difficulty concentrating on school work	30.1%	29.6%	30.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.8%	93.9%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.0%	93.8%	93.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.6%	93.0%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.2%	95.6%	93.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.8%	79.4%	76.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.3%	75.2%	78.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.9%	71.1%	78.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.1%	87.8%	87.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	47.3%	44.4%	47.4%
'Very' or 'sort of easy' to get alcohol	45.9%	48.9%	47.6%
'Very' or 'sort of easy' to get marijuana	36.1%	36.9%	32.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	29.0%	25.4%	30.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.0%	10.7%	11.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.6%	25.9%	21.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.1%	26.8%	26.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.0%	25.9%	21.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	46.5%	41.8%	44.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	21.7%	17.1%	17.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.2%	39.7%	33.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.6%	31.4%	39.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.8%	22.9%	27.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.0%	37.0%	33.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.8%	9.0%	11.0%
'No' or 'slight risk' if they use synthetic drugs	12.0%	12.7%	11.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.7%	21.6%	23.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.8%	13.1%	15.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Franklin County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	3296	*	3099
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	19.5%	15.3%	18.3%
Grade level. 7th Grade	12.2%	13.7%	10.8%
Grade level. 8th Grade	18.3%	14.0%	23.3%
Grade level. 9th Grade	8.3%	13.4%	4.1%
Grade level. 10th Grade	22.9%	13.7%	23.8%
Grade level. 11th Grade	6.1%	14.6%	5.8%
Grade level. 12th Grade	12.7%	15.2%	13.9%
Male	49.0%	49.7%	49.0%
Hispanic or Latino	1.1%	5.8%	1.1%
Race: Black or African American	0.9%	12.7%	1.1%
Race: White	96.7%	76.9%	96.5%
Race: Multiracial	1.6%	8.5%	1.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.4%	8.7%	9.9%
Used electronic cigarettes	22.6%	15.3%	10.8%
Used hookahs or water pipes	2.5%	2.6%	3.0%
Used alcohol	18.6%	14.5%	17.0%
Used marijuana	8.3%	6.5%	7.9%
Used inhalants	1.4%	1.1%	0.9%
Used Rx not prescribed for you by a doctor	8.5%	7.6%	8.6%
Used `OTC` to get high	2.3%	1.6%	1.5%
Used synthetic drugs	0.7%	0.3%	0.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.0%	1.3%
Used heroin or `smack`	0.2%	0.2%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.7%	1.3%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.5%
Used `club drugs` such as ecstasy	1.2%	0.9%	1.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.6%	29.7%	24.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.7%	7.6%	5.0%
Rode with someone who was drinking alcohol	19.0%	15.1%	18.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.1%	20.7%	23.6%
Posted something online or sent a text that might embarrass or hurt another student	16.9%	15.5%	18.1%
Made fun of other people	51.9%	51.1%	53.7%
Hit, shoved or pushed another student and was not just fooling around	14.3%	14.1%	15.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.0%	29.4%	34.0%
Was in a physical fight	18.9%	17.9%	18.0%
Been threatened or injured with a weapon on school property	8.7%	6.6%	7.1%
Seriously considered suicide	15.7%	14.1%	14.0%
Planned suicide	11.7%	10.9%	10.6%
Attempted suicide	6.7%	6.2%	6.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.0%	24.4%	22.9%
Was grouchy or irritable, or in a bad mood	34.2%	35.0%	31.5%
Felt hopeless about the future	17.5%	13.2%	13.7%
Felt like not eating or eating more than usual	23.7%	21.8%	22.0%
Felt like sleeping a lot more or a lot less than usual	32.2%	33.4%	23.5%
Had difficulty concentrating on school work	33.4%	29.6%	30.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.7%	93.9%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.4%	93.8%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.7%	93.0%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.3%	95.6%	95.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.4%	79.4%	82.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.7%	75.2%	75.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.0%	71.1%	75.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.2%	87.8%	89.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	48.1%	44.4%	48.5%
'Very' or 'sort of easy' to get alcohol	55.4%	48.9%	55.7%
'Very' or 'sort of easy' to get marijuana	38.6%	36.9%	36.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.7%	25.4%	31.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.8%	10.7%	8.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	34.6%	25.9%	16.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	31.3%	26.8%	26.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	27.5%	25.9%	22.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	45.1%	41.8%	40.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.1%	17.1%	14.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.2%	39.7%	35.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.4%	31.4%	32.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.1%	22.9%	23.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.1%	37.0%	32.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.3%	9.0%	7.1%
'No' or 'slight risk' if they use synthetic drugs	11.1%	12.7%	9.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.7%	21.6%	18.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.3%	13.1%	11.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Gasconade County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	99	*	613
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	27.8%	15.3%	14.8%
Grade level. 7th Grade	0.0%	13.7%	17.6%
Grade level. 8th Grade	0.0%	14.0%	18.1%
Grade level. 9th Grade	43.3%	13.4%	22.4%
Grade level. 10th Grade	4.9%	13.7%	5.2%
Grade level. 11th Grade	10.2%	14.6%	13.3%
Grade level. 12th Grade	13.7%	15.2%	8.6%
Male	44.0%	49.7%	52.1%
Hispanic or Latino	1.1%	5.8%	1.0%
Race: Black or African American	0.4%	12.7%	0.9%
Race: White	98.2%	76.9%	97.6%
Race: Multiracial	0.7%	8.5%	0.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	12.0%	8.7%	14.2%
Used electronic cigarettes	13.7%	15.3%	11.8%
Used hookahs or water pipes	1.8%	2.6%	2.8%
Used alcohol	17.4%	14.5%	14.8%
Used marijuana	8.7%	6.5%	6.6%
Used inhalants	0.0%	1.1%	1.4%
Used Rx not prescribed for you by a doctor	6.4%	7.6%	9.5%
Used `OTC` to get high	1.4%	1.6%	2.8%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	2.6%	1.0%	1.9%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.4%	1.3%	1.4%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.5%
Used `club drugs` such as ecstasy	1.4%	0.9%	1.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	24.6%	29.7%	29.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.7%	7.6%	6.1%
Rode with someone who was drinking alcohol	10.5%	15.1%	18.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.8%	20.7%	21.8%
Posted something online or sent a text that might embarrass or hurt another student	7.8%	15.5%	15.7%
Made fun of other people	51.9%	51.1%	58.3%
Hit, shoved or pushed another student and was not just fooling around	19.7%	14.1%	20.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.2%	29.4%	35.5%
Was in a physical fight	25.1%	17.9%	18.5%
Been threatened or injured with a weapon on school property	6.4%	6.6%	5.2%
Seriously considered suicide	13.8%	14.1%	13.3%
Planned suicide	12.7%	10.9%	10.0%
Attempted suicide	5.7%	6.2%	4.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	34.9%	24.4%	19.0%
Was grouchy or irritable, or in a bad mood	32.9%	35.0%	29.0%
Felt hopeless about the future	13.1%	13.2%	11.0%
Felt like not eating or eating more than usual	26.5%	21.8%	21.8%
Felt like sleeping a lot more or a lot less than usual	39.9%	33.4%	19.0%
Had difficulty concentrating on school work	32.5%	29.6%	25.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.0%	93.9%	91.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.7%	93.8%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	89.7%	93.0%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.1%	95.6%	92.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.6%	79.4%	76.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.2%	75.2%	81.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.4%	71.1%	81.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.2%	87.8%	91.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	38.4%	44.4%	46.2%
'Very' or 'sort of easy' to get alcohol	51.9%	48.9%	51.9%
'Very' or 'sort of easy' to get marijuana	30.4%	36.9%	24.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	12.7%	25.4%	26.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.9%	10.7%	10.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.4%	25.9%	21.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.1%	26.8%	26.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.4%	25.9%	19.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	42.8%	41.8%	40.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.0%	17.1%	13.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	31.1%	39.7%	34.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.2%	31.4%	39.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.0%	22.9%	27.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.5%	37.0%	26.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.4%	9.0%	7.7%
'No' or 'slight risk' if they use synthetic drugs	13.2%	12.7%	10.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.1%	21.6%	17.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	18.0%	13.1%	13.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Gentry County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	318	*	0
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	9.0%	15.3%	
Grade level. 7th Grade	19.7%	13.7%	
Grade level. 8th Grade	20.5%	14.0%	
Grade level. 9th Grade	13.9%	13.4%	
Grade level. 10th Grade	10.7%	13.7%	
Grade level. 11th Grade	11.5%	14.6%	
Grade level. 12th Grade	14.8%	15.2%	
Male	47.9%	49.7%	
Hispanic or Latino	0.8%	5.8%	
Race: Black or African American	0.8%	12.7%	
Race: White	98.3%	76.9%	
Race: Multiracial	0.8%	8.5%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	10.0%	8.7%
Used electronic cigarettes	9.9%	15.3%
Used hookahs or water pipes	1.7%	2.6%
Used alcohol	9.9%	14.5%
Used marijuana	2.5%	6.5%
Used inhalants	1.7%	1.1%
Used Rx not prescribed for you by a doctor	5.0%	7.6%
Used `OTC` to get high	1.7%	1.6%
Used synthetic drugs	0.0%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.0%	
Used heroin or `smack`	0.0%	0.2%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	1.3%	
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	
Used `club drugs` such as ecstasy	0.0%	0.9%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	31.4%	29.7%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.1%	7.6%	
Rode with someone who was drinking alcohol	17.5%	15.1%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	27.9%	20.7%	
Posted something online or sent a text that might embarrass or hurt another student	16.4%	15.5%	
Made fun of other people	51.6%	51.1%	
Hit, shoved or pushed another student and was not just fooling around	10.7%	14.1%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	27.3%	29.4%	
Was in a physical fight	16.4%	17.9%	
Been threatened or injured with a weapon on school property	8.2%	6.6%	
Seriously considered suicide	10.7%	14.1%	
Planned suicide	8.3%	10.9%	
Attempted suicide	4.1%	6.2%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	20.5%	24.4%	
Was grouchy or irritable, or in a bad mood	29.8%	35.0%	
Felt hopeless about the future	5.8%	13.2%	
Felt like not eating or eating more than usual	16.4%	21.8%	
Felt like sleeping a lot more or a lot less than usual	25.6%	33.4%	
Had difficulty concentrating on school work	24.6%	29.6%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.9%	93.9%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.1%	93.8%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.1%	93.0%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	95.6%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.7%	79.4%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.0%	75.2%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	85.1%	71.1%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.6%	87.8%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.0%	44.4%	
'Very' or 'sort of easy' to get alcohol	49.2%	48.9%	
'Very' or 'sort of easy' to get marijuana	24.2%	36.9%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.3%	25.4%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.6%	10.7%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	14.8%	25.9%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	15.6%	26.8%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.5%	25.9%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.8%	41.8%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes	21.5%	17.1%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.5%	39.7%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.9%	31.4%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.3%	22.9%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.0%	37.0%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.2%	9.0%	
'No' or 'slight risk' if they use synthetic drugs	10.8%	12.7%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.7%	21.6%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.7%	13.1%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Greene County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	7376	*	5836
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	12.7%	15.3%	14.0%
Grade level. 7th Grade	15.2%	13.7%	14.6%
Grade level. 8th Grade	14.7%	14.0%	14.9%
Grade level. 9th Grade	17.2%	13.4%	17.8%
Grade level. 10th Grade	16.0%	13.7%	16.7%
Grade level. 11th Grade	15.8%	14.6%	16.6%
Grade level. 12th Grade	8.5%	15.2%	5.4%
Male	49.3%	49.7%	47.7%
Hispanic or Latino	2.0%	5.8%	2.0%
Race: Black or African American	3.1%	12.7%	2.8%
Race: White	91.7%	76.9%	91.6%
Race: Multiracial	2.9%	8.5%	2.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	5.4%	8.7%	7.1%
Used electronic cigarettes	14.1%	15.3%	9.9%
Used hookahs or water pipes	2.1%	2.6%	3.7%
Used alcohol	10.5%	14.5%	10.6%
Used marijuana	7.8%	6.5%	8.7%
Used inhalants	0.9%	1.1%	0.7%
Used Rx not prescribed for you by a doctor	7.4%	7.6%	8.2%
Used `OTC` to get high	1.7%	1.6%	1.7%
Used synthetic drugs	0.4%	0.3%	0.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.0%	1.1%
Used heroin or `smack`	0.3%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.1%	1.3%	2.2%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.3%	0.7%
Used `club drugs` such as ecstasy	1.1%	0.9%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.0%	29.7%	24.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.5%	7.6%	4.3%
Rode with someone who was drinking alcohol	12.2%	15.1%	10.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.0%	20.7%	21.1%
Posted something online or sent a text that might embarrass or hurt another student	13.6%	15.5%	16.8%
Made fun of other people	47.6%	51.1%	50.8%
Hit, shoved or pushed another student and was not just fooling around	11.2%	14.1%	12.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.8%	29.4%	32.2%
Was in a physical fight	16.2%	17.9%	15.9%
Been threatened or injured with a weapon on school property	8.8%	6.6%	7.8%
Seriously considered suicide	18.2%	14.1%	16.6%
Planned suicide	12.5%	10.9%	12.3%
Attempted suicide	6.7%	6.2%	6.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.8%	24.4%	24.7%
Was grouchy or irritable, or in a bad mood	36.6%	35.0%	32.7%
Felt hopeless about the future	18.5%	13.2%	14.9%
Felt like not eating or eating more than usual	24.4%	21.8%	22.3%
Felt like sleeping a lot more or a lot less than usual	34.5%	33.4%	25.2%
Had difficulty concentrating on school work	34.1%	29.6%	29.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.1%	93.9%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.1%	93.8%	96.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.9%	93.0%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.0%	95.6%	95.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	82.9%	79.4%	82.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.1%	75.2%	70.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	69.4%	71.1%	70.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.5%	87.8%	87.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.4%	44.4%	43.1%
'Very' or 'sort of easy' to get alcohol	47.4%	48.9%	47.9%
'Very' or 'sort of easy' to get marijuana	39.0%	36.9%	38.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.5%	25.4%	28.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.5%	10.7%	7.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	26.1%	25.9%	15.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.2%	26.8%	20.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	28.2%	25.9%	25.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	39.9%	41.8%	39.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	13.9%	17.1%	12.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	32.6%	39.7%	30.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	25.8%	31.4%	26.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	17.7%	22.9%	17.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.2%	37.0%	36.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.3%	9.0%	7.0%
'No' or 'slight risk' if they use synthetic drugs	9.9%	12.7%	8.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.6%	21.6%	18.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.7%	13.1%	11.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Montgomery County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	483	*	269
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	15.7%	15.3%	18.6%
Grade level. 7th Grade	14.8%	13.7%	16.9%
Grade level. 8th Grade	15.2%	14.0%	19.1%
Grade level. 9th Grade	14.8%	13.4%	12.6%
Grade level. 10th Grade	12.9%	13.7%	9.3%
Grade level. 11th Grade	15.7%	14.6%	10.9%
Grade level. 12th Grade	11.0%	15.2%	12.6%
Male	50.2%	49.7%	48.1%
Hispanic or Latino	1.4%	5.8%	1.1%
Race: Black or African American	1.0%	12.7%	0.5%
Race: White	96.7%	76.9%	96.7%
Race: Multiracial	1.4%	8.5%	1.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.5%	8.7%	12.2%
Used electronic cigarettes	10.4%	15.3%	6.6%
Used hookahs or water pipes	2.6%	2.6%	2.7%
Used alcohol	23.7%	14.5%	15.0%
Used marijuana	9.0%	6.5%	7.1%
Used inhalants	1.6%	1.1%	0.0%
Used Rx not prescribed for you by a doctor	10.0%	7.6%	11.4%
Used `OTC` to get high	2.1%	1.6%	2.2%
Used synthetic drugs	0.0%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.1%	1.0%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.6%	1.3%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	1.1%	0.9%	3.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.0%	29.7%	31.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.8%	7.6%	3.8%
Rode with someone who was drinking alcohol	19.6%	15.1%	15.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.5%	20.7%	16.4%
Posted something online or sent a text that might embarrass or hurt another student	12.7%	15.5%	12.0%
Made fun of other people	49.5%	51.1%	48.4%
Hit, shoved or pushed another student and was not just fooling around	14.1%	14.1%	18.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.8%	29.4%	34.1%
Was in a physical fight	20.1%	17.9%	18.0%
Been threatened or injured with a weapon on school property	6.4%	6.6%	7.7%
Seriously considered suicide	13.3%	14.1%	10.0%
Planned suicide	9.7%	10.9%	6.2%
Attempted suicide	6.6%	6.2%	3.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.0%	24.4%	17.6%
Was grouchy or irritable, or in a bad mood	34.8%	35.0%	25.8%
Felt hopeless about the future	15.4%	13.2%	7.7%
Felt like not eating or eating more than usual	22.4%	21.8%	16.9%
Felt like sleeping a lot more or a lot less than usual	33.8%	33.4%	19.2%
Had difficulty concentrating on school work	32.5%	29.6%	27.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.5%	93.9%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.1%	93.8%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.4%	93.0%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	95.6%	95.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.0%	79.4%	84.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.2%	75.2%	77.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.3%	71.1%	77.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.6%	87.8%	91.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.4%	44.4%	39.2%
'Very' or 'sort of easy' to get alcohol	54.1%	48.9%	49.5%
'Very' or 'sort of easy' to get marijuana	36.7%	36.9%	35.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.7%	25.4%	24.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.2%	10.7%	9.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.3%	25.9%	9.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.9%	26.8%	27.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.4%	25.9%	24.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	45.8%	41.8%	33.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	19.9%	17.1%	13.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.6%	39.7%	31.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	41.5%	31.4%	30.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.1%	22.9%	25.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	39.6%	37.0%	32.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.9%	9.0%	8.9%
'No' or 'slight risk' if they use synthetic drugs	17.1%	12.7%	10.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.5%	21.6%	19.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.0%	13.1%	11.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey

Morgan County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	402	*	510
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	15.5%	15.3%	12.1%
Grade level. 7th Grade	20.4%	13.7%	14.3%
Grade level. 8th Grade	16.1%	14.0%	21.7%
Grade level. 9th Grade	20.9%	13.4%	15.4%
Grade level. 10th Grade	11.3%	13.7%	12.1%
Grade level. 11th Grade	5.1%	14.6%	13.6%
Grade level. 12th Grade	10.7%	15.2%	10.7%
Male	47.6%	49.7%	50.0%
Hispanic or Latino	0.8%	5.8%	1.1%
Race: Black or African American	0.8%	12.7%	1.1%
Race: White	96.8%	76.9%	96.3%
Race: Multiracial	1.6%	8.5%	0.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.7%	8.7%	12.6%
Used electronic cigarettes	10.6%	15.3%	8.9%
Used hookahs or water pipes	1.2%	2.6%	2.9%
Used alcohol	13.1%	14.5%	11.9%
Used marijuana	5.1%	6.5%	4.1%
Used inhalants	2.1%	1.1%	1.1%
Used Rx not prescribed for you by a doctor	10.2%	7.6%	10.0%
Used `OTC` to get high	3.6%	1.6%	0.7%
Used synthetic drugs	0.9%	0.3%	0.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.0%	1.9%
Used heroin or `smack`	0.6%	0.2%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	1.3%	1.1%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.3%	1.1%
Used `club drugs` such as ecstasy	0.9%	0.9%	0.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	33.2%	29.7%	31.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	12.7%	7.6%	5.6%
Rode with someone who was drinking alcohol	22.0%	15.1%	18.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	24.7%	20.7%	22.9%
Posted something online or sent a text that might embarrass or hurt another student	17.3%	15.5%	19.9%
Made fun of other people	47.5%	51.1%	51.9%
Hit, shoved or pushed another student and was not just fooling around	15.3%	14.1%	18.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	40.8%	29.4%	37.6%
Was in a physical fight	21.0%	17.9%	19.6%
Been threatened or injured with a weapon on school property	10.4%	6.6%	7.7%
Seriously considered suicide	16.4%	14.1%	12.3%
Planned suicide	10.5%	10.9%	11.2%
Attempted suicide	8.8%	6.2%	6.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.3%	24.4%	21.0%
Was grouchy or irritable, or in a bad mood	39.1%	35.0%	32.8%
Felt hopeless about the future	17.6%	13.2%	11.1%
Felt like not eating or eating more than usual	24.5%	21.8%	19.3%
Felt like sleeping a lot more or a lot less than usual	31.8%	33.4%	22.6%
Had difficulty concentrating on school work	26.3%	29.6%	27.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.9%	93.9%	91.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.0%	93.8%	93.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.1%	93.0%	94.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.9%	95.6%	95.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.0%	79.4%	80.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.5%	75.2%	79.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.9%	71.1%	79.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.5%	87.8%	91.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	41.5%	44.4%	45.4%
'Very' or 'sort of easy' to get alcohol	47.1%	48.9%	44.8%
'Very' or 'sort of easy' to get marijuana	29.3%	36.9%	29.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.8%	25.4%	28.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.6%	10.7%	6.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.8%	25.9%	13.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.1%	26.8%	20.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.9%	25.9%	18.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	37.0%	41.8%	31.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.0%	17.1%	12.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	30.2%	39.7%	29.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	24.7%	31.4%	32.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.5%	22.9%	21.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.1%	37.0%	29.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.8%	9.0%	7.1%
'No' or 'slight risk' if they use synthetic drugs	13.0%	12.7%	9.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.9%	21.6%	17.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.9%	13.1%	11.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Newton County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	823	*	1565
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	20.9%	15.3%	12.2%
Grade level. 7th Grade	10.1%	13.7%	20.3%
Grade level. 8th Grade	19.1%	14.0%	19.0%
Grade level. 9th Grade	19.3%	13.4%	11.5%
Grade level. 10th Grade	17.3%	13.7%	16.6%
Grade level. 11th Grade	10.9%	14.6%	15.9%
Grade level. 12th Grade	2.3%	15.2%	4.4%
Male	49.6%	49.7%	47.6%
Hispanic or Latino	3.2%	5.8%	3.0%
Race: Black or African American	1.0%	12.7%	0.8%
Race: White	91.1%	76.9%	90.4%
Race: Multiracial	4.0%	8.5%	3.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.1%	8.7%	13.1%
Used electronic cigarettes	16.0%	15.3%	12.7%
Used hookahs or water pipes	3.4%	2.6%	4.3%
Used alcohol	13.3%	14.5%	11.1%
Used marijuana	9.0%	6.5%	6.4%
Used inhalants	2.8%	1.1%	1.7%
Used Rx not prescribed for you by a doctor	10.0%	7.6%	10.7%
Used `OTC` to get high	2.9%	1.6%	2.4%
Used synthetic drugs	0.2%	0.3%	0.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.0%	1.0%	1.1%
Used heroin or `smack`	0.6%	0.2%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.2%	1.3%	2.8%
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.3%	1.0%
Used `club drugs` such as ecstasy	1.1%	0.9%	1.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	36.2%	29.7%	32.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.4%	7.6%	7.6%
Rode with someone who was drinking alcohol	15.5%	15.1%	12.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.9%	20.7%	20.8%
Posted something online or sent a text that might embarrass or hurt another student	15.0%	15.5%	12.5%
Made fun of other people	43.8%	51.1%	48.7%
Hit, shoved or pushed another student and was not just fooling around	15.6%	14.1%	16.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.2%	29.4%	36.1%
Was in a physical fight	22.2%	17.9%	17.5%
Been threatened or injured with a weapon on school property	9.8%	6.6%	8.6%
Seriously considered suicide	17.9%	14.1%	14.5%
Planned suicide	15.0%	10.9%	10.4%
Attempted suicide	7.7%	6.2%	6.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.5%	24.4%	26.7%
Was grouchy or irritable, or in a bad mood	36.0%	35.0%	34.2%
Felt hopeless about the future	17.6%	13.2%	14.1%
Felt like not eating or eating more than usual	26.3%	21.8%	22.5%
Felt like sleeping a lot more or a lot less than usual	33.5%	33.4%	25.3%
Had difficulty concentrating on school work	33.7%	29.6%	32.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.6%	93.9%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.2%	93.8%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.9%	93.0%	93.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.9%	95.6%	94.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.1%	79.4%	77.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.4%	75.2%	77.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.9%	71.1%	77.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.7%	87.8%	86.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.4%	44.4%	45.5%
'Very' or 'sort of easy' to get alcohol	48.2%	48.9%	42.9%
'Very' or 'sort of easy' to get marijuana	35.8%	36.9%	32.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.0%	25.4%	29.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.2%	10.7%	13.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.9%	25.9%	21.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.8%	26.8%	22.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.5%	25.9%	24.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	41.5%	41.8%	39.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.4%	17.1%	16.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.5%	39.7%	32.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.5%	31.4%	33.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.2%	22.9%	23.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.8%	37.0%	30.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.8%	9.0%	9.4%
'No' or 'slight risk' if they use synthetic drugs	13.1%	12.7%	12.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.3%	21.6%	22.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.9%	13.1%	13.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Nodaway County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	676	*	627
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	9.6%	15.3%	9.3%
Grade level. 7th Grade	8.2%	13.7%	1.8%
Grade level. 8th Grade	7.3%	14.0%	10.7%
Grade level. 9th Grade	14.4%	13.4%	18.5%
Grade level. 10th Grade	22.8%	13.7%	20.5%
Grade level. 11th Grade	24.0%	14.6%	23.9%
Grade level. 12th Grade	13.7%	15.2%	15.4%
Male	50.6%	49.7%	50.3%
Hispanic or Latino	1.4%	5.8%	1.2%
Race: Black or African American	2.0%	12.7%	2.2%
Race: White	95.7%	76.9%	95.5%
Race: Multiracial	1.4%	8.5%	1.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	6.8%	8.7%	11.0%
Used electronic cigarettes	16.0%	15.3%	7.7%
Used hookahs or water pipes	2.3%	2.6%	3.2%
Used alcohol	22.5%	14.5%	17.8%
Used marijuana	5.0%	6.5%	2.2%
Used inhalants	1.4%	1.1%	0.6%
Used Rx not prescribed for you by a doctor	7.7%	7.6%	4.9%
Used `OTC` to get high	0.7%	1.6%	0.8%
Used synthetic drugs	0.2%	0.3%	0.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.2%	1.0%	0.0%
Used heroin or `smack`	0.6%	0.2%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.6%	1.3%	0.4%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.4%	0.9%	0.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	18.2%	29.7%	19.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.9%	7.6%	4.0%
Rode with someone who was drinking alcohol	17.1%	15.1%	12.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	29.3%	20.7%	25.4%
Posted something online or sent a text that might embarrass or hurt another student	21.2%	15.5%	17.7%
Made fun of other people	57.3%	51.1%	61.5%
Hit, shoved or pushed another student and was not just fooling around	12.0%	14.1%	13.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.4%	29.4%	32.9%
Was in a physical fight	14.3%	17.9%	12.6%
Been threatened or injured with a weapon on school property	6.2%	6.6%	5.7%
Seriously considered suicide	9.9%	14.1%	8.7%
Planned suicide	7.1%	10.9%	5.4%
Attempted suicide	3.2%	6.2%	3.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	15.4%	24.4%	15.4%
Was grouchy or irritable, or in a bad mood	30.1%	35.0%	29.1%
Felt hopeless about the future	10.7%	13.2%	10.5%
Felt like not eating or eating more than usual	17.7%	21.8%	16.0%
Felt like sleeping a lot more or a lot less than usual	26.1%	33.4%	21.7%
Had difficulty concentrating on school work	25.8%	29.6%	28.4%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.4%	93.9%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.6%	93.8%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.7%	93.0%	97.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.7%	95.6%	97.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	82.7%	79.4%	81.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.6%	75.2%	82.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.9%	71.1%	82.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.5%	87.8%	90.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	47.7%	44.4%	48.2%
'Very' or 'sort of easy' to get alcohol	62.2%	48.9%	60.3%
'Very' or 'sort of easy' to get marijuana	30.4%	36.9%	36.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.2%	25.4%	32.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.4%	10.7%	6.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.6%	25.9%	9.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	32.7%	26.8%	23.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.9%	25.9%	15.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	41.9%	41.8%	34.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.2%	17.1%	12.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.1%	39.7%	38.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.9%	31.4%	30.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.7%	22.9%	22.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.3%	37.0%	28.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.1%	9.0%	4.2%
'No' or 'slight risk' if they use synthetic drugs	10.6%	12.7%	8.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.9%	21.6%	20.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.3%	13.1%	10.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Oregon County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	150	*	160
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	27.7%	15.3%	1.2%
Grade level. 7th Grade	8.9%	13.7%	9.6%
Grade level. 8th Grade	16.4%	14.0%	36.7%
Grade level. 9th Grade	15.0%	13.4%	8.4%
Grade level. 10th Grade	17.8%	13.7%	18.1%
Grade level. 11th Grade	8.9%	14.6%	15.1%
Grade level. 12th Grade	5.2%	15.2%	10.8%
Male	48.4%	49.7%	47.3%
Hispanic or Latino	1.0%	5.8%	1.2%
Race: Black or African American	0.0%	12.7%	0.0%
Race: White	96.7%	76.9%	95.8%
Race: Multiracial	1.4%	8.5%	3.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.9%	8.7%	13.2%
Used electronic cigarettes	9.6%	15.3%	12.6%
Used hookahs or water pipes	0.0%	2.6%	1.2%
Used alcohol	6.7%	14.5%	20.6%
Used marijuana	2.4%	6.5%	3.6%
Used inhalants	0.5%	1.1%	0.6%
Used Rx not prescribed for you by a doctor	9.9%	7.6%	9.6%
Used `OTC` to get high	1.0%	1.6%	0.6%
Used synthetic drugs	0.5%	0.3%	0.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	0.6%
Used heroin or `smack`	0.0%	0.2%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.0%	1.3%	0.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.6%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	32.5%	29.7%	29.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.6%	7.6%	5.5%
Rode with someone who was drinking alcohol	7.8%	15.1%	12.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.1%	20.7%	19.8%
Posted something online or sent a text that might embarrass or hurt another student	9.8%	15.5%	10.2%
Made fun of other people	38.3%	51.1%	45.5%
Hit, shoved or pushed another student and was not just fooling around	11.3%	14.1%	15.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	38.7%	29.4%	27.5%
Was in a physical fight	17.8%	17.9%	10.2%
Been threatened or injured with a weapon on school property	2.3%	6.6%	6.6%
Seriously considered suicide	12.1%	14.1%	9.6%
Planned suicide	8.9%	10.9%	11.4%
Attempted suicide	5.6%	6.2%	4.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.1%	24.4%	22.9%
Was grouchy or irritable, or in a bad mood	29.2%	35.0%	26.5%
Felt hopeless about the future	15.1%	13.2%	12.6%
Felt like not eating or eating more than usual	21.6%	21.8%	23.4%
Felt like sleeping a lot more or a lot less than usual	26.8%	33.4%	18.7%
Had difficulty concentrating on school work	21.1%	29.6%	24.6%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.5%	93.9%	91.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.5%	93.8%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	98.0%	93.0%	94.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	95.6%	97.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.3%	79.4%	76.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.8%	75.2%	75.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.8%	71.1%	75.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.0%	87.8%	91.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	33.0%	44.4%	45.5%
'Very' or 'sort of easy' to get alcohol	36.5%	48.9%	46.7%
'Very' or 'sort of easy' to get marijuana	27.1%	36.9%	25.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.9%	25.4%	26.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.2%	10.7%	10.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	17.2%	25.9%	22.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	15.8%	26.8%	26.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.9%	25.9%	19.2%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	36.2%	41.8%	40.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	13.4%	17.1%	14.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.7%	39.7%	26.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.4%	31.4%	39.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.6%	22.9%	25.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.2%	37.0%	33.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.1%	9.0%	5.5%
'No' or 'slight risk' if they use synthetic drugs	11.1%	12.7%	7.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.7%	21.6%	16.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.4%	13.1%	8.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Osage County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	111	*	95
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.0%	15.3%	29.7%
Grade level. 7th Grade	13.0%	13.7%	0.0%
Grade level. 8th Grade	18.8%	14.0%	0.0%
Grade level. 9th Grade	31.0%	13.4%	70.3%
Grade level. 10th Grade	15.9%	13.7%	0.0%
Grade level. 11th Grade	20.6%	14.6%	0.0%
Grade level. 12th Grade	0.7%	15.2%	0.0%
Male	50.9%	49.7%	53.2%
Hispanic or Latino	0.7%	5.8%	0.5%
Race: Black or African American	0.7%	12.7%	0.0%
Race: White	97.8%	76.9%	99.2%
Race: Multiracial	0.7%	8.5%	0.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.2%	8.7%	10.0%
Used electronic cigarettes	14.1%	15.3%	14.7%
Used hookahs or water pipes	0.0%	2.6%	0.8%
Used alcohol	27.4%	14.5%	24.7%
Used marijuana	2.6%	6.5%	0.8%
Used inhalants	0.0%	1.1%	1.3%
Used Rx not prescribed for you by a doctor	7.0%	7.6%	4.2%
Used `OTC` to get high	0.0%	1.6%	0.0%
Used synthetic drugs	1.8%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.0%	0.0%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	1.3%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.3%	0.0%
Used `club drugs` such as ecstasy	0.0%	0.9%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	18.5%	29.7%	22.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	0.0%	7.6%	5.2%
Rode with someone who was drinking alcohol	26.5%	15.1%	24.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	25.0%	20.7%	23.2%
Posted something online or sent a text that might embarrass or hurt another student	19.6%	15.5%	23.3%
Made fun of other people	62.1%	51.1%	48.1%
Hit, shoved or pushed another student and was not just fooling around	8.7%	14.1%	14.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	20.7%	29.4%	26.8%
Was in a physical fight	18.4%	17.9%	13.0%
Been threatened or injured with a weapon on school property	5.8%	6.6%	4.2%
Seriously considered suicide	9.4%	14.1%	10.1%
Planned suicide	9.2%	10.9%	6.3%
Attempted suicide	2.5%	6.2%	0.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	19.1%	24.4%	16.4%
Was grouchy or irritable, or in a bad mood	30.2%	35.0%	27.4%
Felt hopeless about the future	12.5%	13.2%	9.6%
Felt like not eating or eating more than usual	22.4%	21.8%	17.9%
Felt like sleeping a lot more or a lot less than usual	24.9%	33.4%	21.4%
Had difficulty concentrating on school work	22.5%	29.6%	16.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.9%	93.9%	90.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.8%	93.8%	91.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.9%	93.0%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.5%	95.6%	90.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.7%	79.4%	86.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	67.9%	75.2%	84.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.3%	71.1%	84.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.8%	87.8%	94.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	54.7%	44.4%	35.0%
'Very' or 'sort of easy' to get alcohol	66.4%	48.9%	53.8%
'Very' or 'sort of easy' to get marijuana	28.2%	36.9%	9.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.5%	25.4%	19.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.9%	10.7%	14.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.6%	25.9%	16.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	41.2%	26.8%	31.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.3%	25.9%	10.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.2%	41.8%	34.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	11.6%	17.1%	11.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.6%	39.7%	36.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.2%	31.4%	34.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.5%	22.9%	27.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.1%	37.0%	15.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	1.8%	9.0%	7.5%
'No' or 'slight risk' if they use synthetic drugs	6.2%	12.7%	14.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	10.1%	21.6%	16.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	5.4%	13.1%	8.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Ozark County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	205	*	169
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	20.0%	15.3%	16.7%
Grade level. 7th Grade	19.3%	13.7%	10.1%
Grade level. 8th Grade	8.3%	14.0%	20.3%
Grade level. 9th Grade	18.6%	13.4%	13.8%
Grade level. 10th Grade	15.9%	13.7%	14.5%
Grade level. 11th Grade	9.7%	14.6%	12.3%
Grade level. 12th Grade	8.3%	15.2%	12.3%
Male	52.4%	49.7%	53.3%
Hispanic or Latino	1.4%	5.8%	0.7%
Race: Black or African American	0.0%	12.7%	0.0%
Race: White	96.5%	76.9%	97.1%
Race: Multiracial	2.1%	8.5%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	15.9%	8.7%	14.6%
Used electronic cigarettes	14.5%	15.3%	11.7%
Used hookahs or water pipes	1.4%	2.6%	3.6%
Used alcohol	14.6%	14.5%	13.9%
Used marijuana	5.6%	6.5%	5.8%
Used inhalants	2.8%	1.1%	0.7%
Used Rx not prescribed for you by a doctor	9.7%	7.6%	10.2%
Used `OTC` to get high	2.1%	1.6%	0.7%
Used synthetic drugs	0.7%	0.3%	0.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.0%	2.2%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.1%	1.3%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	1.4%	0.3%	0.0%
Used `club drugs` such as ecstasy	1.4%	0.9%	2.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	31.9%	29.7%	36.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.9%	7.6%	3.7%
Rode with someone who was drinking alcohol	9.7%	15.1%	14.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	23.4%	20.7%	25.5%
Posted something online or sent a text that might embarrass or hurt another student	9.7%	15.5%	9.5%
Made fun of other people	49.3%	51.1%	46.3%
Hit, shoved or pushed another student and was not just fooling around	12.4%	14.1%	13.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.3%	29.4%	33.6%
Was in a physical fight	24.8%	17.9%	23.4%
Been threatened or injured with a weapon on school property	6.2%	6.6%	8.8%
Seriously considered suicide	14.1%	14.1%	12.5%
Planned suicide	12.1%	10.9%	13.1%
Attempted suicide	5.6%	6.2%	7.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.7%	24.4%	23.5%
Was grouchy or irritable, or in a bad mood	43.1%	35.0%	33.6%
Felt hopeless about the future	20.0%	13.2%	9.6%
Felt like not eating or eating more than usual	24.8%	21.8%	14.6%
Felt like sleeping a lot more or a lot less than usual	31.3%	33.4%	25.5%
Had difficulty concentrating on school work	27.6%	29.6%	25.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.1%	93.9%	92.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.5%	93.8%	91.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.3%	93.0%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.1%	95.6%	96.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.4%	79.4%	73.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.0%	75.2%	74.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.9%	71.1%	74.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.4%	87.8%	91.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.2%	44.4%	41.6%
'Very' or 'sort of easy' to get alcohol	41.7%	48.9%	39.7%
'Very' or 'sort of easy' to get marijuana	23.8%	36.9%	30.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.1%	25.4%	16.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.6%	10.7%	11.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.8%	25.9%	19.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	16.2%	26.8%	29.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.9%	25.9%	22.8%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	42.3%	41.8%	44.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	19.6%	17.1%	19.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.2%	39.7%	33.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	46.1%	31.4%	41.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	32.9%	22.9%	29.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.8%	37.0%	33.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.6%	9.0%	8.0%
'No' or 'slight risk' if they use synthetic drugs	21.1%	12.7%	13.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.6%	21.6%	24.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.2%	13.1%	11.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Texas County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	669	*	131
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	19.0%	15.3%	14.9%
Grade level. 7th Grade	13.4%	13.7%	18.2%
Grade level. 8th Grade	12.8%	14.0%	15.5%
Grade level. 9th Grade	15.4%	13.4%	16.9%
Grade level. 10th Grade	14.9%	13.7%	12.2%
Grade level. 11th Grade	11.9%	14.6%	13.3%
Grade level. 12th Grade	12.6%	15.2%	9.1%
Male	50.0%	49.7%	50.0%
Hispanic or Latino	1.7%	5.8%	1.7%
Race: Black or African American	1.7%	12.7%	2.8%
Race: White	93.4%	76.9%	93.9%
Race: Multiracial	3.4%	8.5%	1.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	14.5%	8.7%	24.2%
Used electronic cigarettes	11.4%	15.3%	11.3%
Used hookahs or water pipes	1.3%	2.6%	5.8%
Used alcohol	14.0%	14.5%	22.0%
Used marijuana	4.4%	6.5%	5.5%
Used inhalants	0.2%	1.1%	2.5%
Used Rx not prescribed for you by a doctor	8.8%	7.6%	9.4%
Used `OTC` to get high	1.1%	1.6%	2.2%
Used synthetic drugs	0.7%	0.3%	1.7%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.9%	1.0%	0.6%
Used heroin or `smack`	0.7%	0.2%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	1.3%	3.0%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.3%	2.0%
Used `club drugs` such as ecstasy	0.7%	0.9%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.4%	29.7%	38.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.5%	7.6%	7.2%
Rode with someone who was drinking alcohol	15.1%	15.1%	21.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	23.4%	20.7%	28.4%
Posted something online or sent a text that might embarrass or hurt another student	14.5%	15.5%	18.8%
Made fun of other people	50.4%	51.1%	55.6%
Hit, shoved or pushed another student and was not just fooling around	20.3%	14.1%	22.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	39.1%	29.4%	31.7%
Was in a physical fight	24.8%	17.9%	24.8%
Been threatened or injured with a weapon on school property	8.8%	6.6%	5.5%
Seriously considered suicide	15.1%	14.1%	14.4%
Planned suicide	11.0%	10.9%	7.2%
Attempted suicide	7.3%	6.2%	4.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.1%	24.4%	25.4%
Was grouchy or irritable, or in a bad mood	36.5%	35.0%	41.4%
Felt hopeless about the future	17.4%	13.2%	15.5%
Felt like not eating or eating more than usual	24.6%	21.8%	25.2%
Felt like sleeping a lot more or a lot less than usual	31.4%	33.4%	25.1%
Had difficulty concentrating on school work	29.1%	29.6%	27.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.4%	93.9%	90.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.5%	93.8%	88.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.8%	93.0%	90.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.0%	95.6%	94.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	75.8%	79.4%	66.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.4%	75.2%	71.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.3%	71.1%	71.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.0%	87.8%	87.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	51.8%	44.4%	54.7%
'Very' or 'sort of easy' to get alcohol	52.2%	48.9%	53.6%
'Very' or 'sort of easy' to get marijuana	27.8%	36.9%	40.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.2%	25.4%	26.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.7%	10.7%	17.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	17.0%	25.9%	20.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.4%	26.8%	33.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	13.9%	25.9%	28.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.7%	41.8%	37.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	22.2%	17.1%	17.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.0%	39.7%	33.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.9%	31.4%	40.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	33.3%	22.9%	36.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.5%	37.0%	29.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.0%	9.0%	9.6%
'No' or 'slight risk' if they use synthetic drugs	15.9%	12.7%	8.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.0%	21.6%	21.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.7%	13.1%	13.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Vernon County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	552	*	356
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	15.4%	15.3%	16.7%
Grade level. 7th Grade	14.4%	13.7%	12.8%
Grade level. 8th Grade	15.4%	14.0%	19.2%
Grade level. 9th Grade	19.9%	13.4%	15.4%
Grade level. 10th Grade	14.0%	13.7%	14.4%
Grade level. 11th Grade	18.8%	14.6%	15.1%
Grade level. 12th Grade	2.1%	15.2%	6.4%
Male	50.1%	49.7%	49.2%
Hispanic or Latino	1.3%	5.8%	0.8%
Race: Black or African American	0.8%	12.7%	0.5%
Race: White	96.6%	76.9%	97.2%
Race: Multiracial	1.7%	8.5%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	15.9%	8.7%	13.6%
Used electronic cigarettes	14.6%	15.3%	14.3%
Used hookahs or water pipes	2.3%	2.6%	2.8%
Used alcohol	14.3%	14.5%	21.2%
Used marijuana	4.9%	6.5%	6.9%
Used inhalants	2.7%	1.1%	1.5%
Used Rx not prescribed for you by a doctor	10.2%	7.6%	8.5%
Used `OTC` to get high	1.1%	1.6%	3.1%
Used synthetic drugs	0.4%	0.3%	0.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.9%	1.0%	1.3%
Used heroin or `smack`	0.6%	0.2%	1.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	3.2%	1.3%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.3%	1.0%
Used `club drugs` such as ecstasy	0.9%	0.9%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.6%	29.7%	36.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.0%	7.6%	6.4%
Rode with someone who was drinking alcohol	17.4%	15.1%	17.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.7%	20.7%	24.4%
Posted something online or sent a text that might embarrass or hurt another student	13.9%	15.5%	13.3%
Made fun of other people	45.1%	51.1%	54.5%
Hit, shoved or pushed another student and was not just fooling around	13.9%	14.1%	16.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.6%	29.4%	33.8%
Was in a physical fight	19.2%	17.9%	21.7%
Been threatened or injured with a weapon on school property	8.9%	6.6%	8.7%
Seriously considered suicide	15.0%	14.1%	13.8%
Planned suicide	11.9%	10.9%	13.2%
Attempted suicide	6.4%	6.2%	7.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.1%	24.4%	25.1%
Was grouchy or irritable, or in a bad mood	33.4%	35.0%	34.4%
Felt hopeless about the future	14.4%	13.2%	15.9%
Felt like not eating or eating more than usual	21.8%	21.8%	21.3%
Felt like sleeping a lot more or a lot less than usual	28.3%	33.4%	25.3%
Had difficulty concentrating on school work	28.9%	29.6%	31.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.3%	93.9%	92.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.2%	93.8%	91.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.6%	93.0%	94.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.0%	95.6%	96.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.2%	79.4%	76.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.7%	75.2%	71.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.5%	71.1%	71.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.7%	87.8%	87.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.8%	44.4%	50.8%
'Very' or 'sort of easy' to get alcohol	48.1%	48.9%	54.5%
'Very' or 'sort of easy' to get marijuana	32.0%	36.9%	39.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.6%	25.4%	31.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.6%	10.7%	6.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.4%	25.9%	17.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.8%	26.8%	32.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.2%	25.9%	26.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.5%	41.8%	39.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	17.1%	17.1%	17.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.3%	39.7%	32.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.3%	31.4%	37.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.0%	22.9%	30.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.3%	37.0%	30.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.4%	9.0%	7.0%
'No' or 'slight risk' if they use synthetic drugs	11.5%	12.7%	8.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.0%	21.6%	24.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.8%	13.1%	12.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Warren County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	797	*	0
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	27.8%	15.3%	
Grade level. 7th Grade	18.5%	13.7%	
Grade level. 8th Grade	5.4%	14.0%	
Grade level. 9th Grade	0.0%	13.4%	
Grade level. 10th Grade	18.0%	13.7%	
Grade level. 11th Grade	16.8%	14.6%	
Grade level. 12th Grade	13.5%	15.2%	
Male	48.5%	49.7%	
Hispanic or Latino	2.3%	5.8%	
Race: Black or African American	1.9%	12.7%	
Race: White	94.9%	76.9%	
Race: Multiracial	2.1%	8.5%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.7%	8.7%
Used electronic cigarettes	23.7%	15.3%
Used hookahs or water pipes	2.7%	2.6%
Used alcohol	19.8%	14.5%
Used marijuana	8.3%	6.5%
Used inhalants	1.3%	1.1%
Used Rx not prescribed for you by a doctor	8.8%	7.6%
Used `OTC` to get high	2.0%	1.6%
Used synthetic drugs	0.5%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.5%	1.0%	
Used heroin or `smack`	0.0%	0.2%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.6%	1.3%	
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.3%	
Used `club drugs` such as ecstasy	0.7%	0.9%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	32.4%	29.7%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.6%	7.6%	
Rode with someone who was drinking alcohol	17.5%	15.1%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.0%	20.7%	
Posted something online or sent a text that might embarrass or hurt another student	16.1%	15.5%	
Made fun of other people	49.1%	51.1%	
Hit, shoved or pushed another student and was not just fooling around	17.0%	14.1%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.5%	29.4%	
Was in a physical fight	21.4%	17.9%	
Been threatened or injured with a weapon on school property	6.9%	6.6%	
Seriously considered suicide	13.5%	14.1%	
Planned suicide	11.1%	10.9%	
Attempted suicide	6.9%	6.2%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.9%	24.4%	
Was grouchy or irritable, or in a bad mood	35.6%	35.0%	
Felt hopeless about the future	17.1%	13.2%	
Felt like not eating or eating more than usual	25.8%	21.8%	
Felt like sleeping a lot more or a lot less than usual	32.3%	33.4%	
Had difficulty concentrating on school work	33.5%	29.6%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.2%	93.9%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.4%	93.8%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.4%	93.0%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.1%	95.6%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.5%	79.4%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.9%	75.2%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	70.9%	71.1%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.0%	87.8%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.6%	44.4%	
'Very' or 'sort of easy' to get alcohol	55.9%	48.9%	
'Very' or 'sort of easy' to get marijuana	41.6%	36.9%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.6%	25.4%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.4%	10.7%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	35.3%	25.9%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.6%	26.8%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	31.3%	25.9%	

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	50.9%	41.8%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes	20.3%	17.1%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.8%	39.7%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.2%	31.4%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.4%	22.9%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	40.5%	37.0%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.5%	9.0%	
'No' or 'slight risk' if they use synthetic drugs	17.4%	12.7%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.3%	21.6%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.2%	13.1%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Wayne County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	404	*	250
Demographics (% reflects "yes" answer)			
Grade level. 6th Grade	16.3%	15.3%	19.4%
Grade level. 7th Grade	15.5%	13.7%	12.9%
Grade level. 8th Grade	18.2%	14.0%	20.4%
Grade level. 9th Grade	11.0%	13.4%	11.9%
Grade level. 10th Grade	16.7%	13.7%	16.4%
Grade level. 11th Grade	14.0%	14.6%	10.9%
Grade level. 12th Grade	8.3%	15.2%	8.0%
Male	46.2%	49.7%	48.8%
Hispanic or Latino	1.2%	5.8%	0.5%
Race: Black or African American	0.8%	12.7%	0.5%
Race: White	96.9%	76.9%	95.0%
Race: Multiracial	1.9%	8.5%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.2%	8.7%	18.1%
Used electronic cigarettes	13.0%	15.3%	15.6%
Used hookahs or water pipes	0.8%	2.6%	3.5%
Used alcohol	16.0%	14.5%	17.2%
Used marijuana	5.1%	6.5%	8.5%
Used inhalants	0.4%	1.1%	2.0%
Used Rx not prescribed for you by a doctor	6.6%	7.6%	8.0%
Used `OTC` to get high	0.8%	1.6%	2.5%
Used synthetic drugs	0.4%	0.3%	1.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.4%	1.0%	0.5%
Used heroin or `smack`	0.0%	0.2%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	1.3%	3.1%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.3%	1.0%
Used `club drugs` such as ecstasy	0.4%	0.9%	2.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	34.9%	29.7%	33.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.0%	7.6%	4.1%
Rode with someone who was drinking alcohol	17.1%	15.1%	12.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.2%	20.7%	22.3%
Posted something online or sent a text that might embarrass or hurt another student	12.6%	15.5%	17.8%
Made fun of other people	36.5%	51.1%	50.3%
Hit, shoved or pushed another student and was not just fooling around	13.7%	14.1%	17.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	37.3%	29.4%	31.3%
Was in a physical fight	23.5%	17.9%	18.5%
Been threatened or injured with a weapon on school property	8.7%	6.6%	7.5%
Seriously considered suicide	10.7%	14.1%	10.6%
Planned suicide	9.6%	10.9%	9.6%
Attempted suicide	5.7%	6.2%	6.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.8%	24.4%	21.8%
Was grouchy or irritable, or in a bad mood	38.0%	35.0%	27.0%
Felt hopeless about the future	15.6%	13.2%	11.5%
Felt like not eating or eating more than usual	23.5%	21.8%	21.0%
Felt like sleeping a lot more or a lot less than usual	34.1%	33.4%	19.7%
Had difficulty concentrating on school work	35.5%	29.6%	23.0%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.9%	93.9%	90.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.4%	93.8%	91.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.4%	93.0%	90.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	95.6%	93.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	72.6%	79.4%	70.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.5%	75.2%	76.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.4%	71.1%	76.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.2%	87.8%	85.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	56.4%	44.4%	45.6%
'Very' or 'sort of easy' to get alcohol	52.0%	48.9%	45.1%
'Very' or 'sort of easy' to get marijuana	40.6%	36.9%	37.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	31.3%	25.4%	24.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.0%	10.7%	12.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	23.7%	25.9%	23.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.2%	26.8%	29.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	28.0%	25.9%	26.5%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.7%	41.8%	50.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	15.1%	17.1%	20.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.1%	39.7%	31.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	41.4%	31.4%	38.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	32.2%	22.9%	28.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.4%	37.0%	35.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.7%	9.0%	7.7%
'No' or 'slight risk' if they use synthetic drugs	8.1%	12.7%	8.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	15.8%	21.6%	21.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.5%	13.1%	14.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!

2018 Missouri Student Survey Wright County



	2018 County Data	2018 MO Data	2016 County Data
Approximate Sample Size	272	*	448
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.8%	15.3%	23.1%
Grade level. 7th Grade	17.2%	13.7%	20.3%
Grade level. 8th Grade	13.0%	14.0%	3.5%
Grade level. 9th Grade	14.1%	13.4%	23.7%
Grade level. 10th Grade	16.9%	13.7%	5.4%
Grade level. 11th Grade	18.0%	14.6%	14.9%
Grade level. 12th Grade	6.0%	15.2%	9.2%
Male	47.0%	49.7%	49.2%
Hispanic or Latino	1.0%	5.8%	1.3%
Race: Black or African American	0.8%	12.7%	0.3%
Race: White	96.9%	76.9%	95.9%
Race: Multiracial	1.3%	8.5%	1.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	16.1%	8.7%	17.8%
Used electronic cigarettes	10.5%	15.3%	10.4%
Used hookahs or water pipes	3.1%	2.6%	2.5%
Used alcohol	10.5%	14.5%	15.5%
Used marijuana	6.9%	6.5%	4.4%
Used inhalants	2.9%	1.1%	2.2%
Used Rx not prescribed for you by a doctor	11.1%	7.6%	11.7%
Used `OTC` to get high	0.8%	1.6%	1.6%
Used synthetic drugs	1.1%	0.3%	0.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.6%	1.0%	0.6%
Used heroin or `smack`	0.8%	0.2%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.6%	1.3%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	1.6%	0.3%	0.3%
Used `club drugs` such as ecstasy	1.6%	0.9%	1.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	24.7%	29.7%	38.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.1%	7.6%	8.6%
Rode with someone who was drinking alcohol	19.0%	15.1%	13.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	26.6%	20.7%	25.2%
Posted something online or sent a text that might embarrass or hurt another student	17.9%	15.5%	15.8%
Made fun of other people	55.5%	51.1%	50.8%
Hit, shoved or pushed another student and was not just fooling around	15.7%	14.1%	16.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.0%	29.4%	41.0%
Was in a physical fight	17.7%	17.9%	22.3%
Been threatened or injured with a weapon on school property	6.0%	6.6%	7.2%
Seriously considered suicide	9.8%	14.1%	11.9%
Planned suicide	9.4%	10.9%	8.7%
Attempted suicide	4.7%	6.2%	6.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	22.5%	24.4%	23.3%
Was grouchy or irritable, or in a bad mood	27.6%	35.0%	33.1%
Felt hopeless about the future	9.4%	13.2%	12.0%
Felt like not eating or eating more than usual	19.5%	21.8%	23.5%
Felt like sleeping a lot more or a lot less than usual	24.3%	33.4%	24.5%
Had difficulty concentrating on school work	22.4%	29.6%	31.1%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.4%	93.9%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.1%	93.8%	92.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.2%	93.0%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	95.6%	94.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.4%	79.4%	79.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.1%	75.2%	82.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.4%	71.1%	82.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.9%	87.8%	90.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	40.1%	44.4%	46.3%
'Very' or 'sort of easy' to get alcohol	41.6%	48.9%	48.1%
'Very' or 'sort of easy' to get marijuana	29.6%	36.9%	29.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.6%	25.4%	31.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.3%	10.7%	10.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.1%	25.9%	20.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.0%	26.8%	25.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.9%	25.9%	18.3%

	2018 Local Data	2018 MO Data	2016 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.9%	41.8%	37.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes	21.1%	17.1%	15.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	32.5%	39.7%	29.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	42.3%	31.4%	35.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.3%	22.9%	27.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.6%	37.0%	29.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.0%	9.0%	8.0%
'No' or 'slight risk' if they use synthetic drugs	15.1%	12.7%	11.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.4%	21.6%	20.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.9%	13.1%	14.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2018.



Thank You!

Your Participation
in the Missouri
Student Survey is
appreciated!